J 2
401:B61
1986
c. 2

BASIC AUTOMATED BIRTH YEARBOOK

NORTH CAROLINA RESIDENTS '86

N. C. DOCUMENTS
JAN 4 1988
N. C. STATE LIBRARY
RALEIGH


Digitized by the Internet Archive
in 2016

https://archive.org/details/basicautomatedbi1986nort

BASIC AUTOMATED BIRTH YEARBOOK

State Center For Health Statistics
N.C. Department of Human Resources
Division of Health Services

NORTH CAROLINA RESIDENTS '86

BASIC AUTOMATED BIRTH YEARBOOK

This report, referred to as ***The Baby Book***, contains computerized tables showing statewide counts and percentages for 1986 resident live births classified according to selected infant and maternal characteristics. This volume and corresponding county microfiche are prepared and distributed for the use of family planning programs and other users of baseline birth data.

This year's cover features Davida Laura Lee, born March 22, 1987 and Christopher Delton Atkinson, born May 3, 1987, as photographed by Bill Ellington.

Davida's mother is Theodosia Lee, Data Entry Supervisor with the State Center for Health Statistics and Christopher's father is Delton Atkinson, the Director of the State Center for Health Statistics.

North Carolina Residents

1986

DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
STATE CENTER FOR HEALTH STATISTICS
POST OFFICE BOX 2091
RALEIGH, NORTH CAROLINA 27602

October 1987

BASIC AUTOMATED BIRTH YEARBOOK
NORTH CAROLINA RESIDENTS
1986

DEFINITIONS

A ***'live birth'*** is the complete expulsion or extraction from its mother of a product of conception irrespective of the duration of pregnancy, which, after such separation, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or any definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached. (Definition adopted by the World Health Organization in 1950.)

A ***'not married'*** mother is one who has never been legally married or who has been widowed or legally divorced from her husband in excess of 280 days.

'Fetal death' is death prior to complete expulsion or extraction from its mother of the product of conception. A ***'previous fetal death'*** is delivery of a fetal death prior to the present delivery.

A ***'previous live born now dead'*** is a live born child who died prior to the present delivery.

'Birth order' is the sum of all previous deliveries (live births and fetal deaths) plus the present delivery.

'Birth weight' is expressed in grams. A premature birth is defined as a live born infant weighing 2500 grams (5 pounds, 8 ounces) or less at birth, regardless of the period of gestation. (Birth Weight Index recommended by the expert group on prematurity of the World Health Organization, 1950.)

'Age of mother' is reported age in completed years at last birthday.

'Education of mother' is the number of years of schooling completed at time of the birth.

The ***'Apgar score'*** is a system for rating the physical condition of newborns. Scores range 0-10 and are a summation of scores 0-2 assigned to each of 5 items: heart rate, respiratory effect, muscle tone, reflex irritability and color. Apgar scores of 0-2 represent severe asphyxia; 3-6, mild to moderate asphyxia; 7-10, rare need for resuscitation. Scores at 5 minutes, as tabulated here, are reportedly more highly associated with mortality and neurologic defects than are scores at 1 minute.

For State tables only, a ***'congenital malformation'*** is one of two possible malformations reported by the certifier. It is the first-mentioned condition except where the two conditions 'link' as per ICD linkage rules. In such cases, one or the other condition is 'preferred' or the two combined are represented by a third code.

The following categories are tabulated in State tables:

NOMENCLATURE	9TH ICD CODE
No malformation listed	None
Spina bifida	741
Cong. anom. of heart	745, 746
Cleft palate and cleft lip	749
Hypospadias and epispadias	752.6
Deformities of feet (includes clubfoot)	754.5-754.7
Polydactyly	755.0
Down's Syndrome	758.0
All other 740-759	All other

RESIDENCE ALLOCATION

Births are allocated to the usual residence of the mother regardless of the place of occurrence.

RACE ALLOCATION

Two broad categories, 'white' and 'nonwhite' are used. Where one parent is classified as white and the other nonwhite, the birth is classified as nonwhite.

COMPLETENESS OF BIRTH REGISTRATION

Counts and percentages in this report are based on live births filed with the local registrar prior to April and processed in the State office prior to May of the year following the birth. The number filed subsequently is considered negligible for statistical purposes.

INSTRUCTIONS FOR READING THE TABLES

The following page provides an example and instructions for reading the tables of this printout.

RESIDENT BIRTHS, YEAR 0001
EXAMPLE AGE/WT/MS/RACE

- C R O S S T A B U L A T I O N O F - - - - - - - - - - - - - - - - - -
AGE AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR..
MS MARITAL STATUS VALUE.. 1 LEGITIMATE
RACE VALUE.. 1 WHITE
- - - - - - - - - - - - - - - - - - - -

TABLE OF CONTENTS

LISTING OF CROSSTABULATIONS OF RESIDENT LIVE BIRTHS

TABLE

1. AGE OF MOTHER BY BIRTH ORDER BY MARITAL STATUS BY RACE (AGE/BTH ORDR/MS/RACE) 1

2. AGE OF MOTHER BY BIRTH ORDER BY RACE (AGE/BTH ORDR/RACE) 11

3. AGE OF MOTHER BY BIRTH WEIGHT BY RACE (AGE/BTH WT/RACE) 19

4. EDUCATION OF MOTHER BY BIRTH ORDER BY RACE (ED/BTH ORDR/RACE) 27

5. MONTH PRENATAL CARE BEGAN BY EDUCATION OF MOTHER BY RACE (MPCB/ED/RACE) 30

6. MONTH PRENATAL CARE BEGAN BY AGE OF MOTHER BY RACE (MPCB/AGE/RACE) 36

7. MONTH PRENATAL CARE BEGAN BY MARITAL STATUS BY RACE (MPCB/MS/RACE) 48

8. MONTH PRENATAL CARE BEGAN BY BIRTH ORDER BY RACE (MPCB/BTH ORDR/RACE) 54

9. MONTH PRENATAL CARE BEGAN BY BIRTH WEIGHT BY RACE (MPCB/BTH WT/RACE) 60

10. NUMBER OF PRENATAL VISITS BY EDUCATION OF MOTHER BY RACE (PRENTL VSTS/ED/RACE) 66

11. NUMBER OF PRENATAL VISITS BY AGE OF MOTHER BY RACE (PRENTL VSTS/AGE/RACE) 72

12. NUMBER OF PRENATAL VISITS BY MARITAL STATUS BY RACE (PRENTL VSTS/MS/RACE) 84

13. NUMBER OF PRENATAL VISITS BY BIRTH ORDER BY RACE (PRENTL VSTS/BTH ORDR/RACE) 90

14. NUMBER OF PRENATAL VISITS BY BIRTH WEIGHT BY RACE (PRENTL VSTS/BTH WT/RACE) 96

15. MONTH PRENATAL CARE BEGAN BY NUMBER OF PRENATAL VISITS BY RACE (MPCB/PRENTL VSTS/RACE) 102

16. PREVIOUS LIVE BORN NOW DEAD BY RACE
(PREV LB NOW DEAD/RACE) 114

17. PREVIOUS FETAL DEATHS BY RACE
(PREV FTL DTHS/RACE) 115

18. APGAR SCORE (5 MIN) BY AGE OF MOTHER BY RACE
(APGAR5/AGE/RACE) 117

19. APGAR SCORE (5 MIN) BY EDUCATION OF MOTHER BY RACE
(APGAR5/EDUC/RACE) 129

20. CONGENITAL MALFORMATION BY AGE OF MOTHER BY RACE *** IN STATE BABYBOOK ONLY ***
(MAL/AGE/RACE) 135

21. CONGENITAL MALFORMATION BY EDUCATION OF MOTHER BY RACE *** IN STATE BABYBOOK ONLY ***
(MAL/EDUC/RACE) 141

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

STATUS MARITAL STATUS OF MOTHER VALUE.. 1 MARRIED

RACE VALUE.. 1 WHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
14		30	1									31
		96.8	3.2									.1
		.1	.0									
15		101	7									108
		93.5	6.5									.2
		.5	.0									
16		343	38	2	1							384
		89.3	9.9	.5	.3							.7
		1.6	.2	.0	.0							
17		707	152	22	2		1					884
		80.0	17.2	2.5	.2		.1					1.6
		3.2	.8	.2	.1		.2					
18		1054	364	59	11	2						1490
		70.7	24.4	4.0	.7	.1						2.7
		4.8	1.9	.7	.3	.2						
19		1530	621	122	15	8		1				2297
		66.6	27.0	5.3	.7	.3		.0				4.1
		6.9	3.2	1.4	.4	.7		.6				
20		1695	853	222	54	7	1	1			1	2834
		59.8	30.1	7.8	1.9	.2	.0	.0			.0	5.1
		7.7	4.4	2.5	1.6	.6	.2	.6			8.3	
21		1712	1125	346	91	17	8	1			1	3301
		51.9	34.1	10.5	2.8	.5	.2	.0			.0	5.9
		7.7	5.8	3.9	2.7	1.4	1.8	.6			8.3	
22		1661	1269	417	111	30	9	5	1	1	1	3505
		47.4	36.2	11.9	3.2	.9	.3	.1	.0	.0	.0	6.3
		7.5	6.6	4.7	3.2	2.5	2.0	3.1	1.3	1.2	8.3	
(CONTINUED)	COLUMN TOTAL	22114	19354	8905	3417	1202	441	161	78	85	12	55769
		39.7	34.7	16.0	6.1	2.2	.8	.3	.1	.2	.0	100.0

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER
CONTROLLING FOR..
STATUS MARITAL STATUS OF MOTHER VALUE.. 1 MARRIED
RACE VALUE.. 1 WHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	10 NOT STATED	ROW TOTAL
23		1642	1332	498	159	46	6	4	1			3688
		44.5	36.1	13.5	4.3	1.2	.2	.1	.0			6.6
		7.4	6.9	5.6	4.7	3.8	1.4	2.5	1.3			
24		1599	1442	570	180	46	19	3	2	2		3863
		41.4	37.3	14.8	4.7	1.2	.5	.1	.1	.1		6.9
		7.2	7.5	6.4	5.3	3.8	4.3	1.9	2.6	2.4		
25		6926	7076	3244	1213	358	137	44	18	13	4	19033
25 - 29		36.4	37.2	17.0	6.4	1.9	.7	.2	.1	.1	.0	34.1
		31.3	36.6	36.4	35.5	29.8	31.1	27.3	23.1	15.3	33.3	
26		2557	4095	2548	1090	432	154	59	30	23	4	10992
30 - 34		23.3	37.3	23.2	9.9	3.9	1.4	.5	.3	.2	.0	19.7
		11.6	21.2	28.6	31.9	35.9	34.9	36.6	38.5	27.1	33.3	
27		529	920	777	431	221	83	36	23	29	1	3050
35 - 39		17.3	30.2	25.5	14.1	7.2	2.7	1.2	.8	1.0	.0	5.5
		2.4	4.8	8.7	12.6	18.4	18.8	22.4	29.5	34.1	8.3	
28		25	58	77	57	35	22	7	3	17		301
40 - 44		8.3	19.3	25.6	18.9	11.6	7.3	2.3	1.0	5.6		.5
		.1	.3	.9	1.7	2.9	5.0	4.3	3.8	20.0		
29		1	1	1	2		1					6
45 AND OVER		16.7	16.7	16.7	33.3		16.7					.0
		.0	.0	.0	.1		.2					
30		2										2
NOT STATED		100.0										.0
		.0										
COLUMN TOTAL		22114	19354	8905	3417	1202	441	161	78	85	12	55769
		39.7	34.7	16.0	6.1	2.2	.8	.3	.1	.2	.0	100.0

TABLE 1

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

STATUS MARITAL STATUS OF MOTHER VALUE.. 2 NOT MARRIED

RACE VALUE.. 1 WHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
13		7	1									8
		87.5	12.5									.1
		.2	.1									
14		56										56
		100.0										.9
		1.5										
15		195	7									202
		96.5	3.5									3.4
		5.3	.5									
16		373	21									394
		94.7	5.3									6.6
		10.1	1.6									
17		527	56	5								588
		89.6	9.5	.9								9.8
		14.2	4.3	.9								
18		515	105	21	2						1	644
		80.0	16.3	3.3	.3						.2	10.8
		13.9	8.2	3.8	.8						14.3	
19		459	120	18	7	1					1	606
		75.7	19.8	3.0	1.2	.2					.2	10.1
		12.4	9.3	3.3	2.9	.9					14.3	
20		381	147	27	9							564
		67.6	26.1	4.8	1.6							9.4
		10.3	11.4	4.9	3.8							
21		274	122	45	13	8		1			2	465
		58.9	26.2	9.7	2.8	1.7		.2			.4	7.8
		7.4	9.5	8.2	5.4	7.3		5.0			28.6	
(CONTINUED)	COLUMN TOTAL	3707	1288	552	239	110	37	20	7	9	7	5976
		62.0	21.6	9.2	4.0	1.8	.6	.3	.1	.2	.1	100.0

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER
CONTROLLING FOR..
STATUS MARITAL STATUS OF MOTHER VALUE.. 2 NOT MARRIED
RACE VALUE.. 1 WHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	10 NOT STATED	ROW TOTAL
	22	218	119	41	16	8	4	1			1	408
		53.4	29.2	10.0	3.9	2.0	1.0	.2			.2	6.8
		5.9	9.2	7.4	6.7	7.3	10.8	5.0			14.3	
	23	145	117	61	11	13	5	1				353
		41.1	33.1	17.3	3.1	3.7	1.4	.3				5.9
		3.9	9.1	11.1	4.6	11.8	13.5	5.0				
	24	121	81	53	17	6	5		1	1		285
		42.5	28.4	18.6	6.0	2.1	1.8		.4	.4		4.8
		3.3	6.3	9.6	7.1	5.5	13.5		14.3	11.1		
	25	303	268	181	88	27	12	10	2	3	2	896
25 - 29		33.8	29.9	20.2	9.8	3.0	1.3	1.1	.2	.3	.2	15.0
		8.2	20.8	32.8	36.8	24.5	32.4	50.0	28.6	33.3	28.6	
	26	93	91	78	45	28	8	5		1		349
30 - 34		26.6	26.1	22.3	12.9	8.0	2.3	1.4		.3		5.8
		2.5	7.1	14.1	18.8	25.5	21.6	25.0		11.1		
	27	37	30	19	27	15	2	2	3	2		137
35 - 39		27.0	21.9	13.9	19.7	10.9	1.5	1.5	2.2	1.5		2.3
		1.0	2.3	3.4	11.3	13.6	5.4	10.0	42.9	22.2		
	28	3	3	3	4	4	1		1	2		21
40 - 44		14.3	14.3	14.3	19.0	19.0	4.8		4.8	9.5		.4
		.1	.2	.5	1.7	3.6	2.7		14.3	22.2		
	COLUMN TOTAL	3707	1288	552	239	110	37	20	7	9	7	5976
		62.0	21.6	9.2	4.0	1.8	.6	.3	.1	.2	.1	100.0

TABLE 1

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

STATUS MARITAL STATUS OF MOTHER VALUE.. 3 NOT STATED

RACE VALUE.. 1 WHITE

AGE	BO NOT STATED	ROW TOTAL
19	1	1
ROW PCT	100.0	100.0
COL PCT	100.0	
COLUMN TOTAL	1	1
	100.0	100.0

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER
CONTROLLING FOR..
STATUS MARITAL STATUS OF MOTHER VALUE.. 1 MARRIED
RACE VALUE.. 2 NONWHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
14		2										2
		100.0										.0
		.1										
15		7	1									8
		87.5	12.5									.1
		.2	.0									
16		28	5	1								34
		82.4	14.7	2.9								.3
		.9	.1	.0								
17		50	26	4	1		1					82
		61.0	31.7	4.9	1.2		1.2					.6
		1.5	.6	.1	.1		.3					
18		115	77	14	5	1						212
		54.2	36.3	6.6	2.4	.5						1.6
		3.5	1.8	.5	.4	.1						
19		203	140	52	12	7	1					415
		48.9	33.7	12.5	2.9	1.7	.2					3.2
		6.2	3.3	1.8	.9	1.0	.3					
20		293	241	96	22	2	3					657
		44.6	36.7	14.6	3.3	.3	.5					5.0
		9.0	5.7	3.3	1.6	.3	1.0					
21		320	302	145	59	14	1	3				844
		37.9	35.8	17.2	7.0	1.7	.1	.4				6.4
		9.8	7.1	5.0	4.2	2.0	.3	2.0				
22		302	347	194	65	25	5				1	939
		32.2	37.0	20.7	6.9	2.7	.5				.1	7.1
		9.3	8.2	6.7	4.6	3.5	1.6				25.0	
(CONTINUED)	COLUMN TOTAL	3263	4243	2896	1402	709	314	151	72	90	4	13144
		24.8	32.3	22.0	10.7	5.4	2.4	1.1	.5	.7	.0	100.0

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER
CONTROLLING FOR..
STATUS MARITAL STATUS OF MOTHER VALUE.. 1 MARRIED
RACE VALUE.. 2 NONWHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
	23	281	334	224	78	31	12	1	1		1	963
		29.2	34.7	23.3	8.1	3.2	1.2	.1	.1		.1	7.3
		8.6	7.9	7.7	5.6	4.4	3.8	.7	1.4		25.0	
	24	292	341	219	90	41	14	2	3	1		1003
		29.1	34.0	21.8	9.0	4.1	1.4	.2	.3	.1		7.6
		8.9	8.0	7.6	6.4	5.8	4.5	1.3	4.2	1.1		
	25	937	1486	1086	503	247	107	40	20	12	1	4439
25 - 29		21.1	33.5	24.5	11.3	5.6	2.4	.9	.5	.3	.0	33.8
		28.7	35.0	37.5	35.9	34.8	34.1	26.5	27.8	13.3	25.0	
	26	344	764	649	409	226	116	55	31	30	1	2625
30 - 34		13.1	29.1	24.7	15.6	8.6	4.4	2.1	1.2	1.1	.0	20.0
		10.5	18.0	22.4	29.2	31.9	36.9	36.4	43.1	33.3	25.0	
	27	78	163	195	141	105	40	37	14	32		805
35 - 39		9.7	20.2	24.2	17.5	13.0	5.0	4.6	1.7	4.0		6.1
		2.4	3.8	6.7	10.1	14.8	12.7	24.5	19.4	35.6		
	28	11	15	17	17	8	14	12	3	14		111
40 - 44		9.9	13.5	15.3	15.3	7.2	12.6	10.8	2.7	12.6		.8
		.3	.4	.6	1.2	1.1	4.5	7.9	4.2	15.6		
	29		1			2		1		1		5
45 AND OVER			20.0			40.0		20.0		20.0		.0
			.0			.3		.7		1.1		
	COLUMN TOTAL	3263	4243	2896	1402	709	314	151	72	90	4	13144
		24.8	32.3	22.0	10.7	5.4	2.4	1.1	.5	.7	.0	100.0

TABLE 1

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..
STATUS MARITAL STATUS OF MOTHER VALUE.. 2 NOT MARRIED
RACE VALUE.. 2 NONWHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
12		10										10
		100.0										.1
		.1										
13		49										49
		100.0										.3
		.7										
14		197	5									202
		97.5	2.5									1.3
		2.7	.1									
15		468	48	2	1							519
		90.2	9.2	.4	.2							3.4
		6.5	1.2	.1	.1							
16		749	104	12	1							866
		86.5	12.0	1.4	.1							5.6
		10.4	2.5	.5	.1							
17		901	223	42	3	1						1170
		77.0	19.1	3.6	.3	.1						7.6
		12.6	5.4	1.8	.3	.2						
18		997	390	107	25	3	2				1	1525
		65.4	25.6	7.0	1.6	.2	.1				.1	9.9
		13.9	9.4	4.6	2.6	.7	1.1				16.7	
19		918	432	164	43	4	1				1	1563
		58.7	27.6	10.5	2.8	.3	.1				.1	10.2
		12.8	10.4	7.1	4.4	1.0	.6				16.7	
20		771	490	238	65	12	6					1582
		48.7	31.0	15.0	4.1	.8	.4					10.3
		10.8	11.8	10.3	6.6	3.0	3.4					
(CONTINUED)	COLUMN TOTAL	7168	4151	2312	978	405	174	80	33	27	6	15334
		46.7	27.1	15.1	6.4	2.6	1.1	.5	.2	.2	.0	100.0

CROSSTABULATION OF

AGE — AGE OF MOTHER — BY BO — BIRTH ORDER

CONTROLLING FOR..

STATUS — MARITAL STATUS OF MOTHER — VALUE.. 2 NOT MARRIED

RACE — VALUE.. 2 NONWHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
	21	574	449	263	95	27	4	5				1417
		40.5	31.7	18.6	6.7	1.9	.3	.4				9.2
		8.0	10.8	11.4	9.7	6.7	2.3	6.3				
	22	430	413	244	96	29	6	1			1	1220
		35.2	33.9	20.0	7.9	2.4	.5	.1			.1	8.0
		6.0	9.9	10.6	9.8	7.2	3.4	1.3			16.7	
	23	294	320	187	95	36	7	2				941
		31.2	34.0	19.9	10.1	3.8	.7	.2				6.1
		4.1	7.7	8.1	9.7	8.9	4.0	2.5				
	24	193	251	167	91	35	12	6	2			757
		25.5	33.2	22.1	12.0	4.6	1.6	.8	.3			4.9
		2.7	6.0	7.2	9.3	8.6	6.9	7.5	6.1			
	25	477	743	607	297	131	70	24	13	8	1	2371
25 - 29		20.1	31.3	25.6	12.5	5.5	3.0	1.0	.5	.3	.0	15.5
		6.7	17.9	26.3	30.4	32.3	40.2	30.0	39.4	29.6	16.7	
	26	116	223	218	118	97	49	30	8	8	1	868
30 - 34		13.4	25.7	25.1	13.6	11.2	5.6	3.5	.9	.9	.1	5.7
		1.6	5.4	9.4	12.1	24.0	28.2	37.5	24.2	29.6	16.7	
	27	22	59	54	37	26	16	11	7	10	1	243
35 - 39		9.1	24.3	22.2	15.2	10.7	6.6	4.5	2.9	4.1	.4	1.6
		.3	1.4	2.3	3.8	6.4	9.2	13.8	21.2	37.0	16.7	
	28	2	1	7	11	4	1	1	3	1		31
40 - 44		6.5	3.2	22.6	35.5	12.9	3.2	3.2	9.7	3.2		.2
		.0	.0	.3	1.1	1.0	.6	1.3	9.1	3.7		
	COLUMN TOTAL	7168	4151	2312	978	405	174	80	33	27	6	15334
		46.7	27.1	15.1	6.4	2.6	1.1	.5	.2	.2	.0	100.0

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

STATUS MARITAL STATUS OF MOTHER VALUE.. 3 NOT STATED

RACE VALUE.. 2 NONWHITE

AGE	BO 3RD	BO NOT STATED	ROW TOTAL
19	1		1
	100.0		25.0
	50.0		
25 - 29	1		1
	100.0		25.0
	50.0		
30 - 34		1	1
		100.0	25.0
		50.0	
NOT STATED		1	1
		100.0	25.0
		50.0	
COLUMN TOTAL	2	2	4
	50.0	50.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 2

CROSSTABULATION OF AGE BY BO

CONTROLLING FOR.. AGE OF MOTHER
RACE. VALUE = TOTAL

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
12		10										10
		100.0										.0
		.0										
13		56	1									57
		98.2	1.8									.1
		.2	.0									
14		285	6									291
		97.9	2.1									.3
		.8	.0									
15		771	63	2	1							837
		92.1	7.5	.2	.1							.9
		2.1	.2	.0	.0							
16		1493	168	15	2							1678
		89.0	10.0	.9	.1							1.9
		4.1	.6	.1	.0							
17		2185	457	73	6	1	2					2724
		80.2	16.8	2.7	.2	.0	.1					3.0
		6.0	1.6	.5	.1	.0	.2					
18		2681	936	201	43	6	2				2	3871
		69.3	24.2	5.2	1.1	.2	.1				.1	4.3
		7.4	3.2	1.4	.7	.2	.2				6.3	
19		3110	1313	357	77	20	2	1			3	4883
		63.7	26.9	7.3	1.6	.4	.0	.0			.1	5.4
		8.6	4.5	2.4	1.3	.8	.2	.2			9.4	
20		3140	1731	583	150	21	10	1			1	5637
		55.7	30.7	10.3	2.7	.4	.2	.0			.0	6.2
		8.7	6.0	4.0	2.5	.9	1.0	.2			3.1	
(CONTINUED)	COLUMN TOTAL	36252	29036	14667	6036	2426	966	412	190	211	32	90228
		40.2	32.2	16.3	6.7	2.7	1.1	.5	.2	.2	.0	100.0

CROSSTABULATION OF AGE BY BO
AGE OF MOTHER
BIRTH ORDER
CONTROLLING FOR.. RACE.
VALUE = TOTAL

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
	21	2880	1998	799	258	66	13	10			3	6027
		47.8	33.2	13.3	4.3	1.1	.2	.2			.0	6.7
		7.9	6.9	5.4	4.3	2.7	1.3	2.4			9.4	
	22	2611	2148	896	288	92	24	7	1	1	4	6072
		43.0	35.4	14.8	4.7	1.5	.4	.1	.0	.0	.1	6.7
		7.2	7.4	6.1	4.8	3.8	2.5	1.7	.5	.5	12.5	
	23	2362	2103	970	343	126	30	8	2		1	5945
		39.7	35.4	16.3	5.8	2.1	.5	.1	.0		.0	6.6
		6.5	7.2	6.6	5.7	5.2	3.1	1.9	1.1		3.1	
	24	2205	2115	1009	378	128	50	11	8	4		5908
		37.3	35.8	17.1	6.4	2.2	.8	.2	.1	.1		6.5
		6.1	7.3	6.9	6.3	5.3	5.2	2.7	4.2	1.9		
25 - 29	25	8643	9573	5119	2101	763	326	118	53	36	8	26740
		32.3	35.8	19.1	7.9	2.9	1.2	.4	.2	.1	.0	29.6
		23.8	33.0	34.9	34.8	31.5	33.7	28.6	27.9	17.1	25.0	
30 - 34	26	3110	5173	3493	1662	783	327	149	69	62	7	14835
		21.0	34.9	23.5	11.2	5.3	2.2	1.0	.5	.4	.0	16.4
		8.6	17.8	23.8	27.5	32.3	33.9	36.2	36.3	29.4	21.9	
35 - 39	27	666	1172	1045	636	367	141	86	47	73	2	4235
		15.7	27.7	24.7	15.0	8.7	3.3	2.0	1.1	1.7	.0	4.7
		1.8	4.0	7.1	10.5	15.1	14.6	20.9	24.7	34.6	6.3	
40 - 44	28	41	77	104	89	51	38	20	10	34		464
		8.8	16.6	22.4	19.2	11.0	8.2	4.3	2.2	7.3		.5
		.1	.3	.7	1.5	2.1	3.9	4.9	5.3	16.1		
45 AND OVER	29	1	2	1	2	2	1	1		1		11
		9.1	18.2	9.1	18.2	18.2	9.1	9.1		9.1		.0
		.0	.0	.0	.0	.1	.1	.2		.5		
(CONTINUED)	COLUMN TOTAL	36252	29036	14667	6036	2426	966	412	190	211	32	90228
		40.2	32.2	16.3	6.7	2.7	1.1	.5	.2	.2	.0	100.0

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER
CONTROLLING FOR.. RACE. VALUE = TOTAL

AGE	COUNT / ROW PCT / COL PCT	BO 1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	10 NOT STATED	ROW TOTAL
NOT STATED	30	2									1	3
		66.7									33.3	.0
		.0									3.1	
	COLUMN TOTAL	36252	29036	14667	6036	2426	966	412	190	211	32	90228
		40.2	32.2	16.3	6.7	2.7	1.1	.5	.2	.2	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 2

CROSSTABULATION OF
AGE OF MOTHER BY BO BIRTH ORDER
CONTROLLING FOR.. RACE VALUE.. 1 WHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
13		7	1									8
		87.5	12.5									.0
		.0	.0									
14		86	1									87
		98.9	1.1									.1
		.3	.0									
15		296	14									310
		95.5	4.5									.5
		1.1	.1									
16		716	59	2	1							778
		92.0	7.6	.3	.1							1.3
		2.8	.3	.0	.0							
17		1234	208	27	2		1					1472
		83.8	14.1	1.8	.1		.1					2.4
		4.8	1.0	.3	.1		.2					
18		1569	469	80	13	2					1	2134
		73.5	22.0	3.7	.6	.1					.0	3.5
		6.1	2.3	.8	.4	.2					5.0	
19		1989	741	140	22	9		1			2	2904
		68.5	25.5	4.8	.8	.3		.0			.1	4.7
		7.7	3.6	1.5	.6	.7		.6			10.0	
20		2076	1000	249	63	7	1	1			1	3398
		61.1	29.4	7.3	1.9	.2	.0	.0			.0	5.5
		8.0	4.8	2.6	1.7	.5	.2	.6			5.0	
21		1986	1247	391	104	25	8	2			3	3766
		52.7	33.1	10.4	2.8	.7	.2	.1			.1	6.1
		7.7	6.0	4.1	2.8	1.9	1.7	1.1			15.0	
(CONTINUED)	COLUMN TOTAL	25821	20642	9457	3656	1312	478	181	85	94	20	61746
		41.8	33.4	15.3	5.9	2.1	.8	.3	.1	.2	.0	100.0

TABLE 2

CROSSTABULATION OF AGE OF MOTHER BY BO BIRTH ORDER
CONTROLLING FOR.. RACE
VALUE.. 1 WHITE

AGE	BO 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	ROW TOTAL
22	1879	1388	458	127	38	13	6	1	1	2	3913
	48.0	35.5	11.7	3.2	1.0	.3	.2	.0	.0	.1	6.3
	7.3	6.7	4.8	3.5	2.9	2.7	3.3	1.2	1.1	10.0	
23	1787	1449	559	170	59	11	5	1			4041
	44.2	35.9	13.8	4.2	1.5	.3	.1	.0			6.5
	6.9	7.0	5.9	4.6	4.5	2.3	2.8	1.2			
24	1720	1523	623	197	52	24	3	3	3		4148
	41.5	36.7	15.0	4.7	1.3	.6	.1	.1	.1		6.7
	6.7	7.4	6.6	5.4	4.0	5.0	1.7	3.5	3.2		
25	7229	7344	3425	1301	385	149	54	20	16	6	19929
25 - 29	36.3	36.9	17.2	6.5	1.9	.7	.3	.1	.1	.0	32.3
	28.0	35.6	36.2	35.6	29.3	31.2	29.8	23.5	17.0	30.0	
26	2650	4186	2626	1135	460	162	64	30	24	4	11341
30 - 34	23.4	36.9	23.2	10.0	4.1	1.4	.6	.3	.2	.0	18.4
	10.3	20.3	27.8	31.0	35.1	33.9	35.4	35.3	25.5	20.0	
27	566	950	796	458	236	85	38	26	31	1	3187
35 - 39	17.8	29.8	25.0	14.4	7.4	2.7	1.2	.8	1.0	.0	5.2
	2.2	4.6	8.4	12.5	18.0	17.8	21.0	30.6	33.0	5.0	
28	28	61	80	61	39	23	7	4	19		322
40 - 44	8.7	18.9	24.8	18.9	12.1	7.1	2.2	1.2	5.9		.5
	.1	.3	.8	1.7	3.0	4.8	3.9	4.7	20.2		
29	1	1	1	2		1					6
45 AND OVER	16.7	16.7	16.7	33.3		16.7					.0
	.0	.0	.0	.1		.2					
30	2										2
NOT STATED	100.0										.0
	.0										
COLUMN TOTAL	25821	20642	9457	3656	1312	478	181	85	94	20	61746
	41.8	33.4	15.3	5.9	2.1	.8	.3	.1	.2	.0	100.0

CROSSTABULATION OF AGE OF MOTHER BY BO BIRTH ORDER
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE
PAGE 1 OF 3

AGE	COUNT / ROW PCT / COL PCT	1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	ROW TOTAL
		BO 1	2	3	4	5	6	7	8	9	10	
12		10										10
		100.0										.0
		.1										
13		49										49
		100.0										.2
		.5										
14		199	5									204
		97.5	2.5									.7
		1.9	.1									
15		475	49	2	1							527
		90.1	9.3	.4	.2							1.9
		4.6	.6	.0	.0							
16		777	109	13	1							900
		86.3	12.1	1.4	.1							3.2
		7.4	1.3	.2	.0							
17		951	249	46	4	1	1					1252
		76.0	19.9	3.7	.3	.1	.1					4.4
		9.1	3.0	.9	.2	.1	.2					
18		1112	467	121	30	4	2				1	1737
		64.0	26.9	7.0	1.7	.2	.1				.1	6.1
		10.7	5.6	2.3	1.3	.4	.4				8.3	
19		1121	572	217	55	11	2				1	1979
		56.6	28.9	11.0	2.8	.6	.1				.1	6.9
		10.7	6.8	4.2	2.3	1.0	.4				8.3	
20		1064	731	334	87	14	9					2239
		47.5	32.6	14.9	3.9	.6	.4					7.9
		10.2	8.7	6.4	3.7	1.3	1.8					
(CONTINUED)	COLUMN TOTAL	10431	8394	5210	2380	1114	488	231	105	117	12	28482
		36.6	29.5	18.3	8.4	3.9	1.7	.8	.4	.4	.0	100.0

CROSSTABULATION OF AGE BY BO
CONTROLLING FOR.. AGE OF MOTHER BIRTH ORDER
RACE VALUE.. 2 NONWHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
	21	894	751	408	154	41	5	8				2261
		39.5	33.2	18.0	6.8	1.8	.2	.4				7.9
		8.6	8.9	7.8	6.5	3.7	1.0	3.5				
	22	732	760	438	161	54	11	1			2	2159
		33.9	35.2	20.3	7.5	2.5	.5	.0			.1	7.6
		7.0	9.1	8.4	6.8	4.8	2.3	.4			16.7	
	23	575	654	411	173	67	19	3	1		1	1904
		30.2	34.3	21.6	9.1	3.5	1.0	.2	.1		.1	6.7
		5.5	7.8	7.9	7.3	6.0	3.9	1.3	1.0		8.3	
	24	485	592	386	181	76	26	8	5	1		1760
		27.6	33.6	21.9	10.3	4.3	1.5	.5	.3	.1		6.2
		4.6	7.1	7.4	7.6	6.8	5.3	3.5	4.8	.9		
	25	1414	2229	1694	800	378	177	64	33	20	2	6811
25 - 29		20.8	32.7	24.9	11.7	5.5	2.6	.9	.5	.3	.0	23.9
		13.6	26.6	32.5	33.6	33.9	36.3	27.7	31.4	17.1	16.7	
	26	460	987	867	527	323	165	85	39	38	3	3494
30 - 34		13.2	28.2	24.8	15.1	9.2	4.7	2.4	1.1	1.1	.1	12.3
		4.4	11.8	16.6	22.1	29.0	33.8	36.8	37.1	32.5	25.0	
	27	100	222	249	178	131	56	48	21	42	1	1048
35 - 39		9.5	21.2	23.8	17.0	12.5	5.3	4.6	2.0	4.0	.1	3.7
		1.0	2.6	4.8	7.5	11.8	11.5	20.8	20.0	35.9	8.3	
	28	13	16	24	28	12	15	13	6	15		142
40 - 44		9.2	11.3	16.9	19.7	8.5	10.6	9.2	4.2	10.6		.5
		.1	.2	.5	1.2	1.1	3.1	5.6	5.7	12.8		
	29		1			2		1		1		5
45 AND OVER			20.0			40.0		20.0		20.0		.0
			.0			.2		.4		.9		
(CONTINUED)	COLUMN TOTAL	10431	8394	5210	2380	1114	488	231	105	117	12	28482
		36.6	29.5	18.3	8.4	3.9	1.7	.8	.4	.4	.0	100.0

TABLE 2

CROSSTABULATION OF AGE AGE OF MOTHER BY BO BIRTH ORDER
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

AGE	BO / COUNT / ROW PCT / COL PCT	1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
NOT STATED	30										1	1
											100.0	.0
											8.3	
	COLUMN TOTAL	10431	8394	5210	2380	1114	488	231	105	117	12	28482
		36.6	29.5	18.3	8.4	3.9	1.7	.8	.4	.4	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 3

C R O S S T A B U L A T I O N O F AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR.. AGE RACE.

VALUE = TOTAL

AGE	COUNT / ROW PCT / COL PCT	UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
12			1	1		1	4	1	1	1		10
			10.0	10.0		10.0	40.0	10.0	10.0	10.0		.0
			.2	.1		.0	.0	.0	.0	.0		
13			3	3	3	4	18	16	8	2		57
			5.3	5.3	5.3	7.0	31.6	28.1	14.0	3.5		.1
			.6	.4	.2	.1	.1	.0	.0	.0		
14		1	6	3	3	17	77	121	56	7		291
		.3	2.1	1.0	1.0	5.8	26.5	41.6	19.2	2.4		.3
		.6	1.1	.4	.2	.4	.5	.4	.2	.1		
15		4	8	11	29	58	219	301	160	47		837
		.5	1.0	1.3	3.5	6.9	26.2	36.0	19.1	5.6		.9
		2.5	1.5	1.6	2.1	1.3	1.5	.9	.6	.5		
16		7	12	23	38	131	377	664	338	87	1	1678
		.4	.7	1.4	2.3	7.8	22.5	39.6	20.1	5.2	.1	1.9
		4.3	2.3	3.4	2.7	3.0	2.5	2.0	1.3	.9	1.5	
17		6	33	34	56	191	554	1017	686	145	2	2724
		.2	1.2	1.2	2.1	7.0	20.3	37.3	25.2	5.3	.1	3.0
		3.7	6.2	5.1	4.0	4.4	3.7	3.1	2.7	1.5	3.0	
18		10	31	31	69	252	817	1515	882	260	4	3871
		.3	.8	.8	1.8	6.5	21.1	39.1	22.8	6.7	.1	4.3
		6.2	5.8	4.6	4.9	5.8	5.5	4.6	3.4	2.8	6.0	
19		15	33	47	79	279	972	1864	1247	341	6	4883
		.3	.7	1.0	1.6	5.7	19.9	38.2	25.5	7.0	.1	5.4
		9.3	6.2	7.0	5.6	6.4	6.5	5.7	4.8	3.6	9.0	
20		9	41	51	84	314	1057	2169	1457	452	3	5637
		.2	.7	.9	1.5	5.6	18.8	38.5	25.8	8.0	.1	6.2
		5.6	7.7	7.6	6.0	7.2	7.1	6.6	5.7	4.8	4.5	
COLUMN TOTAL		161	531	672	1402	4376	14978	32866	25741	9434	67	90228
		.2	.6	.7	1.6	4.8	16.6	36.4	28.5	10.5	.1	100.0

(CONTINUED)

CROSSTABULATION OF AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE. VALUE = TOTAL

AGE	COUNT / ROW PCT / COL PCT	WT UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
21		7	30	36	118	316	1145	2223	1623	525	4	6027
		.1	.5	.6	2.0	5.2	19.0	36.9	26.9	8.7	.1	6.7
		4.3	5.6	5.4	8.4	7.2	7.6	6.8	6.3	5.6	6.0	
22		6	21	51	103	310	1089	2243	1699	544	6	6072
		.1	.3	.8	1.7	5.1	17.9	36.9	28.0	9.0	.1	6.7
		3.7	4.0	7.6	7.3	7.1	7.3	6.8	6.6	5.8	9.0	
23		9	38	39	82	273	1046	2154	1717	582	5	5945
		.2	.6	.7	1.4	4.6	17.6	36.2	28.9	9.8	.1	6.6
		5.6	7.2	5.8	5.8	6.2	7.0	6.6	6.7	6.2	7.5	
24		13	34	35	80	271	988	2177	1679	628	3	5908
		.2	.6	.6	1.4	4.6	16.7	36.8	28.4	10.6	.1	6.5
		8.1	6.4	5.2	5.7	6.2	6.6	6.6	6.5	6.7	4.5	
25		43	144	153	363	1153	3999	9655	8057	3152	21	26740
25 - 29		.2	.5	.6	1.4	4.3	15.0	36.1	30.1	11.8	.1	29.6
		26.7	27.1	22.8	25.9	26.3	26.7	29.4	31.3	33.4	31.3	
26		19	67	103	215	600	1948	5209	4675	1991	8	14835
30 - 34		.1	.5	.7	1.4	4.0	13.1	35.1	31.5	13.4	.1	16.4
		11.8	12.6	15.3	15.3	13.7	13.0	15.8	18.2	21.1	11.9	
27		11	27	45	65	190	594	1383	1318	599	3	4235
35 - 39		.3	.6	1.1	1.5	4.5	14.0	32.7	31.1	14.1	.1	4.7
		6.8	5.1	6.7	4.6	4.3	4.0	4.2	5.1	6.3	4.5	
28		1	2	6	15	16	69	152	134	69		464
40 - 44		.2	.4	1.3	3.2	3.4	14.9	32.8	28.9	14.9		.5
		.6	.4	.9	1.1	.4	.5	.5	.5	.7		
29							4	2	3	2		11
45 AND OVER							36.4	18.2	27.3	18.2		.0
							.0	.0	.0	.0		
COLUMN TOTAL		161	531	672	1402	4376	14978	32866	25741	9434	67	90228
		.2	.6	.7	1.6	4.8	16.6	36.4	28.5	10.5	.1	100.0

(CONTINUED)

TABLE 3

C R O S S T A B U L A T I O N O F

AGE AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR..
RACE. VALUE = TOTAL

AGE	WT / COUNT / ROW PCT / COL PCT	UNDER 500 GMS 0	500 TO 999 GMS 1	1000 TO 1499 GMS 2	1500 TO 1999 GMS 3	2000 TO 2499 GMS 4	2500 TO 2999 GMS 5	3000 TO 3499 GMS 6	3500 TO 3999 GMS 7	4000 GMS AND OVER 8	NOT STATED 9	ROW TOTAL
NOT STATED	30						1		1		1	3
							33.3		33.3		33.3	.0
							.0		.0		1.5	
	COLUMN TOTAL	161	531	672	1402	4376	14978	32866	25741	9434	67	90228
		.2	.6	.7	1.6	4.8	16.6	36.4	28.5	10.5	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE VALUE.. 1 WHITE

AGE	COUNT / ROW PCT / COL PCT	WT UNDER 500 GMS 0	500 TO 999 GMS 1	1000 TO 1499 GMS 2	1500 TO 1999 GMS 3	2000 TO 2499 GMS 4	2500 TO 2999 GMS 5	3000 TO 3499 GMS 6	3500 TO 3999 GMS 7	4000 GMS AND OVER 8	NOT STATED 9	ROW TOTAL
13			1	1			1	2	2	1		8
			12.5	12.5			12.5	25.0	25.0	12.5		.0
			.4	.3			.0	.0	.0	.0		
14			2		2	1	19	32	30	1		87
			2.3		2.3	1.1	21.8	36.8	34.5	1.1		.1
			.9		.3	.0	.2	.1	.2	.0		
15			3	5	7	14	63	112	79	27		310
			1.0	1.6	2.3	4.5	20.3	36.1	25.5	8.7		.5
			1.3	1.4	.9	.6	.7	.5	.4	.3		
16		2	4	8	14	50	139	299	195	67		778
		.3	.5	1.0	1.8	6.4	17.9	38.4	25.1	8.6		1.3
		3.2	1.7	2.3	1.9	2.1	1.6	1.4	1.0	.8		
17		2	8	18	25	84	230	560	434	111		1472
		.1	.5	1.2	1.7	5.7	15.6	38.0	29.5	7.5		2.4
		3.2	3.4	5.2	3.4	3.5	2.7	2.6	2.2	1.4		
18		1	11	15	34	111	354	819	579	208	2	2134
		.0	.5	.7	1.6	5.2	16.6	38.4	27.1	9.7	.1	3.5
		1.6	4.7	4.3	4.6	4.6	4.1	3.7	3.0	2.6	5.4	
19		10	15	26	38	131	454	1070	876	280	4	2904
		.3	.5	.9	1.3	4.5	15.6	36.8	30.2	9.6	.1	4.7
		15.9	6.4	7.5	5.1	5.5	5.3	4.9	4.5	3.5	10.8	
20			14	25	38	139	546	1255	1007	372	2	3398
			.4	.7	1.1	4.1	16.1	36.9	29.6	10.9	.1	5.5
			6.0	7.2	5.1	5.8	6.4	5.7	5.1	4.7	5.4	
21		2	12	14	60	155	603	1340	1154	423	3	3766
		.1	.3	.4	1.6	4.1	16.0	35.6	30.6	11.2	.1	6.1
		3.2	5.1	4.0	8.1	6.5	7.0	6.1	5.9	5.3	8.1	
COLUMN TOTAL		63	235	348	743	2397	8558	21873	19580	7912	37	61746
		.1	.4	.6	1.2	3.9	13.9	35.4	31.7	12.8	.1	100.0

(CONTINUED)

CROSSTABULATION OF AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE
VALUE.. 1 WHITE

AGE	WT / COUNT / ROW PCT / COL PCT	UNDER 500 GMS 0	500 TO 999 GMS 1	1000 TO 1499 GMS 2	1500 TO 1999 GMS 3	2000 TO 2499 GMS 4	2500 TO 2999 GMS 5	3000 TO 3499 GMS 6	3500 TO 3999 GMS 7	4000 GMS AND OVER 8	NOT STATED 9	ROW TOTAL
	22	1	8	18	48	156	591	1411	1231	446	3	3913
		.0	.2	.5	1.2	4.0	15.1	36.1	31.5	11.4	.1	6.3
		1.6	3.4	5.2	6.5	6.5	6.9	6.5	6.3	5.6	8.1	
	23	4	15	18	44	157	600	1425	1288	489	1	4041
		.1	.4	.4	1.1	3.9	14.8	35.3	31.9	12.1	.0	6.5
		6.3	6.4	5.2	5.9	6.5	7.0	6.5	6.6	6.2	2.7	
	24	3	20	24	42	158	606	1452	1319	524		4148
		.1	.5	.6	1.0	3.8	14.6	35.0	31.8	12.6		6.7
		4.8	8.5	6.9	5.7	6.6	7.1	6.6	6.7	6.6		
	25	23	75	87	212	721	2603	7048	6439	2707	14	19929
25 - 29		.1	.4	.4	1.1	3.6	13.1	35.4	32.3	13.6	.1	32.3
		36.5	31.9	25.0	28.5	30.1	30.4	32.2	32.9	34.2	37.8	
	26	9	32	59	130	387	1303	3925	3796	1693	7	11341
30 - 34		.1	.3	.5	1.1	3.4	11.5	34.6	33.5	14.9	.1	18.4
		14.3	13.6	17.0	17.5	16.1	15.2	17.9	19.4	21.4	18.9	
	27	5	14	28	41	123	401	1015	1055	504	1	3187
35 - 39		.2	.4	.9	1.3	3.9	12.6	31.8	33.1	15.8	.0	5.2
		7.9	6.0	8.0	5.5	5.1	4.7	4.6	5.4	6.4	2.7	
	28	1	1	2	8	10	42	108	93	57		322
40 - 44		.3	.3	.6	2.5	3.1	13.0	33.5	28.9	17.7		.5
		1.6	.4	.6	1.1	.4	.5	.5	.5	.7		
	29						2		2	2		6
45 AND OVER							33.3		33.3	33.3		.0
							.0		.0	.0		
	30						1		1			2
NOT STATED							50.0		50.0			.0
							.0		.0			
	COLUMN TOTAL	63	235	348	743	2397	8558	21873	19580	7912	37	61746
		.1	.4	.6	1.2	3.9	13.9	35.4	31.7	12.8	.1	100.0

CROSSTABULATION OF AGE BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. AGE OF MOTHER
RACE VALUE.. 2 NONWHITE

AGE	COUNT / ROW PCT / COL PCT	WT UNDER 500 GMS 0	500 TO 999 GMS 1	1000 TO 1499 GMS 2	1500 TO 1999 GMS 3	2000 TO 2499 GMS 4	2500 TO 2999 GMS 5	3000 TO 3499 GMS 6	3500 TO 3999 GMS 7	4000 GMS AND OVER 8	NOT STATED 9	ROW TOTAL
12			1	1		1	4	1	1	1		10
			10.0	10.0		10.0	40.0	10.0	10.0	10.0		.0
			.3	.3		.1	.1	.0	.0	.1		
13			2	2	3	4	17	14	6	1		49
			4.1	4.1	6.1	8.2	34.7	28.6	12.2	2.0		.2
			.7	.6	.5	.2	.3	.1	.1	.1		
14		1	4	3	1	16	58	89	26	6		204
		.5	2.0	1.5	.5	7.8	28.4	43.6	12.7	2.9		.7
		1.0	1.4	.9	.2	.8	.9	.8	.4	.4		
15		4	5	6	22	44	156	189	81	20		527
		.8	.9	1.1	4.2	8.3	29.6	35.9	15.4	3.8		1.9
		4.1	1.7	1.9	3.3	2.2	2.4	1.7	1.3	1.3		
16		5	8	15	24	81	238	365	143	20	1	900
		.6	.9	1.7	2.7	9.0	26.4	40.6	15.9	2.2	.1	3.2
		5.1	2.7	4.6	3.6	4.1	3.7	3.3	2.3	1.3	3.3	
17		4	25	16	31	107	324	457	252	34	2	1252
		.3	2.0	1.3	2.5	8.5	25.9	36.5	20.1	2.7	.2	4.4
		4.1	8.4	4.9	4.7	5.4	5.0	4.2	4.1	2.2	6.7	
18		9	20	16	35	141	463	696	303	52	2	1737
		.5	1.2	.9	2.0	8.1	26.7	40.1	17.4	3.0	.1	6.1
		9.2	6.8	4.9	5.3	7.1	7.2	6.3	4.9	3.4	6.7	
19		5	18	21	41	148	518	794	371	61	2	1979
		.3	.9	1.1	2.1	7.5	26.2	40.1	18.7	3.1	.1	6.9
		5.1	6.1	6.5	6.2	7.5	8.1	7.2	6.0	4.0	6.7	
20		9	27	26	46	175	511	914	450	80	1	2239
		.4	1.2	1.2	2.1	7.8	22.8	40.8	20.1	3.6	.0	7.9
		9.2	9.1	8.0	7.0	8.8	8.0	8.3	7.3	5.3	3.3	
COLUMN TOTAL		98	296	324	659	1979	6420	10993	6161	1522	30	28482
		.3	1.0	1.1	2.3	6.9	22.5	38.6	21.6	5.3	.1	100.0

(CONTINUED)

CROSSTABULATION OF AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE
PAGE 2 OF 3

AGE	COUNT / ROW PCT / COL PCT	WT UNDER 500 GMS 0	500 TO 999 GMS 1	1000 TO 1499 GMS 2	1500 TO 1999 GMS 3	2000 TO 2499 GMS 4	2500 TO 2999 GMS 5	3000 TO 3499 GMS 6	3500 TO 3999 GMS 7	4000 GMS AND OVER 8	NOT STATED 9	ROW TOTAL
	21	5	18	22	58	161	542	883	469	102	1	2261
		.2	.8	1.0	2.6	7.1	24.0	39.1	20.7	4.5	.0	7.9
		5.1	6.1	6.8	8.8	8.1	8.4	8.0	7.6	6.7	3.3	
	22	5	13	33	55	154	498	832	468	98	3	2159
		.2	.6	1.5	2.5	7.1	23.1	38.5	21.7	4.5	.1	7.6
		5.1	4.4	10.2	8.3	7.8	7.8	7.6	7.6	6.4	10.0	
	23	5	23	21	38	116	446	729	429	93	4	1904
		.3	1.2	1.1	2.0	6.1	23.4	38.3	22.5	4.9	.2	6.7
		5.1	7.8	6.5	5.8	5.9	6.9	6.6	7.0	6.1	13.3	
	24	10	14	11	38	113	382	725	360	104	3	1760
		.6	.8	.6	2.2	6.4	21.7	41.2	20.5	5.9	.2	6.2
		10.2	4.7	3.4	5.8	5.7	6.0	6.6	5.8	6.8	10.0	
	25	20	69	66	151	432	1396	2607	1618	445	7	6811
25 - 29		.3	1.0	1.0	2.2	6.3	20.5	38.3	23.8	6.5	.1	23.9
		20.4	23.3	20.4	22.9	21.8	21.7	23.7	26.3	29.2	23.3	
	26	10	35	44	85	213	645	1284	879	298	1	3494
30 - 34		.3	1.0	1.3	2.4	6.1	18.5	36.7	25.2	8.5	.0	12.3
		10.2	11.8	13.6	12.9	10.8	10.0	11.7	14.3	19.6	3.3	
	27	6	13	17	24	67	193	368	263	95	2	1048
35 - 39		.6	1.2	1.6	2.3	6.4	18.4	35.1	25.1	9.1	.2	3.7
		6.1	4.4	5.2	3.6	3.4	3.0	3.3	4.3	6.2	6.7	
	28		1	4	7	6	27	44	41	12		142
40 - 44			.7	2.8	4.9	4.2	19.0	31.0	28.9	8.5		.5
			.3	1.2	1.1	.3	.4	.4	.7	.8		
	29						2	2	1			5
45 AND OVER							40.0	40.0	20.0			.0
							.0	.0	.0			
	COLUMN TOTAL	98	296	324	659	1979	6420	10993	6161	1522	30	28482
		.3	1.0	1.1	2.3	6.9	22.5	38.6	21.6	5.3	.1	100.0

(CONTINUED)

CROSSTABULATION OF

AGE AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

AGE	COUNT / ROW PCT / COL PCT	WT UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
NOT STATED	30										1	1
											100.0	.0
											3.3	
	COLUMN	98	296	324	659	1979	6420	10993	6161	1522	30	28482
	TOTAL	.3	1.0	1.1	2.3	6.9	22.5	38.6	21.6	5.3	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

EDUC EDUCATION OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..
RACE. VALUE = TOTAL

EDUC	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
1 NONE OR ELEM.	COUNT	1354	683	451	272	127	70	42	24	32		3055
	ROW PCT	44.3	22.4	14.8	8.9	4.2	2.3	1.4	.8	1.0		3.4
	COL PCT	3.7	2.4	3.1	4.5	5.2	7.2	10.2	12.6	15.2		
2 H.S. 1-3 YEARS	COUNT	7304	5257	3079	1483	682	340	133	58	79	3	18418
	ROW PCT	39.7	28.5	16.7	8.1	3.7	1.8	.7	.3	.4	.0	20.4
	COL PCT	20.1	18.1	21.0	24.6	28.1	35.2	32.3	30.5	37.4	9.4	
3 H.S. 4 YEARS	COUNT	14509	12422	6197	2423	950	320	162	69	55	7	37114
	ROW PCT	39.1	33.5	16.7	6.5	2.6	.9	.4	.2	.1	.0	41.1
	COL PCT	40.0	42.8	42.3	40.1	39.2	33.1	39.3	36.3	26.1	21.9	
4 COL.1-3 YEARS	COUNT	7109	5679	2707	1123	391	150	47	27	28		17261
	ROW PCT	41.2	32.9	15.7	6.5	2.3	.9	.3	.2	.2		19.1
	COL PCT	19.6	19.6	18.5	18.6	16.1	15.5	11.4	14.2	13.3		
5 COL. 4+ YEARS	COUNT	5945	4966	2221	730	272	80	26	12	16	2	14270
	ROW PCT	41.7	34.8	15.6	5.1	1.9	.6	.2	.1	.1	.0	15.8
	COL PCT	16.4	17.1	15.1	12.1	11.2	8.3	6.3	6.3	7.6	6.3	
6 NOT STATED	COUNT	30	29	12	5	4	6	2		1	20	109
	ROW PCT	27.5	26.6	11.0	4.6	3.7	5.5	1.8		.9	18.3	.1
	COL PCT	.1	.1	.1	.1	.2	.6	.5		.5	62.5	
18	COUNT	1										1
	ROW PCT	100.0										.0
	COL PCT	.0										
COLUMN TOTAL	COUNT	36252	29036	14667	6036	2426	966	412	190	211	32	90228
	PCT	40.2	32.2	16.3	6.7	2.7	1.1	.5	.2	.2	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 4

CROSSTABULATION OF
EDUC EDUCATION OF MOTHER BY BO BIRTH ORDER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

EDUC	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
1 NONE OR ELEM.		773	504	314	175	81	38	28	15	21		1949
		39.7	25.9	16.1	9.0	4.2	1.9	1.4	.8	1.1		3.2
		3.0	2.4	3.3	4.8	6.2	7.9	15.5	17.6	22.3		
2 H.S. 1-3 YEARS		4345	3425	1717	724	303	127	41	16	18	2	10718
		40.5	32.0	16.0	6.8	2.8	1.2	.4	.1	.2	.0	17.4
		16.8	16.6	18.2	19.8	23.1	26.6	22.7	18.8	19.1	10.0	
3 H.S. 4 YEARS		10237	8290	3682	1370	455	155	71	27	23	3	24313
		42.1	34.1	15.1	5.6	1.9	.6	.3	.1	.1	.0	39.4
		39.6	40.2	38.9	37.5	34.7	32.4	39.2	31.8	24.5	15.0	
4 COL.1-3 YEARS		5341	4170	1863	771	241	91	22	18	17		12534
		42.6	33.3	14.9	6.2	1.9	.7	.2	.1	.1		20.3
		20.7	20.2	19.7	21.1	18.4	19.0	12.2	21.2	18.1		
5 COL. 4+ YEARS		5106	4237	1876	614	229	65	18	9	14	1	12169
		42.0	34.8	15.4	5.0	1.9	.5	.1	.1	.1	.0	19.7
		19.8	20.5	19.8	16.8	17.5	13.6	9.9	10.6	14.9	5.0	
6 NOT STATED		18	16	5	2	3	2	1		1	14	62
		29.0	25.8	8.1	3.2	4.8	3.2	1.6		1.6	22.6	.1
		.1	.1	.1	.1	.2	.4	.6		1.1	70.0	
COLUMN TOTAL		25820	20642	9457	3656	1312	478	181	85	94	20	61745
		41.8	33.4	15.3	5.9	2.1	.8	.3	.1	.2	.0	100.0

TABLE 4

CROSSTABULATION OF
EDUC EDUCATION OF MOTHER BY BO BIRTH ORDER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

EDUC	BO 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	ROW TOTAL
1 NONE OR ELEM.	581	179	137	97	46	32	14	9	11		1106
	52.5	16.2	12.4	8.8	4.2	2.9	1.3	.8	1.0		3.9
	5.6	2.1	2.6	4.1	4.1	6.6	6.1	8.6	9.4		
2 H.S. 1-3 YEARS	2959	1832	1362	759	379	213	92	42	61	1	7700
	38.4	23.8	17.7	9.9	4.9	2.8	1.2	.5	.8	.0	27.0
	28.4	21.8	26.1	31.9	34.0	43.6	39.8	40.0	52.1	8.3	
3 H.S. 4 YEARS	4272	4132	2515	1053	495	165	91	42	32	4	12801
	33.4	32.3	19.6	8.2	3.9	1.3	.7	.3	.2	.0	44.9
	41.0	49.2	48.3	44.2	44.4	33.8	39.4	40.0	27.4	33.3	
4 COL.1-3 YEARS	1768	1509	844	352	150	59	25	9	11		4727
	37.4	31.9	17.9	7.4	3.2	1.2	.5	.2	.2		16.6
	16.9	18.0	16.2	14.8	13.5	12.1	10.8	8.6	9.4		
5 COL. 4+ YEARS	839	729	345	116	43	15	8	3	2	1	2101
	39.9	34.7	16.4	5.5	2.0	.7	.4	.1	.1	.0	7.4
	8.0	8.7	6.6	4.9	3.9	3.1	3.5	2.9	1.7	8.3	
6 NOT STATED	12	13	7	3	1	4	1			6	47
	25.5	27.7	14.9	6.4	2.1	8.5	2.1			12.8	.2
	.1	.2	.1	.1	.1	.8	.4			50.0	
COLUMN TOTAL	10431	8394	5210	2380	1114	488	231	105	117	12	28482
	36.6	29.5	18.3	8.4	3.9	1.7	.8	.4	.4	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 1

TABLE 5

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR.. RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	18	ROW TOTAL
0 NONE		99	495	473	114	27	6		1214
		8.2	40.8	39.0	9.4	2.2	.5		1.3
		3.2	2.7	1.3	.7	.2	5.5		
1 FIRST MONTH		224	1459	4851	3201	3626	9	1	13371
		1.7	10.9	36.3	23.9	27.1	.1	.0	14.8
		7.3	7.9	13.1	18.5	25.4	8.3	100.0	
2 SECOND MONTH		776	5256	14856	8272	7835	18		37013
		2.1	14.2	40.1	22.3	21.2	.0		41.0
		25.4	28.5	40.0	47.9	54.9	16.5		
3 THIRD MONTH		694	4442	8889	3448	2108	22		19603
		3.5	22.7	45.3	17.6	10.8	.1		21.7
		22.7	24.1	24.0	20.0	14.8	20.2		
4 FOURTH MONTH		418	2574	3705	1115	396	7		8215
		5.1	31.3	45.1	13.6	4.8	.1		9.1
		13.7	14.0	10.0	6.5	2.8	6.4		
5 FIFTH MONTH		334	1849	2050	536	143	11		4923
		6.8	37.6	41.6	10.9	2.9	.2		5.5
		10.9	10.0	5.5	3.1	1.0	10.1		
6 SIXTH MONTH		245	1116	1101	285	65	6		2818
		8.7	39.6	39.1	10.1	2.3	.2		3.1
		8.0	6.1	3.0	1.7	.5	5.5		
7 SEVENTH MONTH		148	729	732	168	34	3		1814
		8.2	40.2	40.4	9.3	1.9	.2		2.0
		4.8	4.0	2.0	1.0	.2	2.8		
8 EIGHTH MONTH		80	350	310	78	19	2		839
		9.5	41.7	36.9	9.3	2.3	.2		.9
		2.6	1.9	.8	.5	.1	1.8		
COLUMN TOTAL		3055	18418	37114	17261	14270	109	1	90228
		3.4	20.4	41.1	19.1	15.8	.1	.0	100.0

(CONTINUED)

TABLE 5

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR.. RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	18	ROW TOTAL
9 NINTH MONTH	COUNT	29	113	91	26	10	1		270
	ROW PCT	10.7	41.9	33.7	9.6	3.7	.4		.3
	COL PCT	.9	.6	.2	.2	.1	.9		
10 NOT STATED	COUNT	8	35	56	18	7	24		148
	ROW PCT	5.4	23.6	37.8	12.2	4.7	16.2		.2
	COL PCT	.3	.2	.2	.1	.0	22.0		
COLUMN TOTAL		3055	18418	37114	17261	14270	109	1	90228
		3.4	20.4	41.1	19.1	15.8	.1	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 5

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0 NONE		51	194	157	45	12	2	461
		11.1	42.1	34.1	9.8	2.6	.4	.7
		2.6	1.8	.6	.4	.1	3.2	
1 FIRST MONTH		143	941	3616	2553	3169	6	10428
		1.4	9.0	34.7	24.5	30.4	.1	16.9
		7.3	8.8	14.9	20.4	26.0	9.7	
2 SECOND MONTH		540	3464	10998	6513	6843	10	28368
		1.9	12.2	38.8	23.0	24.1	.0	45.9
		27.7	32.3	45.2	52.0	56.2	16.1	
3 THIRD MONTH		471	2759	5683	2331	1707	11	12962
		3.6	21.3	43.8	18.0	13.2	.1	21.0
		24.2	25.7	23.4	18.6	14.0	17.7	
4 FOURTH MONTH		271	1411	1950	586	271	4	4493
		6.0	31.4	43.4	13.0	6.0	.1	7.3
		13.9	13.2	8.0	4.7	2.2	6.5	
5 FIFTH MONTH		192	888	959	248	89	7	2383
		8.1	37.3	40.2	10.4	3.7	.3	3.9
		9.9	8.3	3.9	2.0	.7	11.3	
6 SIXTH MONTH		136	500	482	119	35	3	1275
		10.7	39.2	37.8	9.3	2.7	.2	2.1
		7.0	4.7	2.0	.9	.3	4.8	
7 SEVENTH MONTH		81	350	284	72	20		807
		10.0	43.4	35.2	8.9	2.5		1.3
		4.2	3.3	1.2	.6	.2		
8 EIGHTH MONTH		43	135	120	40	11	1	350
		12.3	38.6	34.3	11.4	3.1	.3	.6
		2.2	1.3	.5	.3	.1	1.6	
COLUMN TOTAL		1949	10718	24313	12534	12169	62	61745
		3.2	17.4	39.4	20.3	19.7	.1	100.0

(CONTINUED)

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

MPCB	EDUC	1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9 NINTH MONTH	COUNT	17	55	36	15	6	1	130
	ROW PCT	13.1	42.3	27.7	11.5	4.6	.8	.2
	COL PCT	.9	.5	.1	.1	.0	1.6	
10 NOT STATED	COUNT	4	21	28	12	6	17	88
	ROW PCT	4.5	23.9	31.8	13.6	6.8	19.3	.1
	COL PCT	.2	.2	.1	.1	.0	27.4	
COLUMN TOTAL		1949	10718	24313	12534	12169	62	61745
		3.2	17.4	39.4	20.3	19.7	.1	100.0

TABLE 5

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0 NONE		48	301	316	69	15	4	753
		6.4	40.0	42.0	9.2	2.0	.5	2.6
		4.3	3.9	2.5	1.5	.7	8.5	
1 FIRST MONTH		81	518	1235	648	457	3	2942
		2.8	17.6	42.0	22.0	15.5	.1	10.3
		7.3	6.7	9.6	13.7	21.8	6.4	
2 SECOND MONTH		236	1792	3858	1759	992	8	8645
		2.7	20.7	44.6	20.3	11.5	.1	30.4
		21.3	23.3	30.1	37.2	47.2	17.0	
3 THIRD MONTH		223	1683	3206	1117	401	11	6641
		3.4	25.3	48.3	16.8	6.0	.2	23.3
		20.2	21.9	25.0	23.6	19.1	23.4	
4 FOURTH MONTH		147	1163	1755	529	125	3	3722
		3.9	31.2	47.2	14.2	3.4	.1	13.1
		13.3	15.1	13.7	11.2	5.9	6.4	
5 FIFTH MONTH		142	961	1091	288	54	4	2540
		5.6	37.8	43.0	11.3	2.1	.2	8.9
		12.8	12.5	8.5	6.1	2.6	8.5	
6 SIXTH MONTH		109	616	619	166	30	3	1543
		7.1	39.9	40.1	10.8	1.9	.2	5.4
		9.9	8.0	4.8	3.5	1.4	6.4	
7 SEVENTH MONTH		67	379	448	96	14	3	1007
		6.7	37.6	44.5	9.5	1.4	.3	3.5
		6.1	4.9	3.5	2.0	.7	6.4	
8 EIGHTH MONTH		37	215	190	38	8	1	489
		7.6	44.0	38.9	7.8	1.6	.2	1.7
		3.3	2.8	1.5	.8	.4	2.1	
COLUMN TOTAL		1106	7700	12801	4727	2101	47	28482
		3.9	27.0	44.9	16.6	7.4	.2	100.0

(CONTINUED)

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	EDUC	1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9 NINTH MONTH	COUNT	12	58	55	11	4		140
	ROW PCT	8.6	41.4	39.3	7.9	2.9		.5
	COL PCT	1.1	.8	.4	.2	.2		
10 NOT STATED	COUNT	4	14	28	6	1	7	60
	ROW PCT	6.7	23.3	46.7	10.0	1.7	11.7	.2
	COL PCT	.4	.2	.2	.1	.0	14.9	
COLUMN TOTAL		1106	7700	12801	4727	2101	47	28482
		3.9	27.0	44.9	16.6	7.4	.2	100.0

NUMBER OF MISSING OBSERVATIONS = 1

TABLE 6

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
0	COUNT	2	5	18	35	47	88	103	117	116	112	1214
NONE	ROW PCT	.2	.4	1.5	2.9	3.9	7.2	8.5	9.6	9.6	9.2	1.3
	COL PCT	20.0	8.8	6.2	4.2	2.8	3.2	2.7	2.4	2.1	1.9	
1	COUNT	1	2	10	43	100	177	266	366	514	658	13371
FIRST MONTH	ROW PCT	.0	.0	.1	.3	.7	1.3	2.0	2.7	3.8	4.9	14.8
	COL PCT	10.0	3.5	3.4	5.1	6.0	6.5	6.9	7.5	9.1	10.9	
2	COUNT	2	8	50	150	348	650	967	1404	1753	2082	37013
SECOND MONTH	ROW PCT	.0	.0	.1	.4	.9	1.8	2.6	3.8	4.7	5.6	41.0
	COL PCT	20.0	14.0	17.2	17.9	20.7	23.9	25.0	28.8	31.1	34.5	
3	COUNT		13	51	159	351	664	938	1212	1395	1513	19603
THIRD MONTH	ROW PCT		.1	.3	.8	1.8	3.4	4.8	6.2	7.1	7.7	21.7
	COL PCT		22.8	17.5	19.0	20.9	24.4	24.2	24.8	24.7	25.1	
4	COUNT		10	42	134	277	412	620	706	779	731	8215
FOURTH MONTH	ROW PCT		.1	.5	1.6	3.4	5.0	7.5	8.6	9.5	8.9	9.1
	COL PCT		17.5	14.4	16.0	16.5	15.1	16.0	14.5	13.8	12.1	
5	COUNT		3	43	120	234	325	447	481	473	399	4923
FIFTH MONTH	ROW PCT		.1	.9	2.4	4.8	6.6	9.1	9.8	9.6	8.1	5.5
	COL PCT		5.3	14.8	14.3	13.9	11.9	11.5	9.9	8.4	6.6	
6	COUNT	3	11	36	102	156	209	246	289	279	243	2818
SIXTH MONTH	ROW PCT	.1	.4	1.3	3.6	5.5	7.4	8.7	10.3	9.9	8.6	3.1
	COL PCT	30.0	19.3	12.4	12.2	9.3	7.7	6.4	5.9	4.9	4.0	
7	COUNT	1	1	21	57	103	128	173	174	218	176	1814
SEVENTH MONTH	ROW PCT	.1	.1	1.2	3.1	5.7	7.1	9.5	9.6	12.0	9.7	2.0
	COL PCT	10.0	1.8	7.2	6.8	6.1	4.7	4.5	3.6	3.9	2.9	
8	COUNT		2	16	24	41	56	82	77	75	77	839
EIGHTH MONTH	ROW PCT		.2	1.9	2.9	4.9	6.7	9.8	9.2	8.9	9.2	.9
	COL PCT		3.5	5.5	2.9	2.4	2.1	2.1	1.6	1.3	1.3	
(CONTINUED)	COLUMN TOTAL	10	57	291	837	1678	2724	3871	4883	5637	6027	90228
		.0	.1	.3	.9	1.9	3.0	4.3	5.4	6.2	6.7	100.0

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB		AGE 22	23	24	25	26	27	28	29	30	ROW TOTAL
	COUNT	104	73	60	210	78	39	7			1214
NONE	ROW PCT	8.6	6.0	4.9	17.3	6.4	3.2	.6			1.3
	COL PCT	1.7	1.2	1.0	.8	.5	.9	1.5			
	COUNT	711	785	858	4753	3174	868	84		1	13371
FIRST MONTH	ROW PCT	5.3	5.9	6.4	35.5	23.7	6.5	.6		.0	14.8
	COL PCT	11.7	13.2	14.5	17.8	21.4	20.5	18.1		33.3	
	COUNT	2318	2378	2550	12799	7335	2022	195	2		37013
SECOND MONTH	ROW PCT	6.3	6.4	6.9	34.6	19.8	5.5	.5	.0		41.0
	COL PCT	38.2	40.0	43.2	47.9	49.4	47.7	42.0	18.2		
	COUNT	1450	1454	1362	5414	2761	773	87	6		19603
THIRD MONTH	ROW PCT	7.4	7.4	6.9	27.6	14.1	3.9	.4	.0		21.7
	COL PCT	23.9	24.5	23.1	20.2	18.6	18.3	18.8	54.5		
	COUNT	636	558	479	1770	741	274	43	2	1	8215
FOURTH MONTH	ROW PCT	7.7	6.8	5.8	21.5	9.0	3.3	.5	.0	.0	9.1
	COL PCT	10.5	9.4	8.1	6.6	5.0	6.5	9.3	18.2	33.3	
	COUNT	395	333	275	876	374	119	25	1		4923
FIFTH MONTH	ROW PCT	8.0	6.8	5.6	17.8	7.6	2.4	.5	.0		5.5
	COL PCT	6.5	5.6	4.7	3.3	2.5	2.8	5.4	9.1		
	COUNT	229	189	135	440	177	65	9			2818
SIXTH MONTH	ROW PCT	8.1	6.7	4.8	15.6	6.3	2.3	.3			3.1
	COL PCT	3.8	3.2	2.3	1.6	1.2	1.5	1.9			
	COUNT	132	102	108	260	116	39	5			1814
SEVENTH MONTH	ROW PCT	7.3	5.6	6.0	14.3	6.4	2.1	.3			2.0
	COL PCT	2.2	1.7	1.8	1.0	.8	.9	1.1			
	COUNT	65	55	57	142	40	23	7			839
EIGHTH MONTH	ROW PCT	7.7	6.6	6.8	16.9	4.8	2.7	.8			.9
	COL PCT	1.1	.9	1.0	.5	.3	.5	1.5			
(CONTINUED)	COLUMN TOTAL	6072	5945	5908	26740	14835	4235	464	11	3	90228
		6.7	6.6	6.5	29.6	16.4	4.7	.5	.0	.0	100.0

TABLE 6

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB	AGE	12	13	14	15	16	17	18	19	20	21	ROW TOTAL
9 NINTH MONTH	COUNT	1	2	2	11	12	15	23	39	23	24	270
	ROW PCT	.4	.7	.7	4.1	4.4	5.6	8.5	14.4	8.5	8.9	.3
	COL PCT	10.0	3.5	.7	1.3	.7	.6	.6	.8	.4	.4	
10 NOT STATED	COUNT			2	2	9		6	18	12	12	148
	ROW PCT			1.4	1.4	6.1		4.1	12.2	8.1	8.1	.2
	COL PCT			.7	.2	.5		.2	.4	.2	.2	
COLUMN TOTAL		10	57	291	837	1678	2724	3871	4883	5637	6027	90228
		.0	.1	.3	.9	1.9	3.0	4.3	5.4	6.2	6.7	100.0

(CONTINUED)

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB	AGE	COUNT / ROW PCT / COL PCT	22	23	24	25	26	27	28	29	30	ROW TOTAL
						25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	
NINTH MONTH	9	COUNT	21	9	13	41	24	8	2			270
		ROW PCT	7.8	3.3	4.8	15.2	8.9	3.0	.7			.3
		COL PCT	.3	.2	.2	.2	.2	.2	.4			
NOT STATED	10	COUNT	11	9	11	35	15	5			1	148
		ROW PCT	7.4	6.1	7.4	23.6	10.1	3.4			.7	.2
		COL PCT	.2	.2	.2	.1	.1	.1			33.3	
	COLUMN TOTAL		6072	5945	5908	26740	14835	4235	464	11	3	90228
			6.7	6.6	6.5	29.6	16.4	4.7	.5	.0	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 6

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	AGE 13	14	15	16	17	18	19	20	21	22	ROW TOTAL
0 NONE		1	2	11	20	31	28	50	36	40	43	461
		.2	.4	2.4	4.3	6.7	6.1	10.8	7.8	8.7	9.3	.7
		12.5	2.3	3.5	2.6	2.1	1.3	1.7	1.1	1.1	1.1	
1 FIRST MONTH			2	13	46	95	157	256	340	461	498	10429
			.0	.1	.4	.9	1.5	2.5	3.3	4.4	4.8	16.9
			2.3	4.2	5.9	6.5	7.4	8.8	10.0	12.2	12.7	
2 SECOND MONTH			21	64	193	375	594	919	1193	1470	1689	28368
			.1	.2	.7	1.3	2.1	3.2	4.2	5.2	6.0	45.9
			24.1	20.6	24.8	25.5	27.8	31.6	35.1	39.0	43.2	
3 THIRD MONTH		2	17	68	181	383	563	784	889	989	938	12962
		.0	.1	.5	1.4	3.0	4.3	6.0	6.9	7.6	7.2	21.0
		25.0	19.5	21.9	23.3	26.0	26.4	27.0	26.2	26.3	24.0	
4 FOURTH MONTH		3	12	55	124	230	339	401	415	385	341	4493
		.1	.3	1.2	2.8	5.1	7.5	8.9	9.2	8.6	7.6	7.3
		37.5	13.8	17.7	15.9	15.6	15.9	13.8	12.2	10.2	8.7	
5 FIFTH MONTH			11	37	85	169	212	242	226	203	178	2383
			.5	1.6	3.6	7.1	8.9	10.2	9.5	8.5	7.5	3.9
			12.6	11.9	10.9	11.5	9.9	8.3	6.7	5.4	4.5	
6 SIXTH MONTH		1	11	36	61	96	120	131	133	99	113	1275
		.1	.9	2.8	4.8	7.5	9.4	10.3	10.4	7.8	8.9	2.1
		12.5	12.6	11.6	7.8	6.5	5.6	4.5	3.9	2.6	2.9	
7 SEVENTH MONTH			5	16	41	62	77	74	111	79	56	807
			.6	2.0	5.1	7.7	9.5	9.2	13.8	9.8	6.9	1.3
			5.7	5.2	5.3	4.2	3.6	2.5	3.3	2.1	1.4	
8 EIGHTH MONTH		1	5	6	16	22	33	27	38	20	37	350
		.3	1.4	1.7	4.6	6.3	9.4	7.7	10.9	5.7	10.6	.6
		12.5	5.7	1.9	2.1	1.5	1.5	.9	1.1	.5	.9	
COLUMN TOTAL		8	87	310	778	1472	2134	2904	3398	3766	3913	61746
		.0	.1	.5	1.3	2.4	3.5	4.7	5.5	6.1	6.3	100.0

(CONTINUED)

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	AGE 23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
NONE	0	30	26	84	35	19	5			461
		6.5	5.6	18.2	7.6	4.1	1.1			.7
		.7	.6	.4	.3	.6	1.6			
FIRST MONTH	1	596	646	3856	2657	734	71		1	10429
		5.7	6.2	37.0	25.5	7.0	.7		.0	16.9
		14.7	15.6	19.3	23.4	23.0	22.0		50.0	
SECOND MONTH	2	1786	1987	10287	5995	1645	149	1		28368
		6.3	7.0	36.3	21.1	5.8	.5	.0		45.9
		44.2	47.9	51.6	52.9	51.6	46.3	16.7		
THIRD MONTH	3	977	908	3789	1906	514	50	4		12962
		7.5	7.0	29.2	14.7	4.0	.4	.0		21.0
		24.2	21.9	19.0	16.8	16.1	15.5	66.7		
FOURTH MONTH	4	321	282	1014	400	145	25		1	4493
		7.1	6.3	22.6	8.9	3.2	.6		.0	7.3
		7.9	6.8	5.1	3.5	4.5	7.8		50.0	
FIFTH MONTH	5	169	147	459	175	56	13	1		2383
		7.1	6.2	19.3	7.3	2.3	.5	.0		3.9
		4.2	3.5	2.3	1.5	1.8	4.0	16.7		
SIXTH MONTH	6	78	68	207	81	35	5			1275
		6.1	5.3	16.2	6.4	2.7	.4			2.1
		1.9	1.6	1.0	.7	1.1	1.6			
SEVENTH MONTH	7	48	54	121	46	16	1			807
		5.9	6.7	15.0	5.7	2.0	.1			1.3
		1.2	1.3	.6	.4	.5	.3			
EIGHTH MONTH	8	28	16	67	19	13	2			350
		8.0	4.6	19.1	5.4	3.7	.6			.6
		.7	.4	.3	.2	.4	.6			
(CONTINUED)	COLUMN TOTAL	4041	4148	19929	11341	3187	322	6	2	61746
		6.5	6.7	32.3	18.4	5.2	.5	.0	.0	100.0

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	AGE	13	14	15	16	17	18	19	20	21	22	ROW TOTAL
9 NINTH MONTH	COUNT			4	7	9	8	13	10	11	12	130
	ROW PCT			3.1	5.4	6.9	6.2	10.0	7.7	8.5	9.2	.2
	COL PCT			1.3	.9	.6	.4	.4	.3	.3	.3	
10 NOT STATED	COUNT		1		4		3	7	7	9	8	88
	ROW PCT		1.1		4.5		3.4	8.0	8.0	10.2	9.1	.1
	COL PCT		1.1		.5		.1	.2	.2	.2	.2	
COLUMN TOTAL	COUNT	8	87	310	778	1472	2134	2904	3398	3766	3913	61746
	PCT	.0	.1	.5	1.3	2.4	3.5	4.7	5.5	6.1	6.3	100.0

(CONTINUED)

TABLE 6

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR.. RACE
VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	AGE 23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
9 NINTH MONTH		4	6	22	16	7	1			130
		3.1	4.6	16.9	12.3	5.4	.8			.2
		.1	.1	.1	.1	.2	.3			
10 NOT STATED		4	8	23	11	3				88
		4.5	9.1	26.1	12.5	3.4				.1
		.1	.2	.1	.1	.1				
COLUMN TOTAL		4041	4148	19929	11341	3187	322	6	2	61746
		6.5	6.7	32.3	18.4	5.2	.5	.0	.0	100.0

TABLE 6

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
0 NONE		2	4	16	24	27	57	75	67	80	72	753
		.3	.5	2.1	3.2	3.6	7.6	10.0	8.9	10.6	9.6	2.6
		20.0	8.2	7.8	4.6	3.0	4.6	4.3	3.4	3.6	3.2	
1 FIRST MONTH		1	2	8	30	54	82	109	110	174	197	2942
		.0	.1	.3	1.0	1.8	2.8	3.7	3.7	5.9	6.7	10.3
		10.0	4.1	3.9	5.7	6.0	6.5	6.3	5.6	7.8	8.7	
2 SECOND MONTH		2	8	29	86	155	275	373	485	560	612	8645
		.0	.1	.3	1.0	1.8	3.2	4.3	5.6	6.5	7.1	30.4
		20.0	16.3	14.2	16.3	17.2	22.0	21.5	24.5	25.0	27.1	
3 THIRD MONTH			11	34	91	170	281	375	428	506	524	6641
			.2	.5	1.4	2.6	4.2	5.6	6.4	7.6	7.9	23.3
			22.4	16.7	17.3	18.9	22.4	21.6	21.6	22.6	23.2	
4 FOURTH MONTH			7	30	79	153	182	281	305	364	346	3722
			.2	.8	2.1	4.1	4.9	7.5	8.2	9.8	9.3	13.1
			14.3	14.7	15.0	17.0	14.5	16.2	15.4	16.3	15.3	
5 FIFTH MONTH			3	32	83	149	156	235	239	247	196	2540
			.1	1.3	3.3	5.9	6.1	9.3	9.4	9.7	7.7	8.9
			6.1	15.7	15.7	16.6	12.5	13.5	12.1	11.0	8.7	
6 SIXTH MONTH		3	10	25	66	95	113	126	158	146	144	1543
		.2	.6	1.6	4.3	6.2	7.3	8.2	10.2	9.5	9.3	5.4
		30.0	20.4	12.3	12.5	10.6	9.0	7.3	8.0	6.5	6.4	
7 SEVENTH MONTH		1	1	16	41	62	66	96	100	107	97	1007
		.1	.1	1.6	4.1	6.2	6.6	9.5	9.9	10.6	9.6	3.5
		10.0	2.0	7.8	7.8	6.9	5.3	5.5	5.1	4.8	4.3	
8 EIGHTH MONTH			1	11	18	25	34	49	50	37	57	489
			.2	2.2	3.7	5.1	7.0	10.0	10.2	7.6	11.7	1.7
			2.0	5.4	3.4	2.8	2.7	2.8	2.5	1.7	2.5	
COLUMN TOTAL		10	49	204	527	900	1252	1737	1979	2239	2261	28482
		.0	.2	.7	1.9	3.2	4.4	6.1	6.9	7.9	7.9	100.0

(CONTINUED)

TABLE 6

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	AGE 22	23	24	25	26	27	28	29	30	ROW TOTAL
		25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED				
0 NONE		61	43	34	126	43	20	2			753
		8.1	5.7	4.5	16.7	5.7	2.7	.3			2.6
		2.8	2.3	1.9	1.8	1.2	1.9	1.4			
1 FIRST MONTH		213	189	212	897	517	134	13			2942
		7.2	6.4	7.2	30.5	17.6	4.6	.4			10.3
		9.9	9.9	12.0	13.2	14.8	12.8	9.2			
2 SECOND MONTH		629	592	563	2512	1340	377	46	1		8645
		7.3	6.8	6.5	29.1	15.5	4.4	.5	.0		30.4
		29.1	31.1	32.0	36.9	38.4	36.0	32.4	20.0		
3 THIRD MONTH		512	477	454	1625	855	259	37	2		6641
		7.7	7.2	6.8	24.5	12.9	3.9	.6	.0		23.3
		23.7	25.1	25.8	23.9	24.5	24.7	26.1	40.0		
4 FOURTH MONTH		295	237	197	756	341	129	18	2		3722
		7.9	6.4	5.3	20.3	9.2	3.5	.5	.1		13.1
		13.7	12.4	11.2	11.1	9.8	12.3	12.7	40.0		
5 FIFTH MONTH		217	164	128	417	199	63	12			2540
		8.5	6.5	5.0	16.4	7.8	2.5	.5			8.9
		10.1	8.6	7.3	6.1	5.7	6.0	8.5			
6 SIXTH MONTH		116	111	67	233	96	30	4			1543
		7.5	7.2	4.3	15.1	6.2	1.9	.3			5.4
		5.4	5.8	3.8	3.4	2.7	2.9	2.8			
7 SEVENTH MONTH		76	54	54	139	70	23	4			1007
		7.5	5.4	5.4	13.8	7.0	2.3	.4			3.5
		3.5	2.8	3.1	2.0	2.0	2.2	2.8			
8 EIGHTH MONTH		28	27	41	75	21	10	5			489
		5.7	5.5	8.4	15.3	4.3	2.0	1.0			1.7
		1.3	1.4	2.3	1.1	.6	1.0	3.5			
COLUMN TOTAL		2159	1904	1760	6811	3494	1048	142	5	1	28482
		7.6	6.7	6.2	23.9	12.3	3.7	.5	.0	.0	100.0

(CONTINUED)

TABLE 6

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	AGE	12	13	14	15	16	17	18	19	20	21	ROW TOTAL
9 NINTH MONTH	COUNT	1	2	2	7	5	6	15	26	13	13	140
	ROW PCT	.7	1.4	1.4	5.0	3.6	4.3	10.7	18.6	9.3	9.3	.5
	COL PCT	10.0	4.1	1.0	1.3	.6	.5	.9	1.3	.6	.6	
10 NOT STATED	COUNT			1	2	5		3	11	5	3	60
	ROW PCT			1.7	3.3	8.3		5.0	18.3	8.3	5.0	.2
	COL PCT			.5	.4	.6		.2	.6	.2	.1	
COLUMN TOTAL		10	49	204	527	900	1252	1737	1979	2239	2261	28482
		.0	.2	.7	1.9	3.2	4.4	6.1	6.9	7.9	7.9	100.0

(CONTINUED)

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	22	23	24	25	26	27	28	29	30	ROW TOTAL
9 NINTH MONTH		9	5	7	19	8	1	1			140
		6.4	3.6	5.0	13.6	5.7	.7	.7			.5
		.4	.3	.4	.3	.2	.1	.7			
10 NOT STATED		3	5	3	12	4	2			1	60
		5.0	8.3	5.0	20.0	6.7	3.3			1.7	.2
		.1	.3	.2	.2	.1	.2			100.0	
COLUMN TOTAL		2159	1904	1760	6811	3494	1048	142	5	1	28482
		7.6	6.7	6.2	23.9	12.3	3.7	.5	.0	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY STATUS MARITAL STATUS OF MOTHER
CONTROLLING FOR.. RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	STATUS 1 MARRIED	2 NOT MARRIED	3 NOT STATED	ROW TOTAL
0 NONE	COUNT	412	802		1214
	ROW PCT	33.9	66.1		1.3
	COL PCT	.6	3.8		
1 FIRST MONTH	COUNT	11858	1513		13371
	ROW PCT	88.7	11.3		14.8
	COL PCT	17.2	7.1		
2 SECOND MONTH	COUNT	31782	5230	1	37013
	ROW PCT	85.9	14.1	.0	41.0
	COL PCT	46.1	24.5	20.0	
3 THIRD MONTH	COUNT	14739	4863	1	19603
	ROW PCT	75.2	24.8	.0	21.7
	COL PCT	21.4	22.8	20.0	
4 FOURTH MONTH	COUNT	4972	3243		8215
	ROW PCT	60.5	39.5		9.1
	COL PCT	7.2	15.2		
5 FIFTH MONTH	COUNT	2539	2384		4923
	ROW PCT	51.6	48.4		5.5
	COL PCT	3.7	11.2		
6 SIXTH MONTH	COUNT	1276	1542		2818
	ROW PCT	45.3	54.7		3.1
	COL PCT	1.9	7.2		
7 SEVENTH MONTH	COUNT	766	1048		1814
	ROW PCT	42.2	57.8		2.0
	COL PCT	1.1	4.9		
8 EIGHTH MONTH	COUNT	361	478		839
	ROW PCT	43.0	57.0		.9
	COL PCT	.5	2.2		
COLUMN TOTAL		68913	21310	5	90228
		76.4	23.6	.0	100.0

(CONTINUED)

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY STATUS MARITAL STATUS OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB	STATUS	MARRIED (1)	NOT MARRIED (2)	NOT STATED (3)	ROW TOTAL
9	COUNT	115	155		270
NINTH MONTH	ROW PCT	42.6	57.4		.3
	COL PCT	.2	.7		
10	COUNT	93	52	3	148
NOT STATED	ROW PCT	62.8	35.1	2.0	.2
	COL PCT	.1	.2	60.0	
	COLUMN TOTAL	68913	21310	5	90228
		76.4	23.6	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY STATUS MARITAL STATUS OF MOTHER
CONTROLLING FOR.. RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	STATUS 1 MARRIED	2 NOT MARRIED	3 NOT STATED	ROW TOTAL
0 NONE		254	207		461
		55.1	44.9		.7
		.5	3.5		
1 FIRST MONTH		10033	396		10429
		96.2	3.8		16.9
		18.0	6.6		
2 SECOND MONTH		26890	1478		28368
		94.8	5.2		45.9
		48.2	24.7		
3 THIRD MONTH		11531	1431		12962
		89.0	11.0		21.0
		20.7	23.9		
4 FOURTH MONTH		3575	918		4493
		79.6	20.4		7.3
		6.4	15.4		
5 FIFTH MONTH		1755	628		2383
		73.6	26.4		3.9
		3.1	10.5		
6 SIXTH MONTH		839	436		1275
		65.8	34.2		2.1
		1.5	7.3		
7 SEVENTH MONTH		504	303		807
		62.5	37.5		1.3
		.9	5.1		
8 EIGHTH MONTH		239	111		350
		68.3	31.7		.6
		.4	1.9		
(CONTINUED)	COLUMN TOTAL	55769	5976	1	61746
		90.3	9.7	.0	100.0

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY STATUS MARITAL STATUS OF MOTHER
CONTROLLING FOR.. RACE VALUE.. 1 WHITE

MPCB	STATUS	MARRIED (1)	NOT MARRIED (2)	NOT STATED (3)	ROW TOTAL
9 NINTH MONTH	COUNT	78	52		130
	ROW PCT	60.0	40.0		.2
	COL PCT	.1	.9		
10 NOT STATED	COUNT	71	16	1	88
	ROW PCT	80.7	18.2	1.1	.1
	COL PCT	.1	.3	100.0	
COLUMN TOTAL	COUNT	55769	5976	1	61746
	PCT	90.3	9.7	.0	100.0

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY STATUS MARITAL STATUS OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	STATUS 1 MARRIED	2 NOT MARRIED	3 NOT STATED	ROW TOTAL
0 NONE		158	595		753
		21.0	79.0		2.6
		1.2	3.9		
1 FIRST MONTH		1825	1117		2942
		62.0	38.0		10.3
		13.9	7.3		
2 SECOND MONTH		4892	3752	1	8645
		56.6	43.4	.0	30.4
		37.2	24.5	25.0	
3 THIRD MONTH		3208	3432	1	6641
		48.3	51.7	.0	23.3
		24.4	22.4	25.0	
4 FOURTH MONTH		1397	2325		3722
		37.5	62.5		13.1
		10.6	15.2		
5 FIFTH MONTH		784	1756		2540
		30.9	69.1		8.9
		6.0	11.5		
6 SIXTH MONTH		437	1106		1543
		28.3	71.7		5.4
		3.3	7.2		
7 SEVENTH MONTH		262	745		1007
		26.0	74.0		3.5
		2.0	4.9		
8 EIGHTH MONTH		122	367		489
		24.9	75.1		1.7
		.9	2.4		
COLUMN TOTAL		13144	15334	4	28482
		46.1	53.8	.0	100.0

(CONTINUED)

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY STATUS MARITAL STATUS OF MOTHER
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

MPCB	STATUS: 1 MARRIED	2 NOT MARRIED	3 NOT STATED	ROW TOTAL
9 NINTH MONTH	37	103		140
ROW PCT	26.4	73.6		.5
COL PCT	.3	.7		
10 NOT STATED	22	36	2	60
ROW PCT	36.7	60.0	3.3	.2
COL PCT	.2	.2	50.0	
COLUMN TOTAL	13144	15334	4	28482
	46.1	53.8	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 8

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY BO BIRTH ORDER
CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
0 NONE		372	335	242	120	62	30	28	7	17	1	1214
		30.6	27.6	19.9	9.9	5.1	2.5	2.3	.6	1.4	.1	1.3
		1.0	1.2	1.6	2.0	2.6	3.1	6.8	3.7	8.1	3.1	
1 FIRST MONTH		5394	4586	2108	802	293	113	35	20	19	1	13371
		40.3	34.3	15.8	6.0	2.2	.8	.3	.1	.1	.0	14.8
		14.9	15.8	14.4	13.3	12.1	11.7	8.5	10.5	9.0	3.1	
2 SECOND MONTH		15131	12431	5833	2291	821	291	114	48	50	3	37013
		40.9	33.6	15.8	6.2	2.2	.8	.3	.1	.1	.0	41.0
		41.7	42.8	39.8	38.0	33.8	30.1	27.7	25.3	23.7	9.4	
3 THIRD MONTH		7912	6225	3227	1278	561	231	93	43	30	3	19603
		40.4	31.8	16.5	6.5	2.9	1.2	.5	.2	.2	.0	21.7
		21.8	21.4	22.0	21.2	23.1	23.9	22.6	22.6	14.2	9.4	
4 FOURTH MONTH		3259	2434	1381	624	284	119	54	22	38		8215
		39.7	29.6	16.8	7.6	3.5	1.4	.7	.3	.5		9.1
		9.0	8.4	9.4	10.3	11.7	12.3	13.1	11.6	18.0		
5 FIFTH MONTH		1951	1423	806	413	169	82	38	18	22	1	4923
		39.6	28.9	16.4	8.4	3.4	1.7	.8	.4	.4	.0	5.5
		5.4	4.9	5.5	6.8	7.0	8.5	9.2	9.5	10.4	3.1	
6 SIXTH MONTH		1112	783	494	227	102	47	22	15	15	1	2818
		39.5	27.8	17.5	8.1	3.6	1.7	.8	.5	.5	.0	3.1
		3.1	2.7	3.4	3.8	4.2	4.9	5.3	7.9	7.1	3.1	
7 SEVENTH MONTH		665	512	355	144	80	27	16	9	6		1814
		36.7	28.2	19.6	7.9	4.4	1.5	.9	.5	.3		2.0
		1.8	1.8	2.4	2.4	3.3	2.8	3.9	4.7	2.8		
8 EIGHTH MONTH		301	206	147	99	38	19	7	8	13	1	839
		35.9	24.6	17.5	11.8	4.5	2.3	.8	1.0	1.5	.1	.9
		.8	.7	1.0	1.6	1.6	2.0	1.7	4.2	6.2	3.1	
COLUMN TOTAL		36252	29036	14667	6036	2426	966	412	190	211	32	90228
		40.2	32.2	16.3	6.7	2.7	1.1	.5	.2	.2	.0	100.0

(CONTINUED)

TABLE 8

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY BO BIRTH ORDER
CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB	BO COUNT / ROW PCT / COL PCT	1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
9		101	66	53	32	10	5	3				270
NINTH MONTH		37.4	24.4	19.6	11.9	3.7	1.9	1.1				.3
		.3	.2	.4	.5	.4	.5	.7				
10		54	35	21	6	6	2	2		1	21	148
NOT STATED		36.5	23.6	14.2	4.1	4.1	1.4	1.4		.7	14.2	.2
		.1	.1	.1	.1	.2	.2	.5		.5	65.6	
COLUMN TOTAL		36252	29036	14667	6036	2426	966	412	190	211	32	90228
		40.2	32.2	16.3	6.7	2.7	1.1	.5	.2	.2	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 8

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY BO BIRTH ORDER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
0 NONE		161	119	87	50	16	6	11	3	8		461
		34.9	25.8	18.9	10.8	3.5	1.3	2.4	.7	1.7		.7
		.6	.6	.9	1.4	1.2	1.3	6.1	3.5	8.5		
1 FIRST MONTH		4305	3643	1577	581	203	68	22	15	14	1	10429
		41.3	34.9	15.1	5.6	1.9	.7	.2	.1	.1	.0	16.9
		16.7	17.6	16.7	15.9	15.5	14.2	12.2	17.6	14.9	5.0	
2 SECOND MONTH		11923	9750	4282	1604	522	178	58	22	28	1	28368
		42.0	34.4	15.1	5.7	1.8	.6	.2	.1	.1	.0	45.9
		46.2	47.2	45.3	43.9	39.8	37.2	32.0	25.9	29.8	5.0	
3 THIRD MONTH		5478	4247	2021	744	289	113	40	19	10	1	12962
		42.3	32.8	15.6	5.7	2.2	.9	.3	.1	.1	.0	21.0
		21.2	20.6	21.4	20.4	22.0	23.6	22.1	22.4	10.6	5.0	
4 FOURTH MONTH		1876	1415	678	307	122	50	23	10	12		4493
		41.8	31.5	15.1	6.8	2.7	1.1	.5	.2	.3		7.3
		7.3	6.9	7.2	8.4	9.3	10.5	12.7	11.8	12.8		
5 FIFTH MONTH		1002	710	371	171	75	26	11	7	10		2383
		42.0	29.8	15.6	7.2	3.1	1.1	.5	.3	.4		3.9
		3.9	3.4	3.9	4.7	5.7	5.4	6.1	8.2	10.6		
6 SIXTH MONTH		529	384	195	87	46	15	10	4	5		1275
		41.5	30.1	15.3	6.8	3.6	1.2	.8	.3	.4		2.1
		2.0	1.9	2.1	2.4	3.5	3.1	5.5	4.7	5.3		
7 SEVENTH MONTH		317	243	153	56	18	12	3	3	2		807
		39.3	30.1	19.0	6.9	2.2	1.5	.4	.4	.2		1.3
		1.2	1.2	1.6	1.5	1.4	2.5	1.7	3.5	2.1		
8 EIGHTH MONTH		148	82	59	37	10	5	1	2	5	1	350
		42.3	23.4	16.9	10.6	2.9	1.4	.3	.6	1.4	.3	.6
		.6	.4	.6	1.0	.8	1.0	.6	2.4	5.3	5.0	
COLUMN TOTAL		25821	20642	9457	3656	1312	478	181	85	94	20	61746
		41.8	33.4	15.3	5.9	2.1	.8	.3	.1	.2	.0	100.0

(CONTINUED)

MPCB/BTH ORDR/RACE TABLE 8

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY BO BIRTH ORDER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

MPCB	BO	1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	ROW TOTAL
	COUNT	1	2	3	4	5	6	7	8	9	10	
9 NINTH MONTH		52	28	22	15	8	4	1				130
	ROW PCT	40.0	21.5	16.9	11.5	6.2	3.1	.8				.2
	COL PCT	.2	.1	.2	.4	.6	.8	.6				
10 NOT STATED		30	21	12	4	3	1	1			16	88
	ROW PCT	34.1	23.9	13.6	4.5	3.4	1.1	1.1			18.2	.1
	COL PCT	.1	.1	.1	.1	.2	.2	.6			80.0	
COLUMN TOTAL		25821	20642	9457	3656	1312	478	181	85	94	20	61746
		41.8	33.4	15.3	5.9	2.1	.8	.3	.1	.2	.0	100.0

TABLE 8

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY BO BIRTH ORDER
CONTROLLING FOR.. RACE
VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
0 NONE		211	216	155	70	46	24	17	4	9	1	753
		28.0	28.7	20.6	9.3	6.1	3.2	2.3	.5	1.2	.1	2.6
		2.0	2.6	3.0	2.9	4.1	4.9	7.4	3.8	7.7	8.3	
1 FIRST MONTH		1089	943	531	221	90	45	13	5	5		2942
		37.0	32.1	18.0	7.5	3.1	1.5	.4	.2	.2		10.3
		10.4	11.2	10.2	9.3	8.1	9.2	5.6	4.8	4.3		
2 SECOND MONTH		3208	2681	1551	687	299	113	56	26	22	2	8645
		37.1	31.0	17.9	7.9	3.5	1.3	.6	.3	.3	.0	30.4
		30.8	31.9	29.8	28.9	26.8	23.2	24.2	24.8	18.8	16.7	
3 THIRD MONTH		2434	1978	1206	534	272	118	53	24	20	2	6641
		36.7	29.8	18.2	8.0	4.1	1.8	.8	.4	.3	.0	23.3
		23.3	23.6	23.1	22.4	24.4	24.2	22.9	22.9	17.1	16.7	
4 FOURTH MONTH		1383	1019	703	317	162	69	31	12	26		3722
		37.2	27.4	18.9	8.5	4.4	1.9	.8	.3	.7		13.1
		13.3	12.1	13.5	13.3	14.5	14.1	13.4	11.4	22.2		
5 FIFTH MONTH		949	713	435	242	94	56	27	11	12	1	2540
		37.4	28.1	17.1	9.5	3.7	2.2	1.1	.4	.5	.0	8.9
		9.1	8.5	8.3	10.2	8.4	11.5	11.7	10.5	10.3	8.3	
6 SIXTH MONTH		583	399	299	140	56	32	12	11	10	1	1543
		37.8	25.9	19.4	9.1	3.6	2.1	.8	.7	.6	.1	5.4
		5.6	4.8	5.7	5.9	5.0	6.6	5.2	10.5	8.5	8.3	
7 SEVENTH MONTH		348	269	202	88	62	15	13	6	4		1007
		34.6	26.7	20.1	8.7	6.2	1.5	1.3	.6	.4		3.5
		3.3	3.2	3.9	3.7	5.6	3.1	5.6	5.7	3.4		
8 EIGHTH MONTH		153	124	88	62	28	14	6	6	8		489
		31.3	25.4	18.0	12.7	5.7	2.9	1.2	1.2	1.6		1.7
		1.5	1.5	1.7	2.6	2.5	2.9	2.6	5.7	6.8		
COLUMN TOTAL		10431	8394	5210	2380	1114	488	231	105	117	12	28482
		36.6	29.5	18.3	8.4	3.9	1.7	.8	.4	.4	.0	100.0

(CONTINUED)

TABLE 8

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY BO BIRTH ORDER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB		BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
9	COUNT	49	38	31	17	2	1	2				140
NINTH MONTH	ROW PCT	35.0	27.1	22.1	12.1	1.4	.7	1.4				.5
	COL PCT	.5	.5	.6	.7	.2	.2	.9				
10	COUNT	24	14	9	2	3	1	1		1	5	60
NOT STATED	ROW PCT	40.0	23.3	15.0	3.3	5.0	1.7	1.7		1.7	8.3	.2
	COL PCT	.2	.2	.2	.1	.3	.2	.4		.9	41.7	
COLUMN TOTAL		10431	8394	5210	2380	1114	488	231	105	117	12	28482
		36.6	29.5	18.3	8.4	3.9	1.7	.8	.4	.4	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 9

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	WT UNDER 500 GMS 0	500 TO 999 GMS 1	1000 TO 1499 GMS 2	1500 TO 1999 GMS 3	2000 TO 2499 GMS 4	2500 TO 2999 GMS 5	3000 TO 3499 GMS 6	3500 TO 3999 GMS 7	4000 GMS AND OVER 8	NOT STATED 9	ROW TOTAL
0		20	67	40	57	140	298	364	183	41	4	1214
NONE		1.6	5.5	3.3	4.7	11.5	24.5	30.0	15.1	3.4	.3	1.3
		12.4	12.6	6.0	4.1	3.2	2.0	1.1	.7	.4	6.0	
1		23	85	115	231	559	1974	4733	4054	1591	6	13371
FIRST MONTH		.2	.6	.9	1.7	4.2	14.8	35.4	30.3	11.9	.0	14.8
		14.3	16.0	17.1	16.5	12.8	13.2	14.4	15.7	16.9	9.0	
2		63	184	244	499	1596	5451	13298	11293	4372	13	37013
SECOND MONTH		.2	.5	.7	1.3	4.3	14.7	35.9	30.5	11.8	.0	41.0
		39.1	34.7	36.3	35.6	36.5	36.4	40.5	43.9	46.3	19.4	
3		29	107	126	296	891	3388	7285	5495	1975	11	19603
THIRD MONTH		.1	.5	.6	1.5	4.5	17.3	37.2	28.0	10.1	.1	21.7
		18.0	20.2	18.8	21.1	20.4	22.6	22.2	21.3	20.9	16.4	
4		14	53	58	137	482	1534	3109	2121	701	6	8215
FOURTH MONTH		.2	.6	.7	1.7	5.9	18.7	37.8	25.8	8.5	.1	9.1
		8.7	10.0	8.6	9.8	11.0	10.2	9.5	8.2	7.4	9.0	
5		9	25	40	77	305	1026	1878	1201	359	3	4923
FIFTH MONTH		.2	.5	.8	1.6	6.2	20.8	38.1	24.4	7.3	.1	5.5
		5.6	4.7	6.0	5.5	7.0	6.9	5.7	4.7	3.8	4.5	
6		1	4	28	56	192	618	1051	681	186	1	2818
SIXTH MONTH		.0	.1	1.0	2.0	6.8	21.9	37.3	24.2	6.6	.0	3.1
		.6	.8	4.2	4.0	4.4	4.1	3.2	2.6	2.0	1.5	
7			3	13	27	121	406	673	448	122	1	1814
SEVENTH MONTH			.2	.7	1.5	6.7	22.4	37.1	24.7	6.7	.1	2.0
			.6	1.9	1.9	2.8	2.7	2.0	1.7	1.3	1.5	
8				1	7	64	185	338	190	52	2	839
EIGHTH MONTH				.1	.8	7.6	22.1	40.3	22.6	6.2	.2	.9
				.1	.5	1.5	1.2	1.0	.7	.6	3.0	
COLUMN TOTAL		161	531	672	1402	4376	14978	32866	25741	9434	67	90228
		.2	.6	.7	1.6	4.8	16.6	36.4	28.5	10.5	.1	100.0

(CONTINUED)

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE. VALUE = TOTAL

MPCB	WT / COUNT / ROW PCT / COL PCT	UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
9 NINTH MONTH			2	1	6	16	74	94	52	25		270
			.7	.4	2.2	5.9	27.4	34.8	19.3	9.3		.3
			.4	.1	.4	.4	.5	.3	.2	.3		
10 NOT STATED		2	1	6	9	10	24	43	23	10	20	148
		1.4	.7	4.1	6.1	6.8	16.2	29.1	15.5	6.8	13.5	.2
		1.2	.2	.9	.6	.2	.2	.1	.1	.1	29.9	
COLUMN TOTAL		161	531	672	1402	4376	14978	32866	25741	9434	67	90228
		.2	.6	.7	1.6	4.8	16.6	36.4	28.5	10.5	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	WT 0 UNDER 500 GMS	1 500 TO 999 GMS	2 1000 TO 1499 GMS	3 1500 TO 1999 GMS	4 2000 TO 2499 GMS	5 2500 TO 2999 GMS	6 3000 TO 3499 GMS	7 3500 TO 3999 GMS	8 4000 GMS AND OVER	9 NOT STATED	ROW TOTAL
0 NONE		4	18	11	17	41	91	159	94	25	1	461
		.9	3.9	2.4	3.7	8.9	19.7	34.5	20.4	5.4	.2	.7
		6.3	7.7	3.2	2.3	1.7	1.1	.7	.5	.3	2.7	
1 FIRST MONTH		11	44	71	139	383	1361	3649	3381	1387	3	10429
		.1	.4	.7	1.3	3.7	13.1	35.0	32.4	13.3	.0	16.9
		17.5	18.7	20.4	18.7	16.0	15.9	16.7	17.3	17.5	8.1	
2 SECOND MONTH		30	101	149	323	1038	3623	9985	9253	3857	9	28368
		.1	.4	.5	1.1	3.7	12.8	35.2	32.6	13.6	.0	45.9
		47.6	43.0	42.8	43.5	43.3	42.3	45.6	47.3	48.7	24.3	
3 THIRD MONTH		7	40	55	149	457	1925	4665	4042	1621	1	12962
		.1	.3	.4	1.1	3.5	14.9	36.0	31.2	12.5	.0	21.0
		11.1	17.0	15.8	20.1	19.1	22.5	21.3	20.6	20.5	2.7	
4 FOURTH MONTH		6	21	26	52	199	683	1662	1334	507	3	4493
		.1	.5	.6	1.2	4.4	15.2	37.0	29.7	11.3	.1	7.3
		9.5	8.9	7.5	7.0	8.3	8.0	7.6	6.8	6.4	8.1	
5 FIFTH MONTH		4	9	15	24	135	410	855	691	238	2	2383
		.2	.4	.6	1.0	5.7	17.2	35.9	29.0	10.0	.1	3.9
		6.3	3.8	4.3	3.2	5.6	4.8	3.9	3.5	3.0	5.4	
6 SIXTH MONTH			2	11	19	75	221	421	389	137		1275
			.2	.9	1.5	5.9	17.3	33.0	30.5	10.7		2.1
			.9	3.2	2.6	3.1	2.6	1.9	2.0	1.7		
7 SEVENTH MONTH				6	10	37	146	285	244	78	1	807
				.7	1.2	4.6	18.1	35.3	30.2	9.7	.1	1.3
				1.7	1.3	1.5	1.7	1.3	1.2	1.0	2.7	
8 EIGHTH MONTH					3	23	55	131	99	38	1	350
					.9	6.6	15.7	37.4	28.3	10.9	.3	.6
					.4	1.0	.6	.6	.5	.5	2.7	
COLUMN TOTAL		63	235	348	743	2397	8558	21873	19580	7912	37	61746
		.1	.4	.6	1.2	3.9	13.9	35.4	31.7	12.8	.1	100.0

(CONTINUED)

TABLE 9

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	WT / COUNT / ROW PCT / COL PCT	UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
9 NINTH MONTH					1	6	33	39	35	16		130
	ROW PCT				.8	4.6	25.4	30.0	26.9	12.3		.2
	COL PCT				.1	.3	.4	.2	.2	.2		
10 NOT STATED		1		4	6	3	10	22	18	8	16	88
	ROW PCT	1.1		4.5	6.8	3.4	11.4	25.0	20.5	9.1	18.2	.1
	COL PCT	1.6		1.1	.8	.1	.1	.1	.1	.1	43.2	
COLUMN TOTAL		63	235	348	743	2397	8558	21873	19580	7912	37	61746
		.1	.4	.6	1.2	3.9	13.9	35.4	31.7	12.8	.1	100.0

TABLE 9

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	WT 0 UNDER 500 GMS	1 500 TO 999 GMS	2 1000 TO 1499 GMS	3 1500 TO 1999 GMS	4 2000 TO 2499 GMS	5 2500 TO 2999 GMS	6 3000 TO 3499 GMS	7 3500 TO 3999 GMS	8 4000 GMS AND OVER	9 NOT STATED	ROW TOTAL
0 NONE		16	49	29	40	99	207	205	89	16	3	753
		2.1	6.5	3.9	5.3	13.1	27.5	27.2	11.8	2.1	.4	2.6
		16.3	16.6	9.0	6.1	5.0	3.2	1.9	1.4	1.1	10.0	
1 FIRST MONTH		12	41	44	92	176	613	1084	673	204	3	2942
		.4	1.4	1.5	3.1	6.0	20.8	36.8	22.9	6.9	.1	10.3
		12.2	13.9	13.6	14.0	8.9	9.5	9.9	10.9	13.4	10.0	
2 SECOND MONTH		33	83	95	176	558	1828	3313	2040	515	4	8645
		.4	1.0	1.1	2.0	6.5	21.1	38.3	23.6	6.0	.0	30.4
		33.7	28.0	29.3	26.7	28.2	28.5	30.1	33.1	33.8	13.3	
3 THIRD MONTH		22	67	71	147	434	1463	2620	1453	354	10	6641
		.3	1.0	1.1	2.2	6.5	22.0	39.5	21.9	5.3	.2	23.3
		22.4	22.6	21.9	22.3	21.9	22.8	23.8	23.6	23.3	33.3	
4 FOURTH MONTH		8	32	32	85	283	851	1447	787	194	3	3722
		.2	.9	.9	2.3	7.6	22.9	38.9	21.1	5.2	.1	13.1
		8.2	10.8	9.9	12.9	14.3	13.3	13.2	12.8	12.7	10.0	
5 FIFTH MONTH		5	16	25	53	170	616	1023	510	121	1	2540
		.2	.6	1.0	2.1	6.7	24.3	40.3	20.1	4.8	.0	8.9
		5.1	5.4	7.7	8.0	8.6	9.6	9.3	8.3	8.0	3.3	
6 SIXTH MONTH		1	2	17	37	117	397	630	292	49	1	1543
		.1	.1	1.1	2.4	7.6	25.7	40.8	18.9	3.2	.1	5.4
		1.0	.7	5.2	5.6	5.9	6.2	5.7	4.7	3.2	3.3	
7 SEVENTH MONTH			3	7	17	84	260	388	204	44		1007
			.3	.7	1.7	8.3	25.8	38.5	20.3	4.4		3.5
			1.0	2.2	2.6	4.2	4.0	3.5	3.3	2.9		
8 EIGHTH MONTH				1	4	41	130	207	91	14	1	489
				.2	.8	8.4	26.6	42.3	18.6	2.9	.2	1.7
				.3	.6	2.1	2.0	1.9	1.5	.9	3.3	
COLUMN TOTAL		98	296	324	659	1979	6420	10993	6161	1522	30	28482
		.3	1.0	1.1	2.3	6.9	22.5	38.6	21.6	5.3	.1	100.0

(CONTINUED)

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

MPCB	WT / COUNT / ROW PCT / COL PCT	UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
9 NINTH MONTH			2	1	5	10	41	55	17	9		140
			1.4	.7	3.6	7.1	29.3	39.3	12.1	6.4		.5
			.7	.3	.8	.5	.6	.5	.3	.6		
10 NOT STATED		1	1	2	3	7	14	21	5	2	4	60
		1.7	1.7	3.3	5.0	11.7	23.3	35.0	8.3	3.3	6.7	.2
		1.0	.3	.6	.5	.4	.2	.2	.1	.1	13.3	
COLUMN TOTAL		98	296	324	659	1979	6420	10993	6161	1522	30	28482
		.3	1.0	1.1	2.3	6.9	22.5	38.6	21.6	5.3	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	18	ROW TOTAL
0		99	495	473	114	27	6		1214
NONE		8.2	40.8	39.0	9.4	2.2	.5		1.3
		3.2	2.7	1.3	.7	.2	5.5		
1		50	203	171	48	14	2		488
ONE		10.2	41.6	35.0	9.8	2.9	.4		.5
		1.6	1.1	.5	.3	.1	1.8		
2		56	287	239	67	16	1		666
TWO		8.4	43.1	35.9	10.1	2.4	.2		.7
		1.8	1.6	.6	.4	.1	.9		
3		78	333	336	69	19	1		836
THREE		9.3	39.8	40.2	8.3	2.3	.1		.9
		2.6	1.8	.9	.4	.1	.9		
4		110	478	461	106	34	2		1191
FOUR		9.2	40.1	38.7	8.9	2.9	.2		1.3
		3.6	2.6	1.2	.6	.2	1.8		
5		115	649	629	156	49	3		1601
FIVE		7.2	40.5	39.3	9.7	3.1	.2		1.8
		3.8	3.5	1.7	.9	.3	2.8		
6		160	793	942	267	91	6		2259
SIX		7.1	35.1	41.7	11.8	4.0	.3		2.5
		5.2	4.3	2.5	1.5	.6	5.5		
7		131	798	1017	321	172	4		2443
SEVEN		5.4	32.7	41.6	13.1	7.0	.2		2.7
		4.3	4.3	2.7	1.9	1.2	3.7		
8		218	1236	1658	544	312	4		3972
EIGHT		5.5	31.1	41.7	13.7	7.9	.1		4.4
		7.1	6.7	4.5	3.2	2.2	3.7		
COLUMN TOTAL		3055	18418	37114	17261	14270	109	1	90228
(CONTINUED)		3.4	20.4	41.1	19.1	15.8	.1	.0	100.0

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	18	ROW TOTAL
9	191	1016	1717	641	404	4		3973
NINE	4.8	25.6	43.2	16.1	10.2	.1		4.4
	6.3	5.5	4.6	3.7	2.8	3.7		
10	341	2085	3740	1509	1125	12		8812
TEN	3.9	23.7	42.4	17.1	12.8	.1		9.8
	11.2	11.3	10.1	8.7	7.9	11.0		
11	215	1367	2601	1184	910	2		6279
ELEVEN	3.4	21.8	41.4	18.9	14.5	.0		7.0
	7.0	7.4	7.0	6.9	6.4	1.8		
12	447	3202	7821	3779	3280	15		18544
TWELVE	2.4	17.3	42.2	20.4	17.7	.1		20.6
	14.6	17.4	21.1	21.9	23.0	13.8		
13	170	1119	3037	1506	1224	3		7059
THIRTEEN	2.4	15.9	43.0	21.3	17.3	.0		7.8
	5.6	6.1	8.2	8.7	8.6	2.8		
14	204	1322	3908	2244	2142	4		9824
FOURTEEN	2.1	13.5	39.8	22.8	21.8	.0		10.9
	6.7	7.2	10.5	13.0	15.0	3.7		
15	171	1248	3741	2074	2236	5		9475
FIFTEEN	1.8	13.2	39.5	21.9	23.6	.1		10.5
	5.6	6.8	10.1	12.0	15.7	4.6		
16	290	1756	4576	2614	2209	6	1	11452
SIXTEEN OR MORE	2.5	15.3	40.0	22.8	19.3	.1	.0	12.7
	9.5	9.5	12.3	15.1	15.5	5.5	100.0	
17	9	31	47	18	6	29		140
NOT STATED	6.4	22.1	33.6	12.9	4.3	20.7		.2
	.3	.2	.1	.1	.0	26.6		
COLUMN TOTAL	3055	18418	37114	17261	14270	109	1	90228
	3.4	20.4	41.1	19.1	15.8	.1	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0 NONE		51	194	157	45	12	2	461
		11.1	42.1	34.1	9.8	2.6	.4	.7
		2.6	1.8	.6	.4	.1	3.2	
1 ONE		25	64	47	18	6	2	162
		15.4	39.5	29.0	11.1	3.7	1.2	.3
		1.3	.6	.2	.1	.0	3.2	
2 TWO		31	102	70	26	9		238
		13.0	42.9	29.4	10.9	3.8		.4
		1.6	1.0	.3	.2	.1		
3 THREE		45	110	116	28	13		312
		14.4	35.3	37.2	9.0	4.2		.5
		2.3	1.0	.5	.2	.1		
4 FOUR		58	192	152	36	16	1	455
		12.7	42.2	33.4	7.9	3.5	.2	.7
		3.0	1.8	.6	.3	.1	1.6	
5 FIVE		58	280	250	67	28	1	684
		8.5	40.9	36.5	9.8	4.1	.1	1.1
		3.0	2.6	1.0	.5	.2	1.6	
6 SIX		94	364	405	135	67	3	1068
		8.8	34.1	37.9	12.6	6.3	.3	1.7
		4.8	3.4	1.7	1.1	.6	4.8	
7 SEVEN		73	397	481	171	130	4	1256
		5.8	31.6	38.3	13.6	10.4	.3	2.0
		3.7	3.7	2.0	1.4	1.1	6.5	
8 EIGHT		122	639	831	297	238	3	2130
		5.7	30.0	39.0	13.9	11.2	.1	3.4
		6.3	6.0	3.4	2.4	2.0	4.8	
COLUMN TOTAL		1949	10718	24313	12534	12169	62	61745
		3.2	17.4	39.4	20.3	19.7	.1	100.0

(CONTINUED)

TABLE 10

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9		127	548	956	405	315	2	2353
NINE		5.4	23.3	40.6	17.2	13.4	.1	3.8
		6.5	5.1	3.9	3.2	2.6	3.2	
10		209	1218	2316	982	948	5	5678
TEN		3.7	21.5	40.8	17.3	16.7	.1	9.2
		10.7	11.4	9.5	7.8	7.8	8.1	
11		125	757	1620	791	771	1	4065
ELEVEN		3.1	18.6	39.9	19.5	19.0	.0	6.6
		6.4	7.1	6.7	6.3	6.3	1.6	
12		309	2034	5435	2837	2813	5	13433
TWELVE		2.3	15.1	40.5	21.1	20.9	.0	21.8
		15.9	19.0	22.4	22.6	23.1	8.1	
13		123	764	2214	1141	1060	3	5305
THIRTEEN		2.3	14.4	41.7	21.5	20.0	.1	8.6
		6.3	7.1	9.1	9.1	8.7	4.8	
14		151	937	2942	1789	1872	3	7694
FOURTEEN		2.0	12.2	38.2	23.3	24.3	.0	12.5
		7.7	8.7	12.1	14.3	15.4	4.8	
15		124	871	2821	1689	1955	3	7463
FIFTEEN		1.7	11.7	37.8	22.6	26.2	.0	12.1
		6.4	8.1	11.6	13.5	16.1	4.8	
16		218	1232	3473	2064	1912	3	8902
SIXTEEN OR MORE		2.4	13.8	39.0	23.2	21.5	.0	14.4
		11.2	11.5	14.3	16.5	15.7	4.8	
17		6	15	27	13	4	21	86
NOT STATED		7.0	17.4	31.4	15.1	4.7	24.4	.1
		.3	.1	.1	.1	.0	33.9	
COLUMN TOTAL		1949	10718	24313	12534	12169	62	61745
		3.2	17.4	39.4	20.3	19.7	.1	100.0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0		48	301	316	69	15	4	753
NONE		6.4	40.0	42.0	9.2	2.0	.5	2.6
		4.3	3.9	2.5	1.5	.7	8.5	
1		25	139	124	30	8		326
ONE		7.7	42.6	38.0	9.2	2.5		1.1
		2.3	1.8	1.0	.6	.4		
2		25	185	169	41	7	1	428
TWO		5.8	43.2	39.5	9.6	1.6	.2	1.5
		2.3	2.4	1.3	.9	.3	2.1	
3		33	223	220	41	6	1	524
THREE		6.3	42.6	42.0	7.8	1.1	.2	1.8
		3.0	2.9	1.7	.9	.3	2.1	
4		52	286	309	70	18	1	736
FOUR		7.1	38.9	42.0	9.5	2.4	.1	2.6
		4.7	3.7	2.4	1.5	.9	2.1	
5		57	369	379	89	21	2	917
FIVE		6.2	40.2	41.3	9.7	2.3	.2	3.2
		5.2	4.8	3.0	1.9	1.0	4.3	
6		66	429	537	132	24	3	1191
SIX		5.5	36.0	45.1	11.1	2.0	.3	4.2
		6.0	5.6	4.2	2.8	1.1	6.4	
7		58	401	536	150	42		1187
SEVEN		4.9	33.8	45.2	12.6	3.5		4.2
		5.2	5.2	4.2	3.2	2.0		
8		96	597	827	247	74	1	1842
EIGHT		5.2	32.4	44.9	13.4	4.0	.1	6.5
		8.7	7.8	6.5	5.2	3.5	2.1	
(CONTINUED)	COLUMN TOTAL	1106	7700	12801	4727	2101	47	28482
		3.9	27.0	44.9	16.6	7.4	.2	100.0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9		64	468	761	236	89	2	1620
NINE		4.0	28.9	47.0	14.6	5.5	.1	5.7
		5.8	6.1	5.9	5.0	4.2	4.3	
10		132	867	1424	527	177	7	3134
TEN		4.2	27.7	45.4	16.8	5.6	.2	11.0
		11.9	11.3	11.1	11.1	8.4	14.9	
11		90	610	981	393	139	1	2214
ELEVEN		4.1	27.6	44.3	17.8	6.3	.0	7.8
		8.1	7.9	7.7	8.3	6.6	2.1	
12		138	1168	2386	942	467	10	5111
TWELVE		2.7	22.9	46.7	18.4	9.1	.2	17.9
		12.5	15.2	18.6	19.9	22.2	21.3	
13		47	355	823	365	164		1754
THIRTEEN		2.7	20.2	46.9	20.8	9.4		6.2
		4.2	4.6	6.4	7.7	7.8		
14		53	385	966	455	270	1	2130
FOURTEEN		2.5	18.1	45.4	21.4	12.7	.0	7.5
		4.8	5.0	7.5	9.6	12.9	2.1	
15		47	377	920	385	281	2	2012
FIFTEEN		2.3	18.7	45.7	19.1	14.0	.1	7.1
		4.2	4.9	7.2	8.1	13.4	4.3	
16		72	524	1103	550	297	3	2549
SIXTEEN OR MORE		2.8	20.6	43.3	21.6	11.7	.1	8.9
		6.5	6.8	8.6	11.6	14.1	6.4	
17		3	16	20	5	2	8	54
NOT STATED		5.6	29.6	37.0	9.3	3.7	14.8	.2
		.3	.2	.2	.1	.1	17.0	
COLUMN TOTAL		1106	7700	12801	4727	2101	47	28482
		3.9	27.0	44.9	16.6	7.4	.2	100.0

NUMBER OF MISSING OBSERVATIONS = 1

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..

RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
0		2	5	18	35	47	88	103	117	116	112	1214
NONE		.2	.4	1.5	2.9	3.9	7.2	8.5	9.6	9.6	9.2	1.3
		20.0	8.8	6.2	4.2	2.8	3.2	2.7	2.4	2.1	1.9	
1			2	3	15	24	23	46	51	52	48	488
ONE			.4	.6	3.1	4.9	4.7	9.4	10.5	10.7	9.8	.5
			3.5	1.0	1.8	1.4	.8	1.2	1.0	.9	.8	
2		1	2	10	24	28	37	55	71	64	56	666
TWO		.2	.3	1.5	3.6	4.2	5.6	8.3	10.7	9.6	8.4	.7
		10.0	3.5	3.4	2.9	1.7	1.4	1.4	1.5	1.1	.9	
3		1		8	18	33	54	71	82	96	83	836
THREE		.1		1.0	2.2	3.9	6.5	8.5	9.8	11.5	9.9	.9
		10.0		2.7	2.2	2.0	2.0	1.8	1.7	1.7	1.4	
4		1	2	9	43	53	72	109	112	107	115	1191
FOUR		.1	.2	.8	3.6	4.5	6.0	9.2	9.4	9.0	9.7	1.3
		10.0	3.5	3.1	5.1	3.2	2.6	2.8	2.3	1.9	1.9	
5		1	1	15	27	69	119	137	161	161	124	1601
FIVE		.1	.1	.9	1.7	4.3	7.4	8.6	10.1	10.1	7.7	1.8
		10.0	1.8	5.2	3.2	4.1	4.4	3.5	3.3	2.9	2.1	
6			5	15	61	111	136	182	172	217	171	2259
SIX			.2	.7	2.7	4.9	6.0	8.1	7.6	9.6	7.6	2.5
			8.8	5.2	7.3	6.6	5.0	4.7	3.5	3.8	2.8	
7		1	6	15	48	79	123	179	195	202	201	2443
SEVEN		.0	.2	.6	2.0	3.2	5.0	7.3	8.0	8.3	8.2	2.7
		10.0	10.5	5.2	5.7	4.7	4.5	4.6	4.0	3.6	3.3	
8			7	26	83	148	192	276	336	331	319	3972
EIGHT			.2	.7	2.1	3.7	4.8	6.9	8.5	8.3	8.0	4.4
			12.3	8.9	9.9	8.8	7.0	7.1	6.9	5.9	5.3	
COLUMN TOTAL		10	57	291	837	1678	2724	3871	4883	5637	6027	90228
		.0	.1	.3	.9	1.9	3.0	4.3	5.4	6.2	6.7	100.0

(CONTINUED)

TABLE 11

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	22	23	24	25	26	27	28	29	30	ROW TOTAL
0 NONE		104	73	60	210	78	39	7			1214
		8.6	6.0	4.9	17.3	6.4	3.2	.6			1.3
		1.7	1.2	1.0	.8	.5	.9	1.5			
1 ONE		35	36	22	81	29	17	4			488
		7.2	7.4	4.5	16.6	5.9	3.5	.8			.5
		.6	.6	.4	.3	.2	.4	.9			
2 TWO		58	50	39	108	52	8	3			666
		8.7	7.5	5.9	16.2	7.8	1.2	.5			.7
		1.0	.8	.7	.4	.4	.2	.6			
3 THREE		61	49	56	148	46	26	4			836
		7.3	5.9	6.7	17.7	5.5	3.1	.5			.9
		1.0	.8	.9	.6	.3	.6	.9			
4 FOUR		88	87	66	213	77	29	8			1191
		7.4	7.3	5.5	17.9	6.5	2.4	.7			1.3
		1.4	1.5	1.1	.8	.5	.7	1.7			
5 FIVE		121	105	100	303	124	32	1			1601
		7.6	6.6	6.2	18.9	7.7	2.0	.1			1.8
		2.0	1.8	1.7	1.1	.8	.8	.2			
6 SIX		184	160	137	441	193	64	10			2259
		8.1	7.1	6.1	19.5	8.5	2.8	.4			2.5
		3.0	2.7	2.3	1.6	1.3	1.5	2.2			
7 SEVEN		182	171	165	525	255	85	11			2443
		7.4	7.0	6.8	21.5	10.4	3.5	.5			2.7
		3.0	2.9	2.8	2.0	1.7	2.0	2.4			
8 EIGHT		252	269	198	895	470	147	20	2	1	3972
		6.3	6.8	5.0	22.5	11.8	3.7	.5	.1	.0	4.4
		4.2	4.5	3.4	3.3	3.2	3.5	4.3	18.2	33.3	
COLUMN TOTAL		6072	5945	5908	26740	14835	4235	464	11	3	90228
		6.7	6.6	6.5	29.6	16.4	4.7	.5	.0	.0	100.0

(CONTINUED)

TABLE 11

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
9			4	21	59	109	175	240	261	284	309	3973
NINE			.1	.5	1.5	2.7	4.4	6.0	6.6	7.1	7.8	4.4
			7.0	7.2	7.0	6.5	6.4	6.2	5.3	5.0	5.1	
10			4	37	103	220	296	500	573	588	642	8812
TEN			.0	.4	1.2	2.5	3.4	5.7	6.5	6.7	7.3	9.8
			7.0	12.7	12.3	13.1	10.9	12.9	11.7	10.4	10.7	
11		1	5	29	58	128	204	288	382	416	461	6279
ELEVEN		.0	.1	.5	.9	2.0	3.2	4.6	6.1	6.6	7.3	7.0
		10.0	8.8	10.0	6.9	7.6	7.5	7.4	7.8	7.4	7.6	
12		2	3	37	111	241	487	656	877	1056	1199	18544
TWELVE		.0	.0	.2	.6	1.3	2.6	3.5	4.7	5.7	6.5	20.6
		20.0	5.3	12.7	13.3	14.4	17.9	16.9	18.0	18.7	19.9	
13			3	14	29	91	155	228	322	443	486	7059
THIRTEEN			.0	.2	.4	1.3	2.2	3.2	4.6	6.3	6.9	7.8
			5.3	4.8	3.5	5.4	5.7	5.9	6.6	7.9	8.1	
14			3	13	32	100	165	249	345	484	564	9824
FOURTEEN			.0	.1	.3	1.0	1.7	2.5	3.5	4.9	5.7	10.9
			5.3	4.5	3.8	6.0	6.1	6.4	7.1	8.6	9.4	
15				11	35	86	160	257	363	423	484	9475
FIFTEEN				.1	.4	.9	1.7	2.7	3.8	4.5	5.1	10.5
				3.8	4.2	5.1	5.9	6.6	7.4	7.5	8.0	
16			5	8	53	110	235	286	450	584	644	11452
SIXTEEN OR MORE			.0	.1	.5	1.0	2.1	2.5	3.9	5.1	5.6	12.7
			8.8	2.7	6.3	6.6	8.6	7.4	9.2	10.4	10.7	
17				2	3	1	3	9	13	13	9	140
NOT STATED				1.4	2.1	.7	2.1	6.4	9.3	9.3	6.4	.2
				.7	.4	.1	.1	.2	.3	.2	.1	
COLUMN TOTAL		10	57	291	837	1678	2724	3871	4883	5637	6027	90228
		.0	.1	.3	.9	1.9	3.0	4.3	5.4	6.2	6.7	100.0

(CONTINUED)

PRENTL VSTS/AGE/RACE TABLE 11

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..

RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	22	23	24	25	26	27	28	29	30	ROW TOTAL
		AGE 25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED				
9	COUNT	295	290	239	1027	505	140	15			3973
NINE	ROW PCT	7.4	7.3	6.0	25.8	12.7	3.5	.4			4.4
	COL PCT	4.9	4.9	4.0	3.8	3.4	3.3	3.2			
10	COUNT	647	562	579	2369	1296	352	44			8812
TEN	ROW PCT	7.3	6.4	6.6	26.9	14.7	4.0	.5			9.8
	COL PCT	10.7	9.5	9.8	8.9	8.7	8.3	9.5			
11	COUNT	483	412	404	1768	958	257	23	2		6279
ELEVEN	ROW PCT	7.7	6.6	6.4	28.2	15.3	4.1	.4	.0		7.0
	COL PCT	8.0	6.9	6.8	6.6	6.5	6.1	5.0	18.2		
12	COUNT	1207	1187	1286	5915	3318	863	96	3		18544
TWELVE	ROW PCT	6.5	6.4	6.9	31.9	17.9	4.7	.5	.0		20.6
	COL PCT	19.9	20.0	21.8	22.1	22.4	20.4	20.7	27.3		
13	COUNT	480	454	494	2227	1293	309	30	1		7059
THIRTEEN	ROW PCT	6.8	6.4	7.0	31.5	18.3	4.4	.4	.0		7.8
	COL PCT	7.9	7.6	8.4	8.3	8.7	7.3	6.5	9.1		
14	COUNT	608	662	661	3384	1927	572	53	2		9824
FOURTEEN	ROW PCT	6.2	6.7	6.7	34.4	19.6	5.8	.5	.0		10.9
	COL PCT	10.0	11.1	11.2	12.7	13.0	13.5	11.4	18.2		
15	COUNT	551	624	629	3316	1956	540	40			9475
FIFTEEN	ROW PCT	5.8	6.6	6.6	35.0	20.6	5.7	.4			10.5
	COL PCT	9.1	10.5	10.6	12.4	13.2	12.8	8.6			
16	COUNT	705	747	764	3777	2242	747	93	1	1	11452
SIXTEEN OR MORE	ROW PCT	6.2	6.5	6.7	33.0	19.6	6.5	.8	.0	.0	12.7
	COL PCT	11.6	12.6	12.9	14.1	15.1	17.6	20.0	9.1	33.3	
17	COUNT	11	7	9	33	16	8	2		1	140
NOT STATED	ROW PCT	7.9	5.0	6.4	23.6	11.4	5.7	1.4		.7	.2
	COL PCT	.2	.1	.2	.1	.1	.2	.4		33.3	
COLUMN TOTAL		6072	5945	5908	26740	14835	4235	464	11	3	90228
		6.7	6.6	6.5	29.6	16.4	4.7	.5	.0	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	AGE 13	14	15	16	17	18	19	20	21	22	ROW TOTAL
0		1	2	11	20	31	28	50	36	40	43	461
NONE		.2	.4	2.4	4.3	6.7	6.1	10.8	7.8	8.7	9.3	.7
		12.5	2.3	3.5	2.6	2.1	1.3	1.7	1.1	1.1	1.1	
1			1	2	10	9	7	15	13	15	11	162
ONE			.6	1.2	6.2	5.6	4.3	9.3	8.0	9.3	6.8	.3
			1.1	.6	1.3	.6	.3	.5	.4	.4	.3	
2		1	2	3	8	20	16	24	24	13	23	238
TWO		.4	.8	1.3	3.4	8.4	6.7	10.1	10.1	5.5	9.7	.4
		12.5	2.3	1.0	1.0	1.4	.7	.8	.7	.3	.6	
3			2	7	11	18	25	26	42	30	25	312
THREE			.6	2.2	3.5	5.8	8.0	8.3	13.5	9.6	8.0	.5
			2.3	2.3	1.4	1.2	1.2	.9	1.2	.8	.6	
4		1	3	13	16	31	39	46	46	39	36	455
FOUR		.2	.7	2.9	3.5	6.8	8.6	10.1	10.1	8.6	7.9	.7
		12.5	3.4	4.2	2.1	2.1	1.8	1.6	1.4	1.0	.9	
5			2	7	27	46	68	74	59	49	62	684
FIVE			.3	1.0	3.9	6.7	9.9	10.8	8.6	7.2	9.1	1.1
			2.3	2.3	3.5	3.1	3.2	2.5	1.7	1.3	1.6	
6			4	27	39	65	77	85	100	72	89	1068
SIX			.4	2.5	3.7	6.1	7.2	8.0	9.4	6.7	8.3	1.7
			4.6	8.7	5.0	4.4	3.6	2.9	2.9	1.9	2.3	
7		2	4	12	38	49	88	100	97	106	88	1256
SEVEN		.2	.3	1.0	3.0	3.9	7.0	8.0	7.7	8.4	7.0	2.0
		25.0	4.6	3.9	4.9	3.3	4.1	3.4	2.9	2.8	2.2	
8		1	7	26	58	100	143	177	182	161	122	2130
EIGHT		.0	.3	1.2	2.7	4.7	6.7	8.3	8.5	7.6	5.7	3.4
		12.5	8.0	8.4	7.5	6.8	6.7	6.1	5.4	4.3	3.1	
COLUMN TOTAL		8	87	310	778	1472	2134	2904	3398	3766	3913	61746
		.0	.1	.5	1.3	2.4	3.5	4.7	5.5	6.1	6.3	100.0

(CONTINUED)

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	AGE 23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
0		30	26	84	35	19	5			461
NONE		6.5	5.6	18.2	7.6	4.1	1.1			.7
		.7	.6	.4	.3	.6	1.6			
1		15	8	29	16	8	3			162
ONE		9.3	4.9	17.9	9.9	4.9	1.9			.3
		.4	.2	.1	.1	.3	.9			
2		20	15	38	25	4	2			238
TWO		8.4	6.3	16.0	10.5	1.7	.8			.4
		.5	.4	.2	.2	.1	.6			
3		21	17	63	16	7	2			312
THREE		6.7	5.4	20.2	5.1	2.2	.6			.5
		.5	.4	.3	.1	.2	.6			
4		29	23	87	29	16	1			455
FOUR		6.4	5.1	19.1	6.4	3.5	.2			.7
		.7	.6	.4	.3	.5	.3			
5		45	43	141	49	12				684
FIVE		6.6	6.3	20.6	7.2	1.8				1.1
		1.1	1.0	.7	.4	.4				
6		76	70	227	94	37	6			1068
SIX		7.1	6.6	21.3	8.8	3.5	.6			1.7
		1.9	1.7	1.1	.8	1.2	1.9			
7		93	89	284	149	54	3			1256
SEVEN		7.4	7.1	22.6	11.9	4.3	.2			2.0
		2.3	2.1	1.4	1.3	1.7	.9			
8		133	111	521	291	86	9	1	1	2130
EIGHT		6.2	5.2	24.5	13.7	4.0	.4	.0	.0	3.4
		3.3	2.7	2.6	2.6	2.7	2.8	16.7	50.0	
COLUMN TOTAL		4041	4148	19929	11341	3187	322	6	2	61746
		6.5	6.7	32.3	18.4	5.2	.5	.0	.0	100.0

(CONTINUED)

TABLE 11

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

PCVISIT	AGE / COUNT / ROW PCT / COL PCT	13	14	15	16	17	18	19	20	21	22	ROW TOTAL
9		1	6	23	48	80	130	137	163	171	176	2353
NINE		.0	.3	1.0	2.0	3.4	5.5	5.8	6.9	7.3	7.5	3.8
		12.5	6.9	7.4	6.2	5.4	6.1	4.7	4.8	4.5	4.5	
10		1	8	31	104	174	293	333	346	406	383	5678
TEN		.0	.1	.5	1.8	3.1	5.2	5.9	6.1	7.2	6.7	9.2
		12.5	9.2	10.0	13.4	11.8	13.7	11.5	10.2	10.8	9.8	
11			7	18	59	107	151	211	235	282	303	4065
ELEVEN			.2	.4	1.5	2.6	3.7	5.2	5.8	6.9	7.5	6.6
			8.0	5.8	7.6	7.3	7.1	7.3	6.9	7.5	7.7	
12			17	47	118	272	389	575	673	780	834	13433
TWELVE			.1	.3	.9	2.0	2.9	4.3	5.0	5.8	6.2	21.8
			19.5	15.2	15.2	18.5	18.2	19.8	19.8	20.7	21.3	
13			6	17	53	111	151	214	320	347	341	5305
THIRTEEN			.1	.3	1.0	2.1	2.8	4.0	6.0	6.5	6.4	8.6
			6.9	5.5	6.8	7.5	7.1	7.4	9.4	9.2	8.7	
14			6	18	60	108	159	256	344	413	444	7694
FOURTEEN			.1	.2	.8	1.4	2.1	3.3	4.5	5.4	5.8	12.5
			6.9	5.8	7.7	7.3	7.5	8.8	10.1	11.0	11.3	
15			6	15	48	100	161	260	304	371	393	7463
FIFTEEN			.1	.2	.6	1.3	2.2	3.5	4.1	5.0	5.3	12.1
			6.9	4.8	6.2	6.8	7.5	9.0	8.9	9.9	10.0	
16			3	32	60	151	203	312	409	465	535	8903
SIXTEEN OR MORE			.0	.4	.7	1.7	2.3	3.5	4.6	5.2	6.0	14.4
			3.4	10.3	7.7	10.3	9.5	10.7	12.0	12.3	13.7	
17			1	1	1		6	9	5	6	5	86
NOT STATED			1.2	1.2	1.2		7.0	10.5	5.8	7.0	5.8	.1
			1.1	.3	.1		.3	.3	.1	.2	.1	
COLUMN TOTAL		8	87	310	778	1472	2134	2904	3398	3766	3913	61746
		.0	.1	.5	1.3	2.4	3.5	4.7	5.5	6.1	6.3	100.0

(CONTINUED)

PRENTL VSTS/AGE/RACE TABLE 11

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	AGE COUNT / ROW PCT / COL PCT	23	24	25	26	27	28	29	30	ROW TOTAL
		25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED			
9		166	157	676	313	97	9			2353
NINE		7.1	6.7	28.7	13.3	4.1	.4			3.8
		4.1	3.8	3.4	2.8	3.0	2.8			
10		366	383	1628	925	265	32			5678
TEN		6.4	6.7	28.7	16.3	4.7	.6			9.2
		9.1	9.2	8.2	8.2	8.3	9.9			
11		235	272	1275	704	189	17			4065
ELEVEN		5.8	6.7	31.4	17.3	4.6	.4			6.6
		5.8	6.6	6.4	6.2	5.9	5.3			
12		871	928	4542	2655	657	74	1		13433
TWELVE		6.5	6.9	33.8	19.8	4.9	.6	.0		21.8
		21.6	22.4	22.8	23.4	20.6	23.0	16.7		
13		343	367	1738	1029	243	24	1		5305
THIRTEEN		6.5	6.9	32.8	19.4	4.6	.5	.0		8.6
		8.5	8.8	8.7	9.1	7.6	7.5	16.7		
14		496	519	2788	1577	468	36	2		7694
FOURTEEN		6.4	6.7	36.2	20.5	6.1	.5	.0		12.5
		12.3	12.5	14.0	13.9	14.7	11.2	33.3		
15		486	501	2718	1623	445	32			7463
FIFTEEN		6.5	6.7	36.4	21.7	6.0	.4			12.1
		12.0	12.1	13.6	14.3	14.0	9.9			
16		613	612	3064	1801	576	65	1	1	8903
SIXTEEN OR MORE		6.9	6.9	34.4	20.2	6.5	.7	.0	.0	14.4
		15.2	14.8	15.4	15.9	18.1	20.2	16.7	50.0	
17		3	7	26	10	4	2			86
NOT STATED		3.5	8.1	30.2	11.6	4.7	2.3			.1
		.1	.2	.1	.1	.1	.6			
COLUMN TOTAL		4041	4148	19929	11341	3187	322	6	2	61746
		6.5	6.7	32.3	18.4	5.2	.5	.0	.0	100.0

TABLE 11

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	12	13	14	15	16	17	18	19	20	21	ROW TOTAL
0		2	4	16	24	27	57	75	67	80	72	753
NONE		.3	.5	2.1	3.2	3.6	7.6	10.0	8.9	10.6	9.6	2.6
		20.0	8.2	7.8	4.6	3.0	4.6	4.3	3.4	3.6	3.2	
1			2	2	13	14	14	39	36	39	33	326
ONE			.6	.6	4.0	4.3	4.3	12.0	11.0	12.0	10.1	1.1
			4.1	1.0	2.5	1.6	1.1	2.2	1.8	1.7	1.5	
2		1	1	8	21	20	17	39	47	40	43	428
TWO		.2	.2	1.9	4.9	4.7	4.0	9.1	11.0	9.3	10.0	1.5
		10.0	2.0	3.9	4.0	2.2	1.4	2.2	2.4	1.8	1.9	
3		1		6	11	22	36	46	56	54	53	524
THREE		.2		1.1	2.1	4.2	6.9	8.8	10.7	10.3	10.1	1.8
		10.0		2.9	2.1	2.4	2.9	2.6	2.8	2.4	2.3	
4		1	1	6	30	37	41	70	66	61	76	736
FOUR		.1	.1	.8	4.1	5.0	5.6	9.5	9.0	8.3	10.3	2.6
		10.0	2.0	2.9	5.7	4.1	3.3	4.0	3.3	2.7	3.4	
5		1	1	13	20	42	73	69	87	102	75	917
FIVE		.1	.1	1.4	2.2	4.6	8.0	7.5	9.5	11.1	8.2	3.2
		10.0	2.0	6.4	3.8	4.7	5.8	4.0	4.4	4.6	3.3	
6			5	11	34	72	71	105	87	117	99	1191
SIX			.4	.9	2.9	6.0	6.0	8.8	7.3	9.8	8.3	4.2
			10.2	5.4	6.5	8.0	5.7	6.0	4.4	5.2	4.4	
7		1	4	11	36	41	74	91	95	105	95	1187
SEVEN		.1	.3	.9	3.0	3.5	6.2	7.7	8.0	8.8	8.0	4.2
		10.0	8.2	5.4	6.8	4.6	5.9	5.2	4.8	4.7	4.2	
8			6	19	57	90	92	133	159	149	158	1842
EIGHT			.3	1.0	3.1	4.9	5.0	7.2	8.6	8.1	8.6	6.5
			12.2	9.3	10.8	10.0	7.3	7.7	8.0	6.7	7.0	
COLUMN TOTAL		10	49	204	527	900	1252	1737	1979	2239	2261	28482
		.0	.2	.7	1.9	3.2	4.4	6.1	6.9	7.9	7.9	100.0

(CONTINUED)

TABLE 11

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
0		61	43	34	126	43	20	2			753
NONE		8.1	5.7	4.5	16.7	5.7	2.7	.3			2.6
		2.8	2.3	1.9	1.8	1.2	1.9	1.4			
1		24	21	14	52	13	9	1			326
ONE		7.4	6.4	4.3	16.0	4.0	2.8	.3			1.1
		1.1	1.1	.8	.8	.4	.9	.7			
2		35	30	24	70	27	4	1			428
TWO		8.2	7.0	5.6	16.4	6.3	.9	.2			1.5
		1.6	1.6	1.4	1.0	.8	.4	.7			
3		36	28	39	85	30	19	2			524
THREE		6.9	5.3	7.4	16.2	5.7	3.6	.4			1.8
		1.7	1.5	2.2	1.2	.9	1.8	1.4			
4		52	58	43	126	48	13	7			736
FOUR		7.1	7.9	5.8	17.1	6.5	1.8	1.0			2.6
		2.4	3.0	2.4	1.8	1.4	1.2	4.9			
5		59	60	57	162	75	20	1			917
FIVE		6.4	6.5	6.2	17.7	8.2	2.2	.1			3.2
		2.7	3.2	3.2	2.4	2.1	1.9	.7			
6		95	84	67	214	99	27	4			1191
SIX		8.0	7.1	5.6	18.0	8.3	2.3	.3			4.2
		4.4	4.4	3.8	3.1	2.8	2.6	2.8			
7		94	78	76	241	106	31	8			1187
SEVEN		7.9	6.6	6.4	20.3	8.9	2.6	.7			4.2
		4.4	4.1	4.3	3.5	3.0	3.0	5.6			
8		130	136	87	374	179	61	11	1		1842
EIGHT		7.1	7.4	4.7	20.3	9.7	3.3	.6	.1		6.5
		6.0	7.1	4.9	5.5	5.1	5.8	7.7	20.0		
COLUMN TOTAL		2159	1904	1760	6811	3494	1048	142	5	1	28482
		7.6	6.7	6.2	23.9	12.3	3.7	.5	.0	.0	100.0

(CONTINUED)

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

PCVISIT \ AGE	12	13	14	15	16	17	18	19	20	21	ROW TOTAL
9		3	15	36	61	95	110	124	121	138	1620
NINE		.2	.9	2.2	3.8	5.9	6.8	7.7	7.5	8.5	5.7
		6.1	7.4	6.8	6.8	7.6	6.3	6.3	5.4	6.1	
10		3	29	72	116	122	207	240	242	236	3134
TEN		.1	.9	2.3	3.7	3.9	6.6	7.7	7.7	7.5	11.0
		6.1	14.2	13.7	12.9	9.7	11.9	12.1	10.8	10.4	
11	1	5	22	40	69	97	137	171	181	179	2214
ELEVEN	.0	.2	1.0	1.8	3.1	4.4	6.2	7.7	8.2	8.1	7.8
	10.0	10.2	10.8	7.6	7.7	7.7	7.9	8.6	8.1	7.9	
12	2	3	20	64	123	215	267	302	383	419	5111
TWELVE	.0	.1	.4	1.3	2.4	4.2	5.2	5.9	7.5	8.2	17.9
	20.0	6.1	9.8	12.1	13.7	17.2	15.4	15.3	17.1	18.5	
13		3	8	12	38	44	77	108	123	139	1754
THIRTEEN		.2	.5	.7	2.2	2.5	4.4	6.2	7.0	7.9	6.2
		6.1	3.9	2.3	4.2	3.5	4.4	5.5	5.5	6.1	
14		3	7	14	40	57	90	89	140	151	2130
FOURTEEN		.1	.3	.7	1.9	2.7	4.2	4.2	6.6	7.1	7.5
		6.1	3.4	2.7	4.4	4.6	5.2	4.5	6.3	6.7	
15			5	20	38	60	96	103	119	113	2012
FIFTEEN			.2	1.0	1.9	3.0	4.8	5.1	5.9	5.6	7.1
			2.5	3.8	4.2	4.8	5.5	5.2	5.3	5.0	
16		5	5	21	50	84	83	138	175	179	2549
SIXTEEN OR MORE		.2	.2	.8	2.0	3.3	3.3	5.4	6.9	7.0	8.9
		10.2	2.5	4.0	5.6	6.7	4.8	7.0	7.8	7.9	
17			1	2		3	3	4	8	3	54
NOT STATED			1.9	3.7		5.6	5.6	7.4	14.8	5.6	.2
			.5	.4		.2	.2	.2	.4	.1	
COLUMN TOTAL	10	49	204	527	900	1252	1737	1979	2239	2261	28482
	.0	.2	.7	1.9	3.2	4.4	6.1	6.9	7.9	7.9	100.0

(CONTINUED)

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE
PAGE 4 OF 4

PCVISIT		AGE 22	23	24	25	26	27	28	29	30	ROW TOTAL
	COUNT	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED				
	ROW PCT										
	COL PCT										
9		119	124	82	351	192	43	6			1620
NINE		7.3	7.7	5.1	21.7	11.9	2.7	.4			5.7
		5.5	6.5	4.7	5.2	5.5	4.1	4.2			
10		264	196	196	741	371	87	12			3134
TEN		8.4	6.3	6.3	23.6	11.8	2.8	.4			11.0
		12.2	10.3	11.1	10.9	10.6	8.3	8.5			
11		180	177	132	493	254	68	6	2		2214
ELEVEN		8.1	8.0	6.0	22.3	11.5	3.1	.3	.1		7.8
		8.3	9.3	7.5	7.2	7.3	6.5	4.2	40.0		
12		373	316	358	1373	663	206	22	2		5111
TWELVE		7.3	6.2	7.0	26.9	13.0	4.0	.4	.0		17.9
		17.3	16.6	20.3	20.2	19.0	19.7	15.5	40.0		
13		139	111	127	489	264	66	6			1754
THIRTEEN		7.9	6.3	7.2	27.9	15.1	3.8	.3			6.2
		6.4	5.8	7.2	7.2	7.6	6.3	4.2			
14		164	166	142	596	350	104	17			2130
FOURTEEN		7.7	7.8	6.7	28.0	16.4	4.9	.8			7.5
		7.6	8.7	8.1	8.8	10.0	9.9	12.0			
15		158	138	128	598	333	95	8			2012
FIFTEEN		7.9	6.9	6.4	29.7	16.6	4.7	.4			7.1
		7.3	7.2	7.3	8.8	9.5	9.1	5.6			
16		170	134	152	713	441	171	28			2549
SIXTEEN OR MORE		6.7	5.3	6.0	28.0	17.3	6.7	1.1			8.9
		7.9	7.0	8.6	10.5	12.6	16.3	19.7			
17		6	4	2	7	6	4			1	54
NOT STATED		11.1	7.4	3.7	13.0	11.1	7.4			1.9	.2
		.3	.2	.1	.1	.2	.4			100.0	
COLUMN TOTAL		2159	1904	1760	6811	3494	1048	142	5	1	28482
		7.6	6.7	6.2	23.9	12.3	3.7	.5	.0	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY STATUS MARITAL STATUS OF MOTHER

CONTROLLING FOR..

RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	STATUS 1 MARRIED	STATUS 2 NOT MARRIED	STATUS 3 NOT STATED	ROW TOTAL
0		412	802		1214
NONE		33.9	66.1		1.3
		.6	3.8		
1		172	316		488
ONE		35.2	64.8		.5
		.2	1.5		
2		258	408		666
TWO		38.7	61.3		.7
		.4	1.9		
3		359	477		836
THREE		42.9	57.1		.9
		.5	2.2		
4		535	656		1191
FOUR		44.9	55.1		1.3
		.8	3.1		
5		772	829		1601
FIVE		48.2	51.8		1.8
		1.1	3.9		
6		1186	1073		2259
SIX		52.5	47.5		2.5
		1.7	5.0		
7		1432	1011		2443
SEVEN		58.6	41.4		2.7
		2.1	4.7		
8		2403	1569		3972
EIGHT		60.5	39.5		4.4
		3.5	7.4		
COLUMN TOTAL		68913	21310	5	90228
		76.4	23.6	.0	100.0

(CONTINUED)

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY STATUS MARITAL STATUS OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	STATUS 1 MARRIED	2 NOT MARRIED	3 NOT STATED	ROW TOTAL
9	2697	1276		3973
NINE	67.9	32.1		4.4
	3.9	6.0		
10	6378	2433	1	8812
TEN	72.4	27.6	.0	9.8
	9.3	11.4	20.0	
11	4613	1666		6279
ELEVEN	73.5	26.5		7.0
	6.7	7.8		
12	15050	3494		18544
TWELVE	81.2	18.8		20.6
	21.8	16.4		
13	5934	1125		7059
THIRTEEN	84.1	15.9		7.8
	8.6	5.3		
14	8552	1272		9824
FOURTEEN	87.1	12.9		10.9
	12.4	6.0		
15	8233	1242		9475
FIFTEEN	86.9	13.1		10.5
	11.9	5.8		
16	9837	1614	1	11452
SIXTEEN OR MORE	85.9	14.1	.0	12.7
	14.3	7.6	20.0	
17	90	47	3	140
NOT STATED	64.3	33.6	2.1	.2
	.1	.2	60.0	
COLUMN TOTAL	68913	21310	5	90228
	76.4	23.6	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF PCVISIT NUMBER OF PRENATAL VISITS BY STATUS MARITAL STATUS OF MOTHER
CONTROLLING FOR.. RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	STATUS 1 MARRIED	2 NOT MARRIED	3 NOT STATED	ROW TOTAL
0 NONE		254	207		461
		55.1	44.9		.7
		.5	3.5		
1 ONE		98	64		162
		60.5	39.5		.3
		.2	1.1		
2 TWO		158	80		238
		66.4	33.6		.4
		.3	1.3		
3 THREE		218	94		312
		69.9	30.1		.5
		.4	1.6		
4 FOUR		320	135		455
		70.3	29.7		.7
		.6	2.3		
5 FIVE		485	199		684
		70.9	29.1		1.1
		.9	3.3		
6 SIX		796	272		1068
		74.5	25.5		1.7
		1.4	4.6		
7 SEVEN		990	266		1256
		78.8	21.2		2.0
		1.8	4.5		
8 EIGHT		1698	432		2130
		79.7	20.3		3.4
		3.0	7.2		
COLUMN TOTAL		55769	5976	1	61746
		90.3	9.7	.0	100.0

(CONTINUED)

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY STATUS MARITAL STATUS OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	STATUS 1 MARRIED	2 NOT MARRIED	3 NOT STATED	ROW TOTAL
9		2019	334		2353
NINE		85.8	14.2		3.8
		3.6	5.6		
10		5001	677		5678
TEN		88.1	11.9		9.2
		9.0	11.3		
11		3639	426		4065
ELEVEN		89.5	10.5		6.6
		6.5	7.1		
12		12427	1006		13433
TWELVE		92.5	7.5		21.8
		22.3	16.8		
13		4945	360		5305
THIRTEEN		93.2	6.8		8.6
		8.9	6.0		
14		7256	438		7694
FOURTEEN		94.3	5.7		12.5
		13.0	7.3		
15		7049	414		7463
FIFTEEN		94.5	5.5		12.1
		12.6	6.9		
16		8353	550		8903
SIXTEEN OR MORE		93.8	6.2		14.4
		15.0	9.2		
17		63	22	1	86
NOT STATED		73.3	25.6	1.2	.1
		.1	.4	100.0	
COLUMN TOTAL		55769	5976	1	61746
		90.3	9.7	.0	100.0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY STATUS MARITAL STATUS OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	STATUS 1 MARRIED	2 NOT MARRIED	3 NOT STATED	ROW TOTAL
0		158	595		753
NONE		21.0	79.0		2.6
		1.2	3.9		
1		74	252		326
ONE		22.7	77.3		1.1
		.6	1.6		
2		100	328		428
TWO		23.4	76.6		1.5
		.8	2.1		
3		141	383		524
THREE		26.9	73.1		1.8
		1.1	2.5		
4		215	521		736
FOUR		29.2	70.8		2.6
		1.6	3.4		
5		287	630		917
FIVE		31.3	68.7		3.2
		2.2	4.1		
6		390	801		1191
SIX		32.7	67.3		4.2
		3.0	5.2		
7		442	745		1187
SEVEN		37.2	62.8		4.2
		3.4	4.9		
8		705	1137		1842
EIGHT		38.3	61.7		6.5
		5.4	7.4		
(CONTINUED)	COLUMN TOTAL	13144	15334	4	28482
		46.1	53.8	.0	100.0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY STATUS MARITAL STATUS OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	STATUS 1 MARRIED	2 NOT MARRIED	3 NOT STATED	ROW TOTAL
9		678	942		1620
NINE		41.9	58.1		5.7
		5.2	6.1		
10		1377	1756	1	3134
TEN		43.9	56.0	.0	11.0
		10.5	11.5	25.0	
11		974	1240		2214
ELEVEN		44.0	56.0		7.8
		7.4	8.1		
12		2623	2488		5111
TWELVE		51.3	48.7		17.9
		20.0	16.2		
13		989	765		1754
THIRTEEN		56.4	43.6		6.2
		7.5	5.0		
14		1296	834		2130
FOURTEEN		60.8	39.2		7.5
		9.9	5.4		
15		1184	828		2012
FIFTEEN		58.8	41.2		7.1
		9.0	5.4		
16		1484	1064	1	2549
SIXTEEN OR MORE		58.2	41.7	.0	8.9
		11.3	6.9	25.0	
17		27	25	2	54
NOT STATED		50.0	46.3	3.7	.2
		.2	.2	50.0	
COLUMN TOTAL		13144	15334	4	28482
		46.1	53.8	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY BO BIRTH ORDER

CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
0		372	335	242	120	62	30	28	7	17	1	1214
NONE		30.6	27.6	19.9	9.9	5.1	2.5	2.3	.6	1.4	.1	1.3
		1.0	1.2	1.6	2.0	2.6	3.1	6.8	3.7	8.1	3.1	
1		147	127	103	55	29	15	5	3	3	1	488
ONE		30.1	26.0	21.1	11.3	5.9	3.1	1.0	.6	.6	.2	.5
		.4	.4	.7	.9	1.2	1.6	1.2	1.6	1.4	3.1	
2		205	183	127	85	42	13	3	4	4		666
TWO		30.8	27.5	19.1	12.8	6.3	2.0	.5	.6	.6		.7
		.6	.6	.9	1.4	1.7	1.3	.7	2.1	1.9		
3		269	232	166	89	37	17	12	7	6	1	836
THREE		32.2	27.8	19.9	10.6	4.4	2.0	1.4	.8	.7	.1	.9
		.7	.8	1.1	1.5	1.5	1.8	2.9	3.7	2.8	3.1	
4		403	338	236	109	48	26	10	8	13		1191
FOUR		33.8	28.4	19.8	9.2	4.0	2.2	.8	.7	1.1		1.3
		1.1	1.2	1.6	1.8	2.0	2.7	2.4	4.2	6.2		
5		550	477	297	160	70	22	9	9	7		1601
FIVE		34.4	29.8	18.6	10.0	4.4	1.4	.6	.6	.4		1.8
		1.5	1.6	2.0	2.7	2.9	2.3	2.2	4.7	3.3		
6		846	662	401	166	94	44	24	10	11	1	2259
SIX		37.5	29.3	17.8	7.3	4.2	1.9	1.1	.4	.5	.0	2.5
		2.3	2.3	2.7	2.8	3.9	4.6	5.8	5.3	5.2	3.1	
7		945	706	444	176	86	42	22	8	13	1	2443
SEVEN		38.7	28.9	18.2	7.2	3.5	1.7	.9	.3	.5	.0	2.7
		2.6	2.4	3.0	2.9	3.5	4.3	5.3	4.2	6.2	3.1	
8		1527	1260	664	299	128	42	24	11	17		3972
EIGHT		38.4	31.7	16.7	7.5	3.2	1.1	.6	.3	.4		4.4
		4.2	4.3	4.5	5.0	5.3	4.3	5.8	5.8	8.1		
(CONTINUED)	COLUMN TOTAL	36252	29036	14667	6036	2426	966	412	190	211	32	90228
		40.2	32.2	16.3	6.7	2.7	1.1	.5	.2	.2	.0	100.0

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY BO BIRTH ORDER
CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	BO 1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	10 NOT STATED	ROW TOTAL
9 NINE		1655	1227	630	258	119	55	14	7	7	1	3973
		41.7	30.9	15.9	6.5	3.0	1.4	.4	.2	.2	.0	4.4
		4.6	4.2	4.3	4.3	4.9	5.7	3.4	3.7	3.3	3.1	
10 TEN		3489	2820	1457	624	244	93	49	17	19		8812
		39.6	32.0	16.5	7.1	2.8	1.1	.6	.2	.2		9.8
		9.6	9.7	9.9	10.3	10.1	9.6	11.9	8.9	9.0		
11 ELEVEN		2559	2085	987	379	173	66	20	5	5		6279
		40.8	33.2	15.7	6.0	2.8	1.1	.3	.1	.1		7.0
		7.1	7.2	6.7	6.3	7.1	6.8	4.9	2.6	2.4		
12 TWELVE		7662	6104	2952	1098	435	162	68	35	26	2	18544
		41.3	32.9	15.9	5.9	2.3	.9	.4	.2	.1	.0	20.6
		21.1	21.0	20.1	18.2	17.9	16.8	16.5	18.4	12.3	6.3	
13 THIRTEEN		2947	2312	1087	460	156	50	30	8	9		7059
		41.7	32.8	15.4	6.5	2.2	.7	.4	.1	.1		7.8
		8.1	8.0	7.4	7.6	6.4	5.2	7.3	4.2	4.3		
14 FOURTEEN		4011	3370	1497	628	201	70	21	12	13	1	9824
		40.8	34.3	15.2	6.4	2.0	.7	.2	.1	.1	.0	10.9
		11.1	11.6	10.2	10.4	8.3	7.2	5.1	6.3	6.2	3.1	
15 FIFTEEN		4001	3097	1526	541	189	74	28	9	9	1	9475
		42.2	32.7	16.1	5.7	2.0	.8	.3	.1	.1	.0	10.5
		11.0	10.7	10.4	9.0	7.8	7.7	6.8	4.7	4.3	3.1	
16 SIXTEEN OR MORE		4621	3664	1830	780	308	142	45	29	32	1	11452
		40.4	32.0	16.0	6.8	2.7	1.2	.4	.3	.3	.0	12.7
		12.7	12.6	12.5	12.9	12.7	14.7	10.9	15.3	15.2	3.1	
17 NOT STATED		43	37	21	9	5	3		1		21	140
		30.7	26.4	15.0	6.4	3.6	2.1		.7		15.0	.2
		.1	.1	.1	.1	.2	.3		.5		65.6	
	COLUMN TOTAL	36252	29036	14667	6036	2426	966	412	190	211	32	90228
		40.2	32.2	16.3	6.7	2.7	1.1	.5	.2	.2	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY BO BIRTH ORDER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	BO 1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	10 NOT STATED	ROW TOTAL
0 NONE		161	119	87	50	16	6	11	3	8		461
		34.9	25.8	18.9	10.8	3.5	1.3	2.4	.7	1.7		.7
		.6	.6	.9	1.4	1.2	1.3	6.1	3.5	8.5		
1 ONE		55	35	27	20	13	8			3	1	162
		34.0	21.6	16.7	12.3	8.0	4.9			1.9	.6	.3
		.2	.2	.3	.5	1.0	1.7			3.2	5.0	
2 TWO		77	71	42	31	10	4	1	1	1		238
		32.4	29.8	17.6	13.0	4.2	1.7	.4	.4	.4		.4
		.3	.3	.4	.8	.8	.8	.6	1.2	1.1		
3 THREE		113	90	63	29	8	3	2	3	1		312
		36.2	28.8	20.2	9.3	2.6	1.0	.6	1.0	.3		.5
		.4	.4	.7	.8	.6	.6	1.1	3.5	1.1		
4 FOUR		163	151	74	38	13	8	2	2	4		455
		35.8	33.2	16.3	8.4	2.9	1.8	.4	.4	.9		.7
		.6	.7	.8	1.0	1.0	1.7	1.1	2.4	4.3		
5 FIVE		259	219	116	57	20	7	1	3	2		684
		37.9	32.0	17.0	8.3	2.9	1.0	.1	.4	.3		1.1
		1.0	1.1	1.2	1.6	1.5	1.5	.6	3.5	2.1		
6 SIX		413	345	173	74	35	15	6	4	3		1068
		38.7	32.3	16.2	6.9	3.3	1.4	.6	.4	.3		1.7
		1.6	1.7	1.8	2.0	2.7	3.1	3.3	4.7	3.2		
7 SEVEN		518	377	219	74	36	18	7	2	5		1256
		41.2	30.0	17.4	5.9	2.9	1.4	.6	.2	.4		2.0
		2.0	1.8	2.3	2.0	2.7	3.8	3.9	2.4	5.3		
8 EIGHT		854	709	330	145	60	18	7	4	3		2130
		40.1	33.3	15.5	6.8	2.8	.8	.3	.2	.1		3.4
		3.3	3.4	3.5	4.0	4.6	3.8	3.9	4.7	3.2		
COLUMN TOTAL		25821	20642	9457	3656	1312	478	181	85	94	20	61746
		41.8	33.4	15.3	5.9	2.1	.8	.3	.1	.2	.0	100.0

(CONTINUED)

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY BO BIRTH ORDER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
9		1014	744	373	134	52	20	8	4	4		2353
NINE		43.1	31.6	15.9	5.7	2.2	.8	.3	.2	.2		3.8
		3.9	3.6	3.9	3.7	4.0	4.2	4.4	4.7	4.3		
10		2307	1911	884	356	141	45	21	7	6		5678
TEN		40.6	33.7	15.6	6.3	2.5	.8	.4	.1	.1		9.2
		8.9	9.3	9.3	9.7	10.7	9.4	11.6	8.2	6.4		
11		1676	1402	632	221	84	37	7	1	5		4065
ELEVEN		41.2	34.5	15.5	5.4	2.1	.9	.2	.0	.1		6.6
		6.5	6.8	6.7	6.0	6.4	7.7	3.9	1.2	5.3		
12		5716	4550	2032	697	273	88	41	22	13	1	13433
TWELVE		42.6	33.9	15.1	5.2	2.0	.7	.3	.2	.1	.0	21.8
		22.1	22.0	21.5	19.1	20.8	18.4	22.7	25.9	13.8	5.0	
13		2280	1789	785	309	81	34	19	2	6		5305
THIRTEEN		43.0	33.7	14.8	5.8	1.5	.6	.4	.0	.1		8.6
		8.8	8.7	8.3	8.5	6.2	7.1	10.5	2.4	6.4		
14		3249	2679	1096	470	127	43	14	9	7		7694
FOURTEEN		42.2	34.8	14.2	6.1	1.7	.6	.2	.1	.1		12.5
		12.6	13.0	11.6	12.9	9.7	9.0	7.7	10.6	7.4		
15		3211	2512	1159	391	127	40	14	6	2	1	7463
FIFTEEN		43.0	33.7	15.5	5.2	1.7	.5	.2	.1	.0	.0	12.1
		12.4	12.2	12.3	10.7	9.7	8.4	7.7	7.1	2.1	5.0	
16		3731	2917	1349	557	214	82	20	11	21	1	8903
SIXTEEN OR MORE		41.9	32.8	15.2	6.3	2.4	.9	.2	.1	.2	.0	14.4
		14.4	14.1	14.3	15.2	16.3	17.2	11.0	12.9	22.3	5.0	
17		24	22	16	3	2	2		1		16	86
NOT STATED		27.9	25.6	18.6	3.5	2.3	2.3		1.2		18.6	.1
		.1	.1	.2	.1	.2	.4		1.2		80.0	
COLUMN TOTAL		25821	20642	9457	3656	1312	478	181	85	94	20	61746
		41.8	33.4	15.3	5.9	2.1	.8	.3	.1	.2	.0	100.0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY BO BIRTH ORDER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	BO 1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	10 NOT STATED	ROW TOTAL
0		211	216	155	70	46	24	17	4	9	1	753
NONE		28.0	28.7	20.6	9.3	6.1	3.2	2.3	.5	1.2	.1	2.6
		2.0	2.6	3.0	2.9	4.1	4.9	7.4	3.8	7.7	8.3	
1		92	92	76	35	16	7	5	3			326
ONE		28.2	28.2	23.3	10.7	4.9	2.1	1.5	.9			1.1
		.9	1.1	1.5	1.5	1.4	1.4	2.2	2.9			
2		128	112	85	54	32	9	2	3	3		428
TWO		29.9	26.2	19.9	12.6	7.5	2.1	.5	.7	.7		1.5
		1.2	1.3	1.6	2.3	2.9	1.8	.9	2.9	2.6		
3		156	142	103	60	29	14	10	4	5	1	524
THREE		29.8	27.1	19.7	11.5	5.5	2.7	1.9	.8	1.0	.2	1.8
		1.5	1.7	2.0	2.5	2.6	2.9	4.3	3.8	4.3	8.3	
4		240	187	162	71	35	18	8	6	9		736
FOUR		32.6	25.4	22.0	9.6	4.8	2.4	1.1	.8	1.2		2.6
		2.3	2.2	3.1	3.0	3.1	3.7	3.5	5.7	7.7		
5		291	258	181	103	50	15	8	6	5		917
FIVE		31.7	28.1	19.7	11.2	5.5	1.6	.9	.7	.5		3.2
		2.8	3.1	3.5	4.3	4.5	3.1	3.5	5.7	4.3		
6		433	317	228	92	59	29	18	6	8	1	1191
SIX		36.4	26.6	19.1	7.7	5.0	2.4	1.5	.5	.7	.1	4.2
		4.2	3.8	4.4	3.9	5.3	5.9	7.8	5.7	6.8	8.3	
7		427	329	225	102	50	24	15	6	8	1	1187
SEVEN		36.0	27.7	19.0	8.6	4.2	2.0	1.3	.5	.7	.1	4.2
		4.1	3.9	4.3	4.3	4.5	4.9	6.5	5.7	6.8	8.3	
8		673	551	334	154	68	24	17	7	14		1842
EIGHT		36.5	29.9	18.1	8.4	3.7	1.3	.9	.4	.8		6.5
		6.5	6.6	6.4	6.5	6.1	4.9	7.4	6.7	12.0		
COLUMN TOTAL		10431	8394	5210	2380	1114	488	231	105	117	12	28482
		36.6	29.5	18.3	8.4	3.9	1.7	.8	.4	.4	.0	100.0

(CONTINUED)

TABLE 13

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY BO BIRTH ORDER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

PCVISIT	BO 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	ROW TOTAL
	1	2	3	4	5	6	7	8	9	10	
9	641	483	257	124	67	35	6	3	3	1	1620
NINE	39.6	29.8	15.9	7.7	4.1	2.2	.4	.2	.2	.1	5.7
	6.1	5.8	4.9	5.2	6.0	7.2	2.6	2.9	2.6	8.3	
10	1182	909	573	268	103	48	28	10	13		3134
TEN	37.7	29.0	18.3	8.6	3.3	1.5	.9	.3	.4		11.0
	11.3	10.8	11.0	11.3	9.2	9.8	12.1	9.5	11.1		
11	883	683	355	158	89	29	13	4			2214
ELEVEN	39.9	30.8	16.0	7.1	4.0	1.3	.6	.2			7.8
	8.5	8.1	6.8	6.6	8.0	5.9	5.6	3.8			
12	1946	1554	920	401	162	74	27	13	13	1	5111
TWELVE	38.1	30.4	18.0	7.8	3.2	1.4	.5	.3	.3	.0	17.9
	18.7	18.5	17.7	16.8	14.5	15.2	11.7	12.4	11.1	8.3	
13	667	523	302	151	75	16	11	6	3		1754
THIRTEEN	38.0	29.8	17.2	8.6	4.3	.9	.6	.3	.2		6.2
	6.4	6.2	5.8	6.3	6.7	3.3	4.8	5.7	2.6		
14	762	691	401	158	74	27	7	3	6	1	2130
FOURTEEN	35.8	32.4	18.8	7.4	3.5	1.3	.3	.1	.3	.0	7.5
	7.3	8.2	7.7	6.6	6.6	5.5	3.0	2.9	5.1	8.3	
15	790	585	367	150	62	34	14	3	7		2012
FIFTEEN	39.3	29.1	18.2	7.5	3.1	1.7	.7	.1	.3		7.1
	7.6	7.0	7.0	6.3	5.6	7.0	6.1	2.9	6.0		
16	890	747	481	223	94	60	25	18	11		2549
SIXTEEN OR MORE	34.9	29.3	18.9	8.7	3.7	2.4	1.0	.7	.4		8.9
	8.5	8.9	9.2	9.4	8.4	12.3	10.8	17.1	9.4		
17	19	15	5	6	3	1				5	54
NOT STATED	35.2	27.8	9.3	11.1	5.6	1.9				9.3	.2
	.2	.2	.1	.3	.3	.2				41.7	
COLUMN	10431	8394	5210	2380	1114	488	231	105	117	12	28482
TOTAL	36.6	29.5	18.3	8.4	3.9	1.7	.8	.4	.4	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..
RACE. VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	WT UNDER 500 GMS 0	500 TO 999 GMS 1	1000 TO 1499 GMS 2	1500 TO 1999 GMS 3	2000 TO 2499 GMS 4	2500 TO 2999 GMS 5	3000 TO 3499 GMS 6	3500 TO 3999 GMS 7	4000 GMS AND OVER 8	NOT STATED 9	ROW TOTAL
0 NONE		20	67	40	57	140	298	364	183	41	4	1214
		1.6	5.5	3.3	4.7	11.5	24.5	30.0	15.1	3.4	.3	1.3
		12.4	12.6	6.0	4.1	3.2	2.0	1.1	.7	.4	6.0	
1 ONE		16	13	27	29	51	116	146	68	22		488
		3.3	2.7	5.5	5.9	10.5	23.8	29.9	13.9	4.5		.5
		9.9	2.4	4.0	2.1	1.2	.8	.4	.3	.2		
2 TWO		17	32	19	38	77	145	227	89	20	2	666
		2.6	4.8	2.9	5.7	11.6	21.8	34.1	13.4	3.0	.3	.7
		10.6	6.0	2.8	2.7	1.8	1.0	.7	.3	.2	3.0	
3 THREE		18	45	38	33	71	213	248	134	35	1	836
		2.2	5.4	4.5	3.9	8.5	25.5	29.7	16.0	4.2	.1	.9
		11.2	8.5	5.7	2.4	1.6	1.4	.8	.5	.4	1.5	
4 FOUR		15	48	37	60	128	261	373	210	56	3	1191
		1.3	4.0	3.1	5.0	10.7	21.9	31.3	17.6	4.7	.3	1.3
		9.3	9.0	5.5	4.3	2.9	1.7	1.1	.8	.6	4.5	
5 FIVE		19	59	53	81	127	341	552	289	76	4	1601
		1.2	3.7	3.3	5.1	7.9	21.3	34.5	18.1	4.7	.2	1.8
		11.8	11.1	7.9	5.8	2.9	2.3	1.7	1.1	.8	6.0	
6 SIX		12	65	62	87	210	502	769	428	122	2	2259
		.5	2.9	2.7	3.9	9.3	22.2	34.0	18.9	5.4	.1	2.5
		7.5	12.2	9.2	6.2	4.8	3.4	2.3	1.7	1.3	3.0	
7 SEVEN		10	50	50	93	209	561	818	524	125	3	2443
		.4	2.0	2.0	3.8	8.6	23.0	33.5	21.4	5.1	.1	2.7
		6.2	9.4	7.4	6.6	4.8	3.7	2.5	2.0	1.3	4.5	
8 EIGHT		11	26	63	129	310	879	1385	918	248	3	3972
		.3	.7	1.6	3.2	7.8	22.1	34.9	23.1	6.2	.1	4.4
		6.8	4.9	9.4	9.2	7.1	5.9	4.2	3.6	2.6	4.5	
(CONTINUED)	COLUMN TOTAL	161	531	672	1402	4376	14978	32866	25741	9434	67	90228
		.2	.6	.7	1.6	4.8	16.6	36.4	28.5	10.5	.1	100.0

TABLE 14

CROSSTABULATION OF PCVISIT NUMBER OF PRENATAL VISITS BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE.
VALUE = TOTAL

PCVISIT	WT COUNT / ROW PCT / COL PCT	UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
9			14	27	75	260	809	1536	997	254	1	3973
NINE			.4	.7	1.9	6.5	20.4	38.7	25.1	6.4	.0	4.4
			2.6	4.0	5.3	5.9	5.4	4.7	3.9	2.7	1.5	
10		8	23	59	137	489	1645	3336	2382	733		8812
TEN		.1	.3	.7	1.6	5.5	18.7	37.9	27.0	8.3		9.8
		5.0	4.3	8.8	9.8	11.2	11.0	10.2	9.3	7.8		
11			9	19	66	301	1053	2449	1749	628	5	6279
ELEVEN			.1	.3	1.1	4.8	16.8	39.0	27.9	10.0	.1	7.0
			1.7	2.8	4.7	6.9	7.0	7.5	6.8	6.7	7.5	
12		5	24	60	160	729	3012	6972	5583	1990	9	18544
TWELVE		.0	.1	.3	.9	3.9	16.2	37.6	30.1	10.7	.0	20.6
		3.1	4.5	8.9	11.4	16.7	20.1	21.2	21.7	21.1	13.4	
13		3	4	20	46	214	960	2709	2274	826	3	7059
THIRTEEN		.0	.1	.3	.7	3.0	13.6	38.4	32.2	11.7	.0	7.8
		1.9	.8	3.0	3.3	4.9	6.4	8.2	8.8	8.8	4.5	
14		1	10	10	59	258	1265	3704	3238	1278	1	9824
FOURTEEN		.0	.1	.1	.6	2.6	12.9	37.7	33.0	13.0	.0	10.9
		.6	1.9	1.5	4.2	5.9	8.4	11.3	12.6	13.5	1.5	
15			14	25	74	294	1236	3375	3152	1303	2	9475
FIFTEEN			.1	.3	.8	3.1	13.0	35.6	33.3	13.8	.0	10.5
			2.6	3.7	5.3	6.7	8.3	10.3	12.2	13.8	3.0	
16		5	27	58	171	497	1664	3857	3504	1666	3	11452
SIXTEEN OR MORE		.0	.2	.5	1.5	4.3	14.5	33.7	30.6	14.5	.0	12.7
		3.1	5.1	8.6	12.2	11.4	11.1	11.7	13.6	17.7	4.5	
17		1	1	5	7	11	18	46	19	11	21	140
NOT STATED		.7	.7	3.6	5.0	7.9	12.9	32.9	13.6	7.9	15.0	.2
		.6	.2	.7	.5	.3	.1	.1	.1	.1	31.3	
COLUMN TOTAL		161 .2	531 .6	672 .7	1402 1.6	4376 4.8	14978 16.6	32866 36.4	25741 28.5	9434 10.5	67 .1	90228 100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 14

CROSSTABULATION OF PCVISIT NUMBER OF PRENATAL VISITS BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR.. RACE
VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	WT UNDER 500 GMS 0	500 TO 999 GMS 1	1000 TO 1499 GMS 2	1500 TO 1999 GMS 3	2000 TO 2499 GMS 4	2500 TO 2999 GMS 5	3000 TO 3499 GMS 6	3500 TO 3999 GMS 7	4000 GMS AND OVER 8	NOT STATED 9	ROW TOTAL
0 NONE		4	18	11	17	41	91	159	94	25	1	461
		.9	3.9	2.4	3.7	8.9	19.7	34.5	20.4	5.4	.2	.7
		6.3	7.7	3.2	2.3	1.7	1.1	.7	.5	.3	2.7	
1 ONE		5	5	8	8	13	31	47	33	12		162
		3.1	3.1	4.9	4.9	8.0	19.1	29.0	20.4	7.4		.3
		7.9	2.1	2.3	1.1	.5	.4	.2	.2	.2		
2 TWO		4	7	5	11	29	44	74	49	13	2	238
		1.7	2.9	2.1	4.6	12.2	18.5	31.1	20.6	5.5	.8	.4
		6.3	3.0	1.4	1.5	1.2	.5	.3	.3	.2	5.4	
3 THREE		7	20	19	13	16	72	80	59	25	1	312
		2.2	6.4	6.1	4.2	5.1	23.1	25.6	18.9	8.0	.3	.5
		11.1	8.5	5.5	1.7	.7	.8	.4	.3	.3	2.7	
4 FOUR		5	21	17	24	49	79	129	97	34		455
		1.1	4.6	3.7	5.3	10.8	17.4	28.4	21.3	7.5		.7
		7.9	8.9	4.9	3.2	2.0	.9	.6	.5	.4		
5 FIVE		9	28	26	28	45	121	233	147	46	1	684
		1.3	4.1	3.8	4.1	6.6	17.7	34.1	21.5	6.7	.1	1.1
		14.3	11.9	7.5	3.8	1.9	1.4	1.1	.8	.6	2.7	
6 SIX		6	30	35	50	94	191	346	238	78		1068
		.6	2.8	3.3	4.7	8.8	17.9	32.4	22.3	7.3		1.7
		9.5	12.8	10.1	6.7	3.9	2.2	1.6	1.2	1.0		
7 SEVEN		6	30	34	46	106	244	398	308	84		1256
		.5	2.4	2.7	3.7	8.4	19.4	31.7	24.5	6.7		2.0
		9.5	12.8	9.8	6.2	4.4	2.9	1.8	1.6	1.1		
8 EIGHT		5	13	41	70	155	420	694	548	182	2	2130
		.2	.6	1.9	3.3	7.3	19.7	32.6	25.7	8.5	.1	3.4
		7.9	5.5	11.8	9.4	6.5	4.9	3.2	2.8	2.3	5.4	
(CONTINUED)	COLUMN TOTAL	63	235	348	743	2397	8558	21873	19580	7912	37	61746
		.1	.4	.6	1.2	3.9	13.9	35.4	31.7	12.8	.1	100.0

TABLE 14

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE VALUE.. 1 WHITE

PCVISIT	WT / COUNT / ROW PCT / COL PCT	UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
9			8	14	44	152	425	869	635	205	1	2353
NINE			.3	.6	1.9	6.5	18.1	36.9	27.0	8.7	.0	3.8
			3.4	4.0	5.9	6.3	5.0	4.0	3.2	2.6	2.7	
10		3	11	28	87	281	930	2056	1701	581		5678
TEN		.1	.2	.5	1.5	4.9	16.4	36.2	30.0	10.2		9.2
		4.8	4.7	8.0	11.7	11.7	10.9	9.4	8.7	7.3		
11			2	7	35	162	565	1535	1256	501	2	4065
ELEVEN			.0	.2	.9	4.0	13.9	37.8	30.9	12.3	.0	6.6
			.9	2.0	4.7	6.8	6.6	7.0	6.4	6.3	5.4	
12		3	12	25	100	446	1851	4914	4409	1668	5	13433
TWELVE		.0	.1	.2	.7	3.3	13.8	36.6	32.8	12.4	.0	21.8
		4.8	5.1	7.2	13.5	18.6	21.6	22.5	22.5	21.1	13.5	
13		2	2	14	27	127	628	1969	1812	721	3	5305
THIRTEEN		.0	.0	.3	.5	2.4	11.8	37.1	34.2	13.6	.1	8.6
		3.2	.9	4.0	3.6	5.3	7.3	9.0	9.3	9.1	8.1	
14		1	6	6	33	161	851	2826	2661	1149		7694
FOURTEEN		.0	.1	.1	.4	2.1	11.1	36.7	34.6	14.9		12.5
		1.6	2.6	1.7	4.4	6.7	9.9	12.9	13.6	14.5		
15			4	16	46	189	833	2596	2633	1144	2	7463
FIFTEEN			.1	.2	.6	2.5	11.2	34.8	35.3	15.3	.0	12.1
			1.7	4.6	6.2	7.9	9.7	11.9	13.4	14.5	5.4	
16		2	18	39	99	328	1170	2922	2887	1437	1	8903
SIXTEEN OR MORE		.0	.2	.4	1.1	3.7	13.1	32.8	32.4	16.1	.0	14.4
		3.2	7.7	11.2	13.3	13.7	13.7	13.4	14.7	18.2	2.7	
17		1		3	5	3	12	26	13	7	16	86
NOT STATED		1.2		3.5	5.8	3.5	14.0	30.2	15.1	8.1	18.6	.1
		1.6		.9	.7	.1	.1	.1	.1	.1	43.2	
COLUMN TOTAL		63	235	348	743	2397	8558	21873	19580	7912	37	61746
		.1	.4	.6	1.2	3.9	13.9	35.4	31.7	12.8	.1	100.0

TABLE 14

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	WT UNDER 500 GMS 0	500 TO 999 GMS 1	1000 TO 1499 GMS 2	1500 TO 1999 GMS 3	2000 TO 2499 GMS 4	2500 TO 2999 GMS 5	3000 TO 3499 GMS 6	3500 TO 3999 GMS 7	4000 GMS AND OVER 8	NOT STATED 9	ROW TOTAL
0		16	49	29	40	99	207	205	89	16	3	753
NONE		2.1	6.5	3.9	5.3	13.1	27.5	27.2	11.8	2.1	.4	2.6
		16.3	16.6	9.0	6.1	5.0	3.2	1.9	1.4	1.1	10.0	
1		11	8	19	21	38	85	99	35	10		326
ONE		3.4	2.5	5.8	6.4	11.7	26.1	30.4	10.7	3.1		1.1
		11.2	2.7	5.9	3.2	1.9	1.3	.9	.6	.7		
2		13	25	14	27	48	101	153	40	7		428
TWO		3.0	5.8	3.3	6.3	11.2	23.6	35.7	9.3	1.6		1.5
		13.3	8.4	4.3	4.1	2.4	1.6	1.4	.6	.5		
3		11	25	19	20	55	141	168	75	10		524
THREE		2.1	4.8	3.6	3.8	10.5	26.9	32.1	14.3	1.9		1.8
		11.2	8.4	5.9	3.0	2.8	2.2	1.5	1.2	.7		
4		10	27	20	36	79	182	244	113	22	3	736
FOUR		1.4	3.7	2.7	4.9	10.7	24.7	33.2	15.4	3.0	.4	2.6
		10.2	9.1	6.2	5.5	4.0	2.8	2.2	1.8	1.4	10.0	
5		10	31	27	53	82	220	319	142	30	3	917
FIVE		1.1	3.4	2.9	5.8	8.9	24.0	34.8	15.5	3.3	.3	3.2
		10.2	10.5	8.3	8.0	4.1	3.4	2.9	2.3	2.0	10.0	
6		6	35	27	37	116	311	423	190	44	2	1191
SIX		.5	2.9	2.3	3.1	9.7	26.1	35.5	16.0	3.7	.2	4.2
		6.1	11.8	8.3	5.6	5.9	4.8	3.8	3.1	2.9	6.7	
7		4	20	16	47	103	317	420	216	41	3	1187
SEVEN		.3	1.7	1.3	4.0	8.7	26.7	35.4	18.2	3.5	.3	4.2
		4.1	6.8	4.9	7.1	5.2	4.9	3.8	3.5	2.7	10.0	
8		6	13	22	59	155	459	691	370	66	1	1842
EIGHT		.3	.7	1.2	3.2	8.4	24.9	37.5	20.1	3.6	.1	6.5
		6.1	4.4	6.8	9.0	7.8	7.1	6.3	6.0	4.3	3.3	
COLUMN TOTAL		98	296	324	659	1979	6420	10993	6161	1522	30	28482
		.3	1.0	1.1	2.3	6.9	22.5	38.6	21.6	5.3	.1	100.0

(CONTINUED)

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

PCVISIT	WT / COUNT / ROW PCT / COL PCT	UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
NINE	9		6	13	31	108	384	667	362	49		1620
			.4	.8	1.9	6.7	23.7	41.2	22.3	3.0		5.7
			2.0	4.0	4.7	5.5	6.0	6.1	5.9	3.2		
TEN	10	5	12	31	50	208	715	1280	681	152		3134
		.2	.4	1.0	1.6	6.6	22.8	40.8	21.7	4.9		11.0
		5.1	4.1	9.6	7.6	10.5	11.1	11.6	11.1	10.0		
ELEVEN	11		7	12	31	139	488	914	493	127	3	2214
			.3	.5	1.4	6.3	22.0	41.3	22.3	5.7	.1	7.8
			2.4	3.7	4.7	7.0	7.6	8.3	8.0	8.3	10.0	
TWELVE	12	2	12	35	60	283	1161	2058	1174	322	4	5111
		.0	.2	.7	1.2	5.5	22.7	40.3	23.0	6.3	.1	17.9
		2.0	4.1	10.8	9.1	14.3	18.1	18.7	19.1	21.2	13.3	
THIRTEEN	13	1	2	6	19	87	332	740	462	105		1754
		.1	.1	.3	1.1	5.0	18.9	42.2	26.3	6.0		6.2
		1.0	.7	1.9	2.9	4.4	5.2	6.7	7.5	6.9		
FOURTEEN	14		4	4	26	97	414	878	577	129	1	2130
			.2	.2	1.2	4.6	19.4	41.2	27.1	6.1	.0	7.5
			1.4	1.2	3.9	4.9	6.4	8.0	9.4	8.5	3.3	
FIFTEEN	15		10	9	28	105	403	779	519	159		2012
			.5	.4	1.4	5.2	20.0	38.7	25.8	7.9		7.1
			3.4	2.8	4.2	5.3	6.3	7.1	8.4	10.4		
SIXTEEN OR MORE	16	3	9	19	72	169	494	935	617	229	2	2549
		.1	.4	.7	2.8	6.6	19.4	36.7	24.2	9.0	.1	8.9
		3.1	3.0	5.9	10.9	8.5	7.7	8.5	10.0	15.0	6.7	
NOT STATED	17		1	2	2	8	6	20	6	4	5	54
			1.9	3.7	3.7	14.8	11.1	37.0	11.1	7.4	9.3	.2
			.3	.6	.3	.4	.1	.2	.1	.3	16.7	
COLUMN TOTAL		98	296	324	659	1979	6420	10993	6161	1522	30	28482
		.3	1.0	1.1	2.3	6.9	22.5	38.6	21.6	5.3	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR.. RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT 0 NONE	1 ONE	2 TWO	3 THREE	4 FOUR	5 FIVE	6 SIX	7 SEVEN	8 EIGHT	9 NINE	ROW TOTAL
0 NONE		1214										1214
		100.0										1.3
		100.0										
1 FIRST MONTH			21	15	20	43	52	83	126	211	299	13371
			.2	.1	.1	.3	.4	.6	.9	1.6	2.2	14.8
			4.3	2.3	2.4	3.6	3.2	3.7	5.2	5.3	7.5	
2 SECOND MONTH			34	58	72	114	192	357	431	822	1125	37013
			.1	.2	.2	.3	.5	1.0	1.2	2.2	3.0	41.0
			7.0	8.7	8.6	9.6	12.0	15.8	17.6	20.7	28.3	
3 THIRD MONTH			37	62	94	173	218	386	559	889	1044	19603
			.2	.3	.5	.9	1.1	2.0	2.9	4.5	5.3	21.7
			7.6	9.3	11.2	14.5	13.6	17.1	22.9	22.4	26.3	
4 FOURTH MONTH			34	58	108	144	235	352	414	737	656	8215
			.4	.7	1.3	1.8	2.9	4.3	5.0	9.0	8.0	9.1
			7.0	8.7	12.9	12.1	14.7	15.6	16.9	18.6	16.5	
5 FIFTH MONTH			40	73	98	179	306	383	381	630	485	4923
			.8	1.5	2.0	3.6	6.2	7.8	7.7	12.8	9.9	5.5
			8.2	11.0	11.7	15.0	19.1	17.0	15.6	15.9	12.2	
6 SIXTH MONTH			47	78	117	164	246	334	306	417	232	2818
			1.7	2.8	4.2	5.8	8.7	11.9	10.9	14.8	8.2	3.1
			9.6	11.7	14.0	13.8	15.4	14.8	12.5	10.5	5.8	
7 SEVENTH MONTH			64	121	153	198	247	279	178	204	103	1814
			3.5	6.7	8.4	10.9	13.6	15.4	9.8	11.2	5.7	2.0
			13.1	18.2	18.3	16.6	15.4	12.4	7.3	5.1	2.6	
8 EIGHTH MONTH			91	148	136	146	90	73	45	51	24	839
			10.8	17.6	16.2	17.4	10.7	8.7	5.4	6.1	2.9	.9
			18.6	22.2	16.3	12.3	5.6	3.2	1.8	1.3	.6	
COLUMN TOTAL		1214	488	666	836	1191	1601	2259	2443	3972	3973	90228
		1.3	.5	.7	.9	1.3	1.8	2.5	2.7	4.4	4.4	100.0

(CONTINUED)

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR.. RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT TEN 10	ELEVEN 11	TWELVE 12	THIRTEEN 13	FOURTEEN 14	FIFTEEN 15	SIXTEEN OR MORE 16	NOT STATED 17	ROW TOTAL
0										
NONE										1214
										1.3
1		805	484	2881	1152	1693	2574	2896	16	13371
FIRST MONTH		6.0	3.6	21.5	8.6	12.7	19.3	21.7	.1	14.8
		9.1	7.7	15.5	16.3	17.2	27.2	25.3	11.4	
2		2637	2675	8560	3479	5685	4935	5820	17	37013
SECOND MONTH		7.1	7.2	23.1	9.4	15.4	13.3	15.7	.0	41.0
		29.9	42.6	46.2	49.3	57.9	52.1	50.8	12.1	
3		2556	1667	4916	1703	1823	1481	1983	12	19603
THIRD MONTH		13.0	8.5	25.1	8.7	9.3	7.6	10.1	.1	21.7
		29.0	26.5	26.5	24.1	18.6	15.6	17.3	8.6	
4		1443	806	1419	520	448	328	507	6	8215
FOURTH MONTH		17.6	9.8	17.3	6.3	5.5	4.0	6.2	.1	9.1
		16.4	12.8	7.7	7.4	4.6	3.5	4.4	4.3	
5		862	403	526	149	118	108	175	7	4923
FIFTH MONTH		17.5	8.2	10.7	3.0	2.4	2.2	3.6	.1	5.5
		9.8	6.4	2.8	2.1	1.2	1.1	1.5	5.0	
6		348	184	177	41	39	30	54	4	2818
SIXTH MONTH		12.3	6.5	6.3	1.5	1.4	1.1	1.9	.1	3.1
		3.9	2.9	1.0	.6	.4	.3	.5	2.9	
7		136	49	47	10	7	9	7	2	1814
SEVENTH MONTH		7.5	2.7	2.6	.6	.4	.5	.4	.1	2.0
		1.5	.8	.3	.1	.1	.1	.1	1.4	
8		17	6	5	1	1	1	4		839
EIGHTH MONTH		2.0	.7	.6	.1	.1	.1	.5		.9
		.2	.1	.0	.0	.0	.0	.0		
(CONTINUED) COLUMN TOTAL		8812	6279	18544	7059	9824	9475	11452	140	90228
		9.8	7.0	20.6	7.8	10.9	10.5	12.7	.2	100.0

TABLE 15

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT NONE (0)	ONE (1)	TWO (2)	THREE (3)	FOUR (4)	FIVE (5)	SIX (6)	SEVEN (7)	EIGHT (8)	NINE (9)	ROW TOTAL
9 NINTH MONTH	COUNT		115	46	36	21	10	7	1	4	4	270
	ROW PCT		42.6	17.0	13.3	7.8	3.7	2.6	.4	1.5	1.5	.3
	COL PCT		23.6	6.9	4.3	1.8	.6	.3	.0	.1	.1	
10 NOT STATED	COUNT		5	7	2	9	5	5	2	7	1	148
	ROW PCT		3.4	4.7	1.4	6.1	3.4	3.4	1.4	4.7	.7	.2
	COL PCT		1.0	1.1	.2	.8	.3	.2	.1	.2	.0	
(CONTINUED)	COLUMN TOTAL	1214	488	666	836	1191	1601	2259	2443	3972	3973	90228
		1.3	.5	.7	.9	1.3	1.8	2.5	2.7	4.4	4.4	100.0

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR..
RACE. VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT TEN (10)	ELEVEN (11)	TWELVE (12)	THIRTEEN (13)	FOURTEEN (14)	FIFTEEN (15)	SIXTEEN OR MORE (16)	NOT STATED (17)	ROW TOTAL
9 NINTH MONTH		6	2	1	2	5	4	1	5	270
		2.2	.7	.4	.7	1.9	1.5	.4	1.9	.3
		.1	.0	.0	.0	.1	.0	.0	3.6	
10 NOT STATED		2	3	12	2	5	5	5	71	148
		1.4	2.0	8.1	1.4	3.4	3.4	3.4	48.0	.2
		.0	.0	.1	.0	.1	.1	.0	50.7	
COLUMN TOTAL		8812	6279	18544	7059	9824	9475	11452	140	90228
		9.8	7.0	20.6	7.8	10.9	10.5	12.7	.2	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT NONE 0	ONE 1	TWO 2	THREE 3	FOUR 4	FIVE 5	SIX 6	SEVEN 7	EIGHT 8	NINE 9	ROW TOTAL
0 NONE		461										461
		100.0										.7
		100.0										
1 FIRST MONTH			5	4	12	17	26	43	76	125	203	10429
			.0	.0	.1	.2	.2	.4	.7	1.2	1.9	16.9
			3.1	1.7	3.8	3.7	3.8	4.0	6.1	5.9	8.6	
2 SECOND MONTH			12	22	34	46	95	195	263	512	739	28368
			.0	.1	.1	.2	.3	.7	.9	1.8	2.6	45.9
			7.4	9.2	10.9	10.1	13.9	18.3	20.9	24.0	31.4	
3 THIRD MONTH			15	21	39	82	87	183	307	516	621	12962
			.1	.2	.3	.6	.7	1.4	2.4	4.0	4.8	21.0
			9.3	8.8	12.5	18.0	12.7	17.1	24.4	24.2	26.4	
4 FOURTH MONTH			8	20	47	45	96	159	192	369	351	4493
			.2	.4	1.0	1.0	2.1	3.5	4.3	8.2	7.8	7.3
			4.9	8.4	15.1	9.9	14.0	14.9	15.3	17.3	14.9	
5 FIFTH MONTH			10	24	30	65	135	183	162	291	241	2383
			.4	1.0	1.3	2.7	5.7	7.7	6.8	12.2	10.1	3.9
			6.2	10.1	9.6	14.3	19.7	17.1	12.9	13.7	10.2	
6 SIXTH MONTH			11	26	38	64	88	139	136	180	129	1275
			.9	2.0	3.0	5.0	6.9	10.9	10.7	14.1	10.1	2.1
			6.8	10.9	12.2	14.1	12.9	13.0	10.8	8.5	5.5	
7 SEVENTH MONTH			23	43	46	70	106	127	95	98	55	807
			2.9	5.3	5.7	8.7	13.1	15.7	11.8	12.1	6.8	1.3
			14.2	18.1	14.7	15.4	15.5	11.9	7.6	4.6	2.3	
8 EIGHTH MONTH			29	51	47	52	42	34	24	36	12	350
			8.3	14.6	13.4	14.9	12.0	9.7	6.9	10.3	3.4	.6
			17.9	21.4	15.1	11.4	6.1	3.2	1.9	1.7	.5	
COLUMN TOTAL		461	162	238	312	455	684	1068	1256	2130	2353	61746
		.7	.3	.4	.5	.7	1.1	1.7	2.0	3.4	3.8	100.0

(CONTINUED)

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	PCVISIT / COUNT / ROW PCT / COL PCT	TEN 10	ELEVEN 11	TWELVE 12	THIRTEEN 13	FOURTEEN 14	FIFTEEN 15	SIXTEEN OR MORE 16	NOT STATED 17	ROW TOTAL
NONE	0									461
										.7
FIRST MONTH	1	574	368	2286	906	1371	2023	2379	11	10429
		5.5	3.5	21.9	8.7	13.1	19.4	22.8	.1	16.9
		10.1	9.1	17.0	17.1	17.8	27.1	26.7	12.8	
SECOND MONTH	2	1931	1877	6630	2647	4547	4067	4739	12	28368
		6.8	6.6	23.4	9.3	16.0	14.3	16.7	.0	45.9
		34.0	46.2	49.4	49.9	59.1	54.5	53.2	14.0	
THIRD MONTH	3	1661	1088	3223	1283	1382	1081	1367	6	12962
		12.8	8.4	24.9	9.9	10.7	8.3	10.5	.0	21.0
		29.3	26.8	24.0	24.2	18.0	14.5	15.4	7.0	
FOURTH MONTH	4	789	414	859	349	290	211	289	5	4493
		17.6	9.2	19.1	7.8	6.5	4.7	6.4	.1	7.3
		13.9	10.2	6.4	6.6	3.8	2.8	3.2	5.8	
FIFTH MONTH	5	439	204	300	88	68	52	89	2	2383
		18.4	8.6	12.6	3.7	2.9	2.2	3.7	.1	3.9
		7.7	5.0	2.2	1.7	.9	.7	1.0	2.3	
SIXTH MONTH	6	190	84	97	24	24	14	29	2	1275
		14.9	6.6	7.6	1.9	1.9	1.1	2.3	.2	2.1
		3.3	2.1	.7	.5	.3	.2	.3	2.3	
SEVENTH MONTH	7	78	23	22	6	5	6	4		807
		9.7	2.9	2.7	.7	.6	.7	.5		1.3
		1.4	.6	.2	.1	.1	.1	.0		
EIGHTH MONTH	8	10	3	5		1	1	3		350
		2.9	.9	1.4		.3	.3	.9		.6
		.2	.1	.0		.0	.0	.0		
(CONTINUED)	COLUMN TOTAL	5678	4065	13433	5305	7694	7463	8903	86	61746
		9.2	6.6	21.8	8.6	12.5	12.1	14.4	.1	100.0

TABLE 15

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT NONE (0)	ONE (1)	TWO (2)	THREE (3)	FOUR (4)	FIVE (5)	SIX (6)	SEVEN (7)	EIGHT (8)	NINE (9)	ROW TOTAL
9 NINTH MONTH			47	24	18	9	8	2	1	1	1	130
			36.2	18.5	13.8	6.9	6.2	1.5	.8	.8	.8	.2
			29.0	10.1	5.8	2.0	1.2	.2	.1	.0	.0	
10 NOT STATED			2	3	1	5	1	3		2	1	88
			2.3	3.4	1.1	5.7	1.1	3.4		2.3	1.1	.1
			1.2	1.3	.3	1.1	.1	.3		.1	.0	
(CONTINUED)	COLUMN TOTAL	461	162	238	312	455	684	1068	1256	2130	2353	61746
		.7	.3	.4	.5	.7	1.1	1.7	2.0	3.4	3.8	100.0

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR.. RACE VALUE.. 1 WHITE

MPCB	PCVISIT	TEN	ELEVEN	TWELVE	THIRTEEN	FOURTEEN	FIFTEEN	SIXTEEN OR MORE	NOT STATED	ROW TOTAL
		10	11	12	13	14	15	16	17	
9	COUNT	5	1	1	1	3	4	1	3	130
NINTH MONTH	ROW PCT	3.8	.8	.8	.8	2.3	3.1	.8	2.3	.2
	COL PCT	.1	.0	.0	.0	.0	.1	.0	3.5	
10	COUNT	1	3	10	1	3	4	3	45	88
NOT STATED	ROW PCT	1.1	3.4	11.4	1.1	3.4	4.5	3.4	51.1	.1
	COL PCT	.0	.1	.1	.0	.0	.1	.0	52.3	
COLUMN TOTAL		5678	4065	13433	5305	7694	7463	8903	86	61746
		9.2	6.6	21.8	8.6	12.5	12.1	14.4	.1	100.0

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT NONE (0)	ONE (1)	TWO (2)	THREE (3)	FOUR (4)	FIVE (5)	SIX (6)	SEVEN (7)	EIGHT (8)	NINE (9)	ROW TOTAL
0		753										753
NONE		100.0										2.6
		100.0										
1			16	11	8	26	26	40	50	86	96	2942
FIRST MONTH			.5	.4	.3	.9	.9	1.4	1.7	2.9	3.3	10.3
			4.9	2.6	1.5	3.5	2.8	3.4	4.2	4.7	5.9	
2			22	36	38	68	97	162	168	310	386	8645
SECOND MONTH			.3	.4	.4	.8	1.1	1.9	1.9	3.6	4.5	30.4
			6.7	8.4	7.3	9.2	10.6	13.6	14.2	16.8	23.8	
3			22	41	55	91	131	203	252	373	423	6641
THIRD MONTH			.3	.6	.8	1.4	2.0	3.1	3.8	5.6	6.4	23.3
			6.7	9.6	10.5	12.4	14.3	17.0	21.2	20.2	26.1	
4			26	38	61	99	139	193	222	368	305	3722
FOURTH MONTH			.7	1.0	1.6	2.7	3.7	5.2	6.0	9.9	8.2	13.1
			8.0	8.9	11.6	13.5	15.2	16.2	18.7	20.0	18.8	
5			30	49	68	114	171	200	219	339	244	2540
FIFTH MONTH			1.2	1.9	2.7	4.5	6.7	7.9	8.6	13.3	9.6	8.9
			9.2	11.4	13.0	15.5	18.6	16.8	18.4	18.4	15.1	
6			36	52	79	100	158	195	170	237	103	1543
SIXTH MONTH			2.3	3.4	5.1	6.5	10.2	12.6	11.0	15.4	6.7	5.4
			11.0	12.1	15.1	13.6	17.2	16.4	14.3	12.9	6.4	
7			41	78	107	128	141	152	83	106	48	1007
SEVENTH MONTH			4.1	7.7	10.6	12.7	14.0	15.1	8.2	10.5	4.8	3.5
			12.6	18.2	20.4	17.4	15.4	12.8	7.0	5.8	3.0	
8			62	97	89	94	48	39	21	15	12	489
EIGHTH MONTH			12.7	19.8	18.2	19.2	9.8	8.0	4.3	3.1	2.5	1.7
			19.0	22.7	17.0	12.8	5.2	3.3	1.8	.8	.7	
COLUMN TOTAL		753	326	428	524	736	917	1191	1187	1842	1620	28482
		2.6	1.1	1.5	1.8	2.6	3.2	4.2	4.2	6.5	5.7	100.0

(CONTINUED)

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT TEN	ELEVEN	TWELVE	THIRTEEN	FOURTEEN	FIFTEEN	SIXTEEN OR MORE	NOT STATED	ROW TOTAL
		10	11	12	13	14	15	16	17	
NONE	0									753
										2.6
FIRST MONTH	1	231	116	595	246	322	551	517	5	2942
		7.9	3.9	20.2	8.4	10.9	18.7	17.6	.2	10.3
		7.4	5.2	11.6	14.0	15.1	27.4	20.3	9.3	
SECOND MONTH	2	706	798	1930	832	1138	868	1081	5	8645
		8.2	9.2	22.3	9.6	13.2	10.0	12.5	.1	30.4
		22.5	36.0	37.8	47.4	53.4	43.1	42.4	9.3	
THIRD MONTH	3	895	579	1693	420	441	400	616	6	6641
		13.5	8.7	25.5	6.3	6.6	6.0	9.3	.1	23.3
		28.6	26.2	33.1	23.9	20.7	19.9	24.2	11.1	
FOURTH MONTH	4	654	392	560	171	158	117	218	1	3722
		17.6	10.5	15.0	4.6	4.2	3.1	5.9	.0	13.1
		20.9	17.7	11.0	9.7	7.4	5.8	8.6	1.9	
FIFTH MONTH	5	423	199	226	61	50	56	86	5	2540
		16.7	7.8	8.9	2.4	2.0	2.2	3.4	.2	8.9
		13.5	9.0	4.4	3.5	2.3	2.8	3.4	9.3	
SIXTH MONTH	6	158	100	80	17	15	16	25	2	1543
		10.2	6.5	5.2	1.1	1.0	1.0	1.6	.1	5.4
		5.0	4.5	1.6	1.0	.7	.8	1.0	3.7	
SEVENTH MONTH	7	58	26	25	4	2	3	3	2	1007
		5.8	2.6	2.5	.4	.2	.3	.3	.2	3.5
		1.9	1.2	.5	.2	.1	.1	.1	3.7	
EIGHTH MONTH	8	7	3		1			1		489
		1.4	.6		.2			.2		1.7
		.2	.1		.1			.0		
(CONTINUED)	COLUMN TOTAL	3134	2214	5111	1754	2130	2012	2549	54	28482
		11.0	7.8	17.9	6.2	7.5	7.1	8.9	.2	100.0

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT NONE (0)	ONE (1)	TWO (2)	THREE (3)	FOUR (4)	FIVE (5)	SIX (6)	SEVEN (7)	EIGHT (8)	NINE (9)	ROW TOTAL
9 NINTH MONTH			68	22	18	12	2	5		3	3	140
			48.6	15.7	12.9	8.6	1.4	3.6		2.1	2.1	.5
			20.9	5.1	3.4	1.6	.2	.4		.2	.2	
10 NOT STATED			3	4	1	4	4	2	2	5		60
			5.0	6.7	1.7	6.7	6.7	3.3	3.3	8.3		.2
			.9	.9	.2	.5	.4	.2	.2	.3		
COLUMN TOTAL		753	326	428	524	736	917	1191	1187	1842	1620	28482
		2.6	1.1	1.5	1.8	2.6	3.2	4.2	4.2	6.5	5.7	100.0

(CONTINUED)

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT TEN	ELEVEN	TWELVE	THIRTEEN	FOURTEEN	FIFTEEN	SIXTEEN OR MORE	NOT STATED	ROW TOTAL
		10	11	12	13	14	15	16	17	
9		1	1		1	2			2	140
NINTH MONTH		.7	.7		.7	1.4			1.4	.5
		.0	.0		.1	.1			3.7	
10		1		2	1	2	1	2	26	60
NOT STATED		1.7		3.3	1.7	3.3	1.7	3.3	43.3	.2
		.0		.0	.1	.1	.0	.1	48.1	
COLUMN TOTAL		3134	2214	5111	1754	2130	2012	2549	54	28482
		11.0	7.8	17.9	6.2	7.5	7.1	8.9	.2	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF
LBND PREVIOUS LIVE BORN NOW DEAD BY RACE

LBND	RACE 1 WHITE	RACE 2 NONWHITE	ROW TOTAL
0 NONE	60828	27783	88611
	68.6	31.4	98.2
	98.5	97.5	
1 ONE	830	620	1450
	57.2	42.8	1.6
	1.3	2.2	
2 TWO	61	61	122
	50.0	50.0	.1
	.1	.2	
3 THREE	8	6	14
	57.1	42.9	.0
	.0	.0	
4 FOUR	1	2	3
	33.3	66.7	.0
	.0	.0	
10 NOT STATED	18	10	28
	64.3	35.7	.0
	.0	.0	
COLUMN TOTAL	61746	28482	90228
	68.4	31.6	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF FETD PREVIOUS FETAL DEATHS BY RACE

FETD		RACE 1 WHITE	RACE 2 NONWHITE	ROW TOTAL
NONE	0	51300	23738	75038
	ROW PCT	68.4	31.6	83.2
	COL PCT	83.1	83.3	
ONE	1	8018	3663	11681
	ROW PCT	68.6	31.4	12.9
	COL PCT	13.0	12.9	
TWO	2	1788	800	2588
	ROW PCT	69.1	30.9	2.9
	COL PCT	2.9	2.8	
THREE	3	431	181	612
	ROW PCT	70.4	29.6	.7
	COL PCT	.7	.6	
FOUR	4	123	56	179
	ROW PCT	68.7	31.3	.2
	COL PCT	.2	.2	
FIVE	5	44	19	63
	ROW PCT	69.8	30.2	.1
	COL PCT	.1	.1	
SIX	6	14	11	25
	ROW PCT	56.0	44.0	.0
	COL PCT	.0	.0	
SEVEN	7	5	2	7
	ROW PCT	71.4	28.6	.0
	COL PCT	.0	.0	
EIGHT	8	2	1	3
	ROW PCT	66.7	33.3	.0
	COL PCT	.0	.0	
NINE OR MORE	9	1	2	3
	ROW PCT	33.3	66.7	.0
	COL PCT	.0	.0	
	COLUMN TOTAL	61746	28482	90228
		68.4	31.6	100.0

(CONTINUED)

CROSSTABULATION OF FETD PREVIOUS FETAL DEATHS BY RACE

FETD	RACE: WHITE (1)	RACE: NONWHITE (2)	ROW TOTAL
10	20	9	29
NOT STATED	69.0	31.0	.0
	.0	.0	
COLUMN TOTAL	61746	28482	90228
	68.4	31.6	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

APGAR5	COUNT / ROW PCT / COL PCT	AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
0					2	3	3	4	4	7		74
ZERO					2.7	4.1	4.1	5.4	5.4	9.5		.1
					.2	.2	.1	.1	.1	.1		
1		1		2	1	7	15	13	19	20	13	269
ONE		.4		.7	.4	2.6	5.6	4.8	7.1	7.4	4.8	.3
		10.0		.7	.1	.4	.6	.3	.4	.4	.2	
2				3	3	3	8	9	12	10	7	133
TWO				2.3	2.3	2.3	6.0	6.8	9.0	7.5	5.3	.1
				1.0	.4	.2	.3	.2	.2	.2	.1	
3					1	3	6	9	7	9	8	118
THREE					.8	2.5	5.1	7.6	5.9	7.6	6.8	.1
					.1	.2	.2	.2	.1	.2	.1	
4					3	5	11	9	11	16	15	168
FOUR					1.8	3.0	6.5	5.4	6.5	9.5	8.9	.2
					.4	.3	.4	.2	.2	.3	.2	
5			1	5	4	10	8	13	16	27		296
FIVE			.3	1.7	1.4	3.4	2.7	4.4	5.4	9.1		.3
			.3	.6	.2	.4	.2	.3	.3	.4		
6		3	6	13	17	23	31	38	40	44		603
SIX		.5	1.0	2.2	2.8	3.8	5.1	6.3	6.6	7.3		.7
		5.3	2.1	1.6	1.0	.8	.8	.8	.7	.7		
7		2	5	26	35	70	84	111	95	119		1566
SEVEN		.1	.3	1.7	2.2	4.5	5.4	7.1	6.1	7.6		1.7
		3.5	1.7	3.1	2.1	2.6	2.2	2.3	1.7	2.0		
8		1	5	28	88	148	245	335	401	479	533	7172
EIGHT		.0	.1	.4	1.2	2.1	3.4	4.7	5.6	6.7	7.4	7.9
		10.0	8.8	9.6	10.5	8.8	9.0	8.7	8.2	8.5	8.8	
COLUMN TOTAL		10	57	291	837	1678	2724	3871	4883	5637	6027	90228
		.0	.1	.3	.9	1.9	3.0	4.3	5.4	6.2	6.7	100.0

(CONTINUED)

TABLE 18

CROSSTABULATION OF
APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

APGAR5	COUNT / ROW PCT / COL PCT	22	23	24	25	26	27	28	29	30	ROW TOTAL
	AGE				25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	
0		3	3	2	27	9	5	2			74
ZERO		4.1	4.1	2.7	36.5	12.2	6.8	2.7			.1
		.0	.1	.0	.1	.1	.1	.4			
1		12	17	19	74	39	15	2			269
ONE		4.5	6.3	7.1	27.5	14.5	5.6	.7			.3
		.2	.3	.3	.3	.3	.4	.4			
2		5	11	8	25	18	11				133
TWO		3.8	8.3	6.0	18.8	13.5	8.3				.1
		.1	.2	.1	.1	.1	.3				
3		5	7	8	29	21	4	1			118
THREE		4.2	5.9	6.8	24.6	17.8	3.4	.8			.1
		.1	.1	.1	.1	.1	.1	.2			
4		5	8	12	39	23	7	4			168
FOUR		3.0	4.8	7.1	23.2	13.7	4.2	2.4			.2
		.1	.1	.2	.1	.2	.2	.9			
5		29	21	23	84	35	18	2			296
FIVE		9.8	7.1	7.8	28.4	11.8	6.1	.7			.3
		.5	.4	.4	.3	.2	.4	.4			
6		31	50	28	168	79	26	6			603
SIX		5.1	8.3	4.6	27.9	13.1	4.3	1.0			.7
		.5	.8	.5	.6	.5	.6	1.3			
7		117	93	90	396	232	83	8			1566
SEVEN		7.5	5.9	5.7	25.3	14.8	5.3	.5			1.7
		1.9	1.6	1.5	1.5	1.6	2.0	1.7			
8		516	457	432	1994	1103	357	48	2		7172
EIGHT		7.2	6.4	6.0	27.8	15.4	5.0	.7	.0		7.9
		8.5	7.7	7.3	7.5	7.4	8.4	10.3	18.2		
(CONTINUED)	COLUMN TOTAL	6072	5945	5908	26740	14835	4235	464	11	3	90228
		6.7	6.6	6.5	29.6	16.4	4.7	.5	.0	.0	100.0

CROSSTABULATION OF APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER
CONTROLLING FOR.. RACE. VALUE = TOTAL

APGAR5		AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
9	COUNT	6	39	194	517	1062	1727	2493	3206	3683	3985	60461
NINE	ROW PCT	.0	.1	.3	.9	1.8	2.9	4.1	5.3	6.1	6.6	67.0
	COL PCT	60.0	68.4	66.7	61.8	63.3	63.4	64.4	65.7	65.3	66.1	
10	COUNT	2	7	44	160	370	565	821	998	1188	1210	18371
TEN	ROW PCT	.0	.0	.2	.9	2.0	3.1	4.5	5.4	6.5	6.6	20.4
	COL PCT	20.0	12.3	15.1	19.1	22.1	20.7	21.2	20.4	21.1	20.1	
11	COUNT		1	8	18	21	41	55	63	74	66	997
NOT STATED	ROW PCT		.1	.8	1.8	2.1	4.1	5.5	6.3	7.4	6.6	1.1
	COL PCT		1.8	2.7	2.2	1.3	1.5	1.4	1.3	1.3	1.1	
COLUMN	COUNT	10	57	291	837	1678	2724	3871	4883	5637	6027	90228
(CONTINUED) TOTAL	ROW PCT	.0	.1	.3	.9	1.9	3.0	4.3	5.4	6.2	6.7	100.0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

APGAR5	COUNT / ROW PCT / COL PCT	22	23	24	25	26	27	28	29	30	ROW TOTAL
		AGE 25 - 29	AGE 30 - 34	AGE 35 - 39	AGE 40 - 44	AGE 45 AND OVER		NOT STATED			
9		4069	3972	3981	18126	10201	2883	307	8	2	60461
NINE		6.7	6.6	6.6	30.0	16.9	4.8	.5	.0	.0	67.0
		67.0	66.8	67.4	67.8	68.8	68.1	66.2	72.7	66.7	
10		1206	1241	1255	5527	2923	774	79	1		18371
TEN		6.6	6.8	6.8	30.1	15.9	4.2	.4	.0		20.4
		19.9	20.9	21.2	20.7	19.7	18.3	17.0	9.1		
11		74	65	50	251	152	52	5		1	997
NOT STATED		7.4	6.5	5.0	25.2	15.2	5.2	.5		.1	1.1
		1.2	1.1	.8	.9	1.0	1.2	1.1		33.3	
COLUMN TOTAL		6072	5945	5908	26740	14835	4235	464	11	3	90228
		6.7	6.6	6.5	29.6	16.4	4.7	.5	.0	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR.. RACE VALUE.. 1 WHITE

APGAR5	COUNT / ROW PCT / COL PCT	AGE 13	14	15	16	17	18	19	20	21	22	ROW TOTAL
0				1	1	1	2	1	2			39
ZERO				2.6	2.6	2.6	5.1	2.6	5.1			.1
				.3	.1	.1	.1	.0	.1			
1					1	4	4	10	10	5	6	117
ONE					.9	3.4	3.4	8.5	8.5	4.3	5.1	.2
					.1	.3	.2	.3	.3	.1	.2	
2			1	1	1	1	4	5	2	3		59
TWO			1.7	1.7	1.7	1.7	6.8	8.5	3.4	5.1		.1
			1.1	.3	.1	.1	.2	.2	.1	.1		
3					2	1	1	4	4	3	3	53
THREE					3.8	1.9	1.9	7.5	7.5	5.7	5.7	.1
					.3	.1	.0	.1	.1	.1	.1	
4				1	1	7	1	4	5	9	1	87
FOUR				1.1	1.1	8.0	1.1	4.6	5.7	10.3	1.1	.1
				.3	.1	.5	.0	.1	.1	.2	.0	
5			1		1	4	1	4	5	8	12	134
FIVE			.7		.7	3.0	.7	3.0	3.7	6.0	9.0	.2
			1.1		.1	.3	.0	.1	.1	.2	.3	
6			3	4	4	10	17	16	17	27	21	343
SIX			.9	1.2	1.2	2.9	5.0	4.7	5.0	7.9	6.1	.6
			3.4	1.3	.5	.7	.8	.6	.5	.7	.5	
7		1	1	10	15	36	43	54	47	59	74	911
SEVEN		.1	.1	1.1	1.6	4.0	4.7	5.9	5.2	6.5	8.1	1.5
		12.5	1.1	3.2	1.9	2.4	2.0	1.9	1.4	1.6	1.9	
8		1	9	31	75	130	175	241	278	308	313	4651
EIGHT		.0	.2	.7	1.6	2.8	3.8	5.2	6.0	6.6	6.7	7.5
		12.5	10.3	10.0	9.6	8.8	8.2	8.3	8.2	8.2	8.0	
COLUMN TOTAL		8	87	310	778	1472	2134	2904	3398	3766	3913	61746
		.0	.1	.5	1.3	2.4	3.5	4.7	5.5	6.1	6.3	100.0

(CONTINUED)

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

APGAR5	COUNT / ROW PCT / COL PCT	AGE 23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED 29	NOT STATED 30	ROW TOTAL
ZERO	0	2	2	16	6	4	1				39
		5.1	5.1	41.0	15.4	10.3	2.6				.1
		.0	.0	.1	.1	.1	.3				
ONE	1	9	7	36	19	5	1				117
		7.7	6.0	30.8	16.2	4.3	.9				.2
		.2	.2	.2	.2	.2	.3				
TWO	2	4	5	15	11	6					59
		6.8	8.5	25.4	18.6	10.2					.1
		.1	.1	.1	.1	.2					
THREE	3	3	6	14	9	2	1				53
		5.7	11.3	26.4	17.0	3.8	1.9				.1
		.1	.1	.1	.1	.1	.3				
FOUR	4	3	10	29	11	3	2				87
		3.4	11.5	33.3	12.6	3.4	2.3				.1
		.1	.2	.1	.1	.1	.6				
FIVE	5	6	15	44	22	11					134
		4.5	11.2	32.8	16.4	8.2					.2
		.1	.4	.2	.2	.3					
SIX	6	31	17	108	49	15	4				343
		9.0	5.0	31.5	14.3	4.4	1.2				.6
		.8	.4	.5	.4	.5	1.2				
SEVEN	7	57	60	257	141	51	5				911
		6.3	6.6	28.2	15.5	5.6	.5				1.5
		1.4	1.4	1.3	1.2	1.6	1.6				
EIGHT	8	295	286	1425	804	252	28				4651
		6.3	6.1	30.6	17.3	5.4	.6				7.5
		7.3	6.9	7.2	7.1	7.9	8.7				
(CONTINUED)	COLUMN TOTAL	4041	4148	19929	11341	3187	322	6	2		61746
		6.5	6.7	32.3	18.4	5.2	.5	.0	.0		100.0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

APGAR5	AGE 13	14	15	16	17	18	19	20	21	22	ROW TOTAL
9 NINE	3	58	190	469	904	1346	1854	2171	2501	2600	41330
	.0	.1	.5	1.1	2.2	3.3	4.5	5.3	6.1	6.3	66.9
	37.5	66.7	61.3	60.3	61.4	63.1	63.8	63.9	66.4	66.4	
10 TEN	3	14	69	201	362	516	684	816	808	845	13477
	.0	.1	.5	1.5	2.7	3.8	5.1	6.1	6.0	6.3	21.8
	37.5	16.1	22.3	25.8	24.6	24.2	23.6	24.0	21.5	21.6	
11 NOT STATED			3	7	12	24	27	41	35	38	545
			.6	1.3	2.2	4.4	5.0	7.5	6.4	7.0	.9
			1.0	.9	.8	1.1	.9	1.2	.9	1.0	
COLUMN TOTAL	8	87	310	778	1472	2134	2904	3398	3766	3913	61746
	.0	.1	.5	1.3	2.4	3.5	4.7	5.5	6.1	6.3	100.0

(CONTINUED)

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

APGAR5	AGE: COUNT / ROW PCT / COL PCT	23	24	25	26	27	28	29	30	ROW TOTAL
9		2695	2768	13524	7841	2179	219	6	2	41330
NINE		6.5	6.7	32.7	19.0	5.3	.5	.0	.0	66.9
		66.7	66.7	67.9	69.1	68.4	68.0	100.0	100.0	
10		906	942	4305	2326	621	59			13477
TEN		6.7	7.0	31.9	17.3	4.6	.4			21.8
		22.4	22.7	21.6	20.5	19.5	18.3			
11		30	30	156	102	38	2			545
NOT STATED		5.5	5.5	28.6	18.7	7.0	.4			.9
		.7	.7	.8	.9	1.2	.6			
COLUMN TOTAL		4041	4148	19929	11341	3187	322	6	2	61746
		6.5	6.7	32.3	18.4	5.2	.5	.0	.0	100.0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

APGAR5	COUNT / ROW PCT / COL PCT	AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
0					1	2	2	2	3	5		35
ZERO					2.9	5.7	5.7	5.7	8.6	14.3		.1
					.2	.2	.2	.1	.2	.2		
1		1		2	1	6	11	9	9	10	8	152
ONE		.7		1.3	.7	3.9	7.2	5.9	5.9	6.6	5.3	.5
		10.0		1.0	.2	.7	.9	.5	.5	.4	.4	
2				2	2	2	7	5	7	8	4	74
TWO				2.7	2.7	2.7	9.5	6.8	9.5	10.8	5.4	.3
				1.0	.4	.2	.6	.3	.4	.4	.2	
3					1	1	5	8	3	5	5	65
THREE					1.5	1.5	7.7	12.3	4.6	7.7	7.7	.2
					.2	.1	.4	.5	.2	.2	.2	
4					2	4	4	8	7	11	6	81
FOUR					2.5	4.9	4.9	9.9	8.6	13.6	7.4	.3
					.4	.4	.3	.5	.4	.5	.3	
5					5	3	6	7	9	11	19	162
FIVE					3.1	1.9	3.7	4.3	5.6	6.8	11.7	.6
					.9	.3	.5	.4	.5	.5	.8	
6			3	3	9	13	13	14	22	23	17	260
SIX			1.2	1.2	3.5	5.0	5.0	5.4	8.5	8.8	6.5	.9
			6.1	1.5	1.7	1.4	1.0	.8	1.1	1.0	.8	
7			1	4	16	20	34	41	57	48	60	655
SEVEN			.2	.6	2.4	3.1	5.2	6.3	8.7	7.3	9.2	2.3
			2.0	2.0	3.0	2.2	2.7	2.4	2.9	2.1	2.7	
8		1	4	19	57	73	115	160	160	201	225	2521
EIGHT		.0	.2	.8	2.3	2.9	4.6	6.3	6.3	8.0	8.9	8.9
		10.0	8.2	9.3	10.8	8.1	9.2	9.2	8.1	9.0	10.0	
COLUMN TOTAL		10	49	204	527	900	1252	1737	1979	2239	2261	28482
		.0	.2	.7	1.9	3.2	4.4	6.1	6.9	7.9	7.9	100.0

(CONTINUED)

TABLE 18

CROSSTABULATION OF
APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

APGAR5	COUNT / ROW PCT / COL PCT	AGE 22	23	24	25	26	27	28	29	30	ROW TOTAL
		25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED				
0	3	1		11	3	1	1	1			35
ZERO	8.6	2.9		31.4	8.6	2.9	2.9	2.9			.1
	.1	.1		.2	.1	.1	.7				
1	6	8	12	38	20	10	1				152
ONE	3.9	5.3	7.9	25.0	13.2	6.6	.7				.5
	.3	.4	.7	.6	.6	1.0	.7				
2	5	7	3	10	7	5					74
TWO	6.8	9.5	4.1	13.5	9.5	6.8					.3
	.2	.4	.2	.1	.2	.5					
3	2	4	2	15	12	2					65
THREE	3.1	6.2	3.1	23.1	18.5	3.1					.2
	.1	.2	.1	.2	.3	.2					
4	4	5	2	10	12	4	2				81
FOUR	4.9	6.2	2.5	12.3	14.8	4.9	2.5				.3
	.2	.3	.1	.1	.3	.4	1.4				
5	17	15	8	40	13	7	2				162
FIVE	10.5	9.3	4.9	24.7	8.0	4.3	1.2				.6
	.8	.8	.5	.6	.4	.7	1.4				
6	10	19	11	60	30	11	2				260
SIX	3.8	7.3	4.2	23.1	11.5	4.2	.8				.9
	.5	1.0	.6	.9	.9	1.0	1.4				
7	43	36	30	139	91	32	3				655
SEVEN	6.6	5.5	4.6	21.2	13.9	4.9	.5				2.3
	2.0	1.9	1.7	2.0	2.6	3.1	2.1				
8	203	162	146	569	299	105	20	2			2521
EIGHT	8.1	6.4	5.8	22.6	11.9	4.2	.8	.1			8.9
	9.4	8.5	8.3	8.4	8.6	10.0	14.1	40.0			
COLUMN TOTAL	2159	1904	1760	6811	3494	1048	142	5	1		28482
	7.6	6.7	6.2	23.9	12.3	3.7	.5	.0	.0		100.0

(CONTINUED)

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

APGAR5		AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
9	COUNT	6	36	136	327	593	823	1147	1352	1512	1484	19131
NINE	ROW PCT	.0	.2	.7	1.7	3.1	4.3	6.0	7.1	7.9	7.8	67.2
	COL PCT	60.0	73.5	66.7	62.0	65.9	65.7	66.0	68.3	67.5	65.6	
10	COUNT	2	4	30	91	169	203	305	314	372	402	4894
TEN	ROW PCT	.0	.1	.6	1.9	3.5	4.1	6.2	6.4	7.6	8.2	17.2
	COL PCT	20.0	8.2	14.7	17.3	18.8	16.2	17.6	15.9	16.6	17.8	
11	COUNT		1	8	15	14	29	31	36	33	31	452
NOT STATED	ROW PCT		.2	1.8	3.3	3.1	6.4	6.9	8.0	7.3	6.9	1.6
	COL PCT		2.0	3.9	2.8	1.6	2.3	1.8	1.8	1.5	1.4	
(CONTINUED)	COLUMN TOTAL	10	49	204	527	900	1252	1737	1979	2239	2261	28482
		.0	.2	.7	1.9	3.2	4.4	6.1	6.9	7.9	7.9	100.0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

APGAR5	AGE	22	23	24	25	26	27	28	29	30	ROW TOTAL
	25 - 29										
	30 - 34										
	35 - 39										
	40 - 44										
	45 AND OVER										
	NOT STATED										
9	COUNT	1469	1277	1213	4602	2360	704	88	2		19131
NINE	ROW PCT	7.7	6.7	6.3	24.1	12.3	3.7	.5	.0		67.2
	COL PCT	68.0	67.1	68.9	67.6	67.5	67.2	62.0	40.0		
10	COUNT	361	335	313	1222	597	153	20	1		4894
TEN	ROW PCT	7.4	6.8	6.4	25.0	12.2	3.1	.4	.0		17.2
	COL PCT	16.7	17.6	17.8	17.9	17.1	14.6	14.1	20.0		
11	COUNT	36	35	20	95	50	14	3		1	452
NOT STATED	ROW PCT	8.0	7.7	4.4	21.0	11.1	3.1	.7		.2	1.6
	COL PCT	1.7	1.8	1.1	1.4	1.4	1.3	2.1		100.0	
COLUMN TOTAL		2159	1904	1760	6811	3494	1048	142	5	1	28482
		7.6	6.7	6.2	23.9	12.3	3.7	.5	.0	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF APGAR5 APGAR SCORE FIVE MINUTES BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR.. RACE. VALUE = TOTAL

APGAR5	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	18	ROW TOTAL
0		4	27	25	10	8			74
ZERO		5.4	36.5	33.8	13.5	10.8			.1
		.1	.1	.1	.1	.1			
1		15	61	112	37	37	7		269
ONE		5.6	22.7	41.6	13.8	13.8	2.6		.3
		.5	.3	.3	.2	.3	6.4		
2		11	31	61	19	10	1		133
TWO		8.3	23.3	45.9	14.3	7.5	.8		.1
		.4	.2	.2	.1	.1	.9		
3		3	27	60	13	15			118
THREE		2.5	22.9	50.8	11.0	12.7			.1
		.1	.1	.2	.1	.1			
4		11	51	58	26	22			168
FOUR		6.5	30.4	34.5	15.5	13.1			.2
		.4	.3	.2	.2	.2			
5		8	79	120	58	31			296
FIVE		2.7	26.7	40.5	19.6	10.5			.3
		.3	.4	.3	.3	.2			
6		37	135	248	113	69	1		603
SIX		6.1	22.4	41.1	18.7	11.4	.2		.7
		1.2	.7	.7	.7	.5	.9		
7		66	350	659	292	197	2		1566
SEVEN		4.2	22.3	42.1	18.6	12.6	.1		1.7
		2.2	1.9	1.8	1.7	1.4	1.8		
8		256	1560	2992	1336	1024	4		7172
EIGHT		3.6	21.8	41.7	18.6	14.3	.1		7.9
		8.4	8.5	8.1	7.7	7.2	3.7		
(CONTINUED)	COLUMN TOTAL	3055	18418	37114	17261	14270	109	1	90228
		3.4	20.4	41.1	19.1	15.8	.1	.0	100.0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE. VALUE = TOTAL

APGAR5	EDUC	1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	18	ROW TOTAL
9	COUNT	1935	11797	24623	11901	10155	49	1	60461
NINE	ROW PCT	3.2	19.5	40.7	19.7	16.8	.1	.0	67.0
	COL PCT	63.3	64.1	66.3	68.9	71.2	45.0	100.0	
10	COUNT	649	4059	7739	3298	2611	15		18371
TEN	ROW PCT	3.5	22.1	42.1	18.0	14.2	.1		20.4
	COL PCT	21.2	22.0	20.9	19.1	18.3	13.8		
11	COUNT	60	241	417	158	91	30		997
NOT STATED	ROW PCT	6.0	24.2	41.8	15.8	9.1	3.0		1.1
	COL PCT	2.0	1.3	1.1	.9	.6	27.5		
COLUMN TOTAL		3055	18418	37114	17261	14270	109	1	90228
		3.4	20.4	41.1	19.1	15.8	.1	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

APGAR5	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0		4	13	8	8	6		39
ZERO		10.3	33.3	20.5	20.5	15.4		.1
		.2	.1	.0	.1	.0		
1		8	23	44	16	22	4	117
ONE		6.8	19.7	37.6	13.7	18.8	3.4	.2
		.4	.2	.2	.1	.2	6.5	
2		5	11	23	12	7	1	59
TWO		8.5	18.6	39.0	20.3	11.9	1.7	.1
		.3	.1	.1	.1	.1	1.6	
3		1	13	23	8	8		53
THREE		1.9	24.5	43.4	15.1	15.1		.1
		.1	.1	.1	.1	.1		
4		8	18	27	15	19		87
FOUR		9.2	20.7	31.0	17.2	21.8		.1
		.4	.2	.1	.1	.2		
5		4	30	55	28	17		134
FIVE		3.0	22.4	41.0	20.9	12.7		.2
		.2	.3	.2	.2	.1		
6		22	66	138	63	54		343
SIX		6.4	19.2	40.2	18.4	15.7		.6
		1.1	.6	.6	.5	.4		
7		33	187	370	170	151		911
SEVEN		3.6	20.5	40.6	18.7	16.6		1.5
		1.7	1.7	1.5	1.4	1.2		
8		157	870	1888	899	836	1	4651
EIGHT		3.4	18.7	40.6	19.3	18.0	.0	7.5
		8.1	8.1	7.8	7.2	6.9	1.6	
(CONTINUED)	COLUMN TOTAL	1949	10718	24313	12534	12169	62	61745
		3.2	17.4	39.4	20.3	19.7	.1	100.0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

APGAR5	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
NINE	9	1202	6737	16054	8651	8661	24	41329
		2.9	16.3	38.8	20.9	21.0	.1	66.9
		61.7	62.9	66.0	69.0	71.2	38.7	
TEN	10	476	2659	5453	2562	2319	8	13477
		3.5	19.7	40.5	19.0	17.2	.1	21.8
		24.4	24.8	22.4	20.4	19.1	12.9	
NOT STATED	11	29	91	230	102	69	24	545
		5.3	16.7	42.2	18.7	12.7	4.4	.9
		1.5	.8	.9	.8	.6	38.7	
	COLUMN TOTAL	1949	10718	24313	12534	12169	62	61745
		3.2	17.4	39.4	20.3	19.7	.1	100.0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

APGAR5	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0			14	17	2	2		35
ZERO			40.0	48.6	5.7	5.7		.1
			.2	.1	.0	.1		
1		7	38	68	21	15	3	152
ONE		4.6	25.0	44.7	13.8	9.9	2.0	.5
		.6	.5	.5	.4	.7	6.4	
2		6	20	38	7	3		74
TWO		8.1	27.0	51.4	9.5	4.1		.3
		.5	.3	.3	.1	.1		
3		2	14	37	5	7		65
THREE		3.1	21.5	56.9	7.7	10.8		.2
		.2	.2	.3	.1	.3		
4		3	33	31	11	3		81
FOUR		3.7	40.7	38.3	13.6	3.7		.3
		.3	.4	.2	.2	.1		
5		4	49	65	30	14		162
FIVE		2.5	30.2	40.1	18.5	8.6		.6
		.4	.6	.5	.6	.7		
6		15	69	110	50	15	1	260
SIX		5.8	26.5	42.3	19.2	5.8	.4	.9
		1.4	.9	.9	1.1	.7	2.1	
7		33	163	289	122	46	2	655
SEVEN		5.0	24.9	44.1	18.6	7.0	.3	2.3
		3.0	2.1	2.3	2.6	2.2	4.3	
8		99	690	1104	437	188	3	2521
EIGHT		3.9	27.4	43.8	17.3	7.5	.1	8.9
		9.0	9.0	8.6	9.2	8.9	6.4	
(CONTINUED)	COLUMN TOTAL	1106	7700	12801	4727	2101	47	28482
		3.9	27.0	44.9	16.6	7.4	.2	100.0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

APGAR5	EDUC	1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9 NINE	COUNT	733	5060	8569	3250	1494	25	19131
	ROW PCT	3.8	26.4	44.8	17.0	7.8	.1	67.2
	COL PCT	66.3	65.7	66.9	68.8	71.1	53.2	
10 TEN	COUNT	173	1400	2286	736	292	7	4894
	ROW PCT	3.5	28.6	46.7	15.0	6.0	.1	17.2
	COL PCT	15.6	18.2	17.9	15.6	13.9	14.9	
11 NOT STATED	COUNT	31	150	187	56	22	6	452
	ROW PCT	6.9	33.2	41.4	12.4	4.9	1.3	1.6
	COL PCT	2.8	1.9	1.5	1.2	1.0	12.8	
COLUMN TOTAL		1106	7700	12801	4727	2101	47	28482
		3.9	27.0	44.9	16.6	7.4	.2	100.0

NUMBER OF MISSING OBSERVATIONS = 1

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE. VALUE = TOTAL

MAL	COUNT / ROW PCT / COL PCT	AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
0 NONE		10	56	289	828	1660	2691	3822	4850	5588	5991	89521
		.0	.1	.3	.9	1.9	3.0	4.3	5.4	6.2	6.7	99.2
		100.0	98.2	99.3	98.9	98.9	98.8	98.7	99.3	99.1	99.4	
1 741						1		4	1	2	1	32
						3.1		12.5	3.1	6.3	3.1	.0
						.1		.1	.0	.0	.0	
2 745,746				1				1	2	3	2	43
				2.3				2.3	4.7	7.0	4.7	.0
				.1				.0	.0	.1	.0	
3 749				1	3	1	6	2	2	8	80	
				1.3	3.8	1.3	7.5	2.5	2.5	10.0	.1	
				.1	.2	.0	.2	.0	.0	.1		
4 752.6					1	1	4	3	3	3	49	
					2.0	2.0	8.2	6.1	6.1	6.1	.1	
					.1	.0	.1	.1	.1	.0		
5 754.5 - 754.7					2	5	4	2	4	1	50	
					4.0	10.0	8.0	4.0	8.0	2.0	.1	
					.1	.2	.1	.0	.1	.0		
6 755.0					2	5	7	2	9	3	82	
					2.4	6.1	8.5	2.4	11.0	3.7	.1	
					.1	.2	.2	.0	.2	.0		
7 758.0					1			2		2	29	
					3.4			6.9		6.9	.0	
					.1			.0		.0		
8 ALL OTHER			1	2	7	8	21	23	19	26	16	342
			.3	.6	2.0	2.3	6.1	6.7	5.6	7.6	4.7	.4
			1.8	.7	.8	.5	.8	.6	.4	.5	.3	
COLUMN TOTAL		10	57	291	837	1678	2724	3871	4883	5637	6027	90228
		.0	.1	.3	.9	1.9	3.0	4.3	5.4	6.2	6.7	100.0

(CONTINUED)

TABLE 20

CROSSTABULATION OF
MAL CONGENITAL MALFORMATION BY AGE AGE OF MOTHER
CONTROLLING FOR.. RACE.
VALUE = TOTAL

MAL	COUNT / ROW PCT / COL PCT	22	23	24	25	26	27	28	29	30	ROW TOTAL
		AGE 25 - 29	AGE 30 - 34	AGE 35 - 39	AGE 40 - 44	AGE 45 AND OVER	NOT STATED				
0		6025	5901	5877	26538	14726	4201	455	10	3	89521
NONE		6.7	6.6	6.6	29.6	16.4	4.7	.5	.0	.0	99.2
		99.2	99.3	99.5	99.2	99.3	99.2	98.1	90.9	100.0	
1		4	1	3	13	2					32
741		12.5	3.1	9.4	40.6	6.3					.0
		.1	.0	.1	.0	.0					
2		1	1		22	5	4	1			43
745,746		2.3	2.3		51.2	11.6	9.3	2.3			.0
		.0	.0		.1	.0	.1	.2			
3		7	5	7	26	6	5	1			80
749		8.8	6.3	8.8	32.5	7.5	6.3	1.3			.1
		.1	.1	.1	.1	.0	.1	.2			
4		7		3	10	10	3	1			49
752.6		14.3		6.1	20.4	20.4	6.1	2.0			.1
		.1		.1	.0	.1	.1	.2			
5		5	2	1	12	11	1				50
754.5 - 754.7		10.0	4.0	2.0	24.0	22.0	2.0				.1
		.1	.0	.0	.0	.1	.0				
6		5	8	4	24	12	1				82
755.0		6.1	9.8	4.9	29.3	14.6	1.2				.1
		.1	.1	.1	.1	.1	.0				
7			1		10	7	3	2	1		29
758.0			3.4		34.5	24.1	10.3	6.9	3.4		.0
			.0		.0	.0	.1	.4	9.1		
8		18	26	13	85	56	17	4			342
ALL OTHER		5.3	7.6	3.8	24.9	16.4	5.0	1.2			.4
		.3	.4	.2	.3	.4	.4	.9			
COLUMN TOTAL		6072	5945	5908	26740	14835	4235	464	11	3	90228
		6.7	6.6	6.5	29.6	16.4	4.7	.5	.0	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY AGE AGE OF MOTHER

CONTROLLING FOR.. RACE

VALUE.. 1 WHITE

MAL	COUNT / ROW PCT / COL PCT	AGE 13	14	15	16	17	18	19	20	21	22	ROW TOTAL
0 NONE		8	85	304	765	1450	2102	2880	3370	3743	3882	61250
		.0	.1	.5	1.2	2.4	3.4	4.7	5.5	6.1	6.3	99.2
		100.0	97.7	98.1	98.3	98.5	98.5	99.2	99.2	99.4	99.2	
1 741					1		4	1	1		2	25
					4.0		16.0	4.0	4.0		8.0	.0
					.1		.2	.0	.0		.1	
2 745,746							1	2	3	1	1	32
							3.1	6.3	9.4	3.1	3.1	.1
							.0	.1	.1	.0	.0	
3 749				1	3	1	6	1		7	7	71
				1.4	4.2	1.4	8.5	1.4		9.9	9.9	.1
				.3	.4	.1	.3	.0		.2	.2	
4 752.6						1	2	3	1	2	5	38
						2.6	5.3	7.9	2.6	5.3	13.2	.1
						.1	.1	.1	.0	.1	.1	
5 754.5 - 754.7					2	5	2	2	4		4	44
					4.5	11.4	4.5	4.5	9.1		9.1	.1
					.3	.3	.1	.1	.1		.1	
6 755.0						1	1	1		1		19
						5.3	5.3	5.3		5.3		.0
						.1	.0	.0		.0		
7 758.0					1			1		1		23
					4.3			4.3		4.3		.0
					.1			.0		.0		
8 ALL OTHER			2	5	6	14	16	13	19	11	12	244
			.8	2.0	2.5	5.7	6.6	5.3	7.8	4.5	4.9	.4
			2.3	1.6	.8	1.0	.7	.4	.6	.3	.3	
COLUMN TOTAL		8	87	310	778	1472	2134	2904	3398	3766	3913	61746
		.0	.1	.5	1.3	2.4	3.5	4.7	5.5	6.1	6.3	100.0

(CONTINUED)

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY AGE AGE OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

MAL	COUNT / ROW PCT / COL PCT	AGE 23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
0		4014	4126	19781	11257	3161	314	6	2	61250
NONE		6.6	6.7	32.3	18.4	5.2	.5	.0	.0	99.2
		99.3	99.5	99.3	99.3	99.2	97.5	100.0	100.0	
1		1	3	11	1					25
741		4.0	12.0	44.0	4.0					.0
		.0	.1	.1	.0					
2				16	5	2	1			32
745,746				50.0	15.6	6.3	3.1			.1
				.1	.0	.1	.3			
3		3	7	24	5	5	1			71
749		4.2	9.9	33.8	7.0	7.0	1.4			.1
		.1	.2	.1	.0	.2	.3			
4			3	9	9	2	1			38
752.6			7.9	23.7	23.7	5.3	2.6			.1
			.1	.0	.1	.1	.3			
5		2	1	11	10	1				44
754.5 - 754.7		4.5	2.3	25.0	22.7	2.3				.1
		.0	.0	.1	.1	.0				
6		3		7	5					19
755.0		15.8		36.8	26.3					.0
		.1		.0	.0					
7		1		8	7	2	2			23
758.0		4.3		34.8	30.4	8.7	8.7			.0
		.0		.0	.1	.1	.6			
8		17	8	62	42	14	3			244
ALL OTHER		7.0	3.3	25.4	17.2	5.7	1.2			.4
		.4	.2	.3	.4	.4	.9			
COLUMN TOTAL		4041	4148	19929	11341	3187	322	6	2	61746
		6.5	6.7	32.3	18.4	5.2	.5	.0	.0	100.0

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY AGE AGE OF MOTHER

CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

MAL	COUNT / ROW PCT / COL PCT	12	13	14	15	16	17	18	19	20	21	ROW TOTAL
0 NONE		10 .0 100.0	48 .2 98.0	204 .7 100.0	524 1.9 99.4	895 3.2 99.4	1241 4.4 99.1	1720 6.1 99.0	1970 7.0 99.5	2218 7.8 99.1	2248 8.0 99.4	28271 99.3
1 741										1 14.3 .0	1 14.3 .0	7 .0
2 745,746					1 9.1 .2						1 9.1 .0	11 .0
3 749									1 11.1 .1	2 22.2 .1	1 11.1 .0	9 .0
4 752.6					1 9.1 .1			2 18.2 .1		2 18.2 .1	1 9.1 .0	11 .0
5 754.5 - 754.7							2 33.3 .1				1 16.7 .0	6 .0
6 755.0					2 3.2 .2	4 6.3 .3	6 9.5 .3	1 1.6 .1	9 14.3 .4	2 3.2 .1	63 .2	
7 758.0									1 16.7 .1		1 16.7 .0	6 .0
8 ALL OTHER		1 1.0 2.0		2 2.0 .4	2 2.0 .2	7 7.1 .6	7 7.1 .4	6 6.1 .3	7 7.1 .3	5 5.1 .2	98 .3	
COLUMN TOTAL		10 .0	49 .2	204 .7	527 1.9	900 3.2	1252 4.4	1737 6.1	1979 6.9	2239 7.9	2261 7.9	28482 100.0

(CONTINUED)

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MAL	COUNT / ROW PCT / COL PCT	22	23	24	25	26	27	28	29	30	ROW TOTAL
		AGE			25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	
0		2143	1887	1751	6757	3469	1040	141	4	1	28271
NONE		7.6	6.7	6.2	23.9	12.3	3.7	.5	.0	.0	99.3
		99.3	99.1	99.5	99.2	99.3	99.2	99.3	80.0	100.0	
1		2			2	1					7
741		28.6			28.6	14.3					.0
		.1			.0	.0					
2			1		6		2				11
745,746			9.1		54.5		18.2				.0
			.1		.1		.2				
3			2		2	1					9
749			22.2		22.2	11.1					.0
			.1		.0	.0					
4		2			1	1	1				11
752.6		18.2			9.1	9.1	9.1				.0
		.1			.0	.0	.1				
5		1			1	1					6
754.5 - 754.7		16.7			16.7	16.7					.0
		.0			.0	.0					
6		5	5	4	17	7	1				63
755.0		7.9	7.9	6.3	27.0	11.1	1.6				.2
		.2	.3	.2	.2	.2	.1				
7					2		1		1		6
758.0					33.3		16.7		16.7		.0
					.0		.1		20.0		
8		6	9	5	23	14	3	1			98
ALL OTHER		6.1	9.2	5.1	23.5	14.3	3.1	1.0			.3
		.3	.5	.3	.3	.4	.3	.7			
COLUMN TOTAL		2159	1904	1760	6811	3494	1048	142	5	1	28482
		7.6	6.7	6.2	23.9	12.3	3.7	.5	.0	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR..
RACE. VALUE = TOTAL

MAL	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	18	ROW TOTAL
	0	3025	18239	36826	17143	14180	107	1	89521
NONE		3.4	20.4	41.1	19.1	15.8	.1	.0	99.2
		99.0	99.0	99.2	99.3	99.4	98.2	100.0	
	1		9	13	7	2	1		32
741			28.1	40.6	21.9	6.3	3.1		.0
			.0	.0	.0	.0	.9		
	2	1	3	17	9	13			43
745,746		2.3	7.0	39.5	20.9	30.2			.0
		.0	.0	.0	.1	.1			
	3	2	22	39	9	8			80
749		2.5	27.5	48.8	11.3	10.0			.1
		.1	.1	.1	.1	.1			
	4		13	18	8	10			49
752.6			26.5	36.7	16.3	20.4			.1
			.1	.0	.0	.1			
	5	2	15	20	6	7			50
754.5 - 754.7		4.0	30.0	40.0	12.0	14.0			.1
		.1	.1	.1	.0	.0			
	6	2	19	46	11	4			82
755.0		2.4	23.2	56.1	13.4	4.9			.1
		.1	.1	.1	.1	.0			
	7	2	4	14	5	4			29
758.0		6.9	13.8	48.3	17.2	13.8			.0
		.1	.0	.0	.0	.0			
	8	21	94	121	63	42	1		342
ALL OTHER		6.1	27.5	35.4	18.4	12.3	.3		.4
		.7	.5	.3	.4	.3	.9		
	COLUMN TOTAL	3055	18418	37114	17261	14270	109	1	90228
		3.4	20.4	41.1	19.1	15.8	.1	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 1 WHITE

MAL	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0 NONE		1924	10597	24132	12450	12086	60	61249
		3.1	17.3	39.4	20.3	19.7	.1	99.2
		98.7	98.9	99.3	99.3	99.3	96.8	
1 741			6	11	5	2	1	25
			24.0	44.0	20.0	8.0	4.0	.0
			.1	.0	.0	.0	1.6	
2 745,746		1	2	12	5	12		32
		3.1	6.3	37.5	15.6	37.5		.1
		.1	.0	.0	.0	.1		
3 749		1	20	33	9	8		71
		1.4	28.2	46.5	12.7	11.3		.1
		.1	.2	.1	.1	.1		
4 752.6			10	12	6	10		38
			26.3	31.6	15.8	26.3		.1
			.1	.0	.0	.1		
5 754.5 - 754.7		2	11	19	5	7		44
		4.5	25.0	43.2	11.4	15.9		.1
		.1	.1	.1	.0	.1		
6 755.0		1	3	8	4	3		19
		5.3	15.8	42.1	21.1	15.8		.0
		.1	.0	.0	.0	.0		
7 758.0		2	2	10	5	4		23
		8.7	8.7	43.5	21.7	17.4		.0
		.1	.0	.0	.0	.0		
8 ALL OTHER		18	67	76	45	37	1	244
		7.4	27.5	31.1	18.4	15.2	.4	.4
		.9	.6	.3	.4	.3	1.6	
COLUMN TOTAL		1949	10718	24313	12534	12169	62	61745
		3.2	17.4	39.4	20.3	19.7	.1	100.0

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

MAL	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL. 1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0 NONE		1101	7642	12694	4693	2094	47	28271
		3.9	27.0	44.9	16.6	7.4	.2	99.3
		99.5	99.2	99.2	99.3	99.7	100.0	
1 741			3	2	2			7
			42.9	28.6	28.6			.0
			.0	.0	.0			
2 745,746			1	5	4	1		11
			9.1	45.5	36.4	9.1		.0
			.0	.0	.1	.0		
3 749		1	2	6				9
		11.1	22.2	66.7				.0
		.1	.0	.0				
4 752.6			3	6	2			11
			27.3	54.5	18.2			.0
			.0	.0	.0			
5 754.5 - 754.7			4	1	1			6
			66.7	16.7	16.7			.0
			.1	.0	.0			
6 755.0		1	16	38	7	1		63
		1.6	25.4	60.3	11.1	1.6		.2
		.1	.2	.3	.1	.0		
7 758.0			2	4				6
			33.3	66.7				.0
			.0	.0				
8 ALL OTHER		3	27	45	18	5		98
		3.1	27.6	45.9	18.4	5.1		.3
		.3	.4	.4	.4	.2		
COLUMN TOTAL		1106	7700	12801	4727	2101	47	28482
		3.9	27.0	44.9	16.6	7.4	.2	100.0

NUMBER OF MISSING OBSERVATIONS = 1

STATE LIBRARY OF NORTH CAROLINA
3 3091 00795 5206

Department of Human Resources
Division of Health Services
State Center for Health Statistics
P.O. Box 2091
Raleigh, N.C. 27602-2091
919/733-4728

BULK RATE
U.S. Postage
PAID
Raleigh, N.C. 27602-2091
Permit No. 1862

CHERYL W. MCLEAN
ASST. DOC. LIBRARIAN (CY 2 OF 5)
DIVISION OF STATE LIBRARY
ARCHIVES/LIBRARY BUILDING
RALEIGH, NC INTEROFFICE

550 copies of this public document were printed at a cost of $407.00 or 74¢ per copy.